

WORKSHOP


SELECTION 2020 / EN



NEW



+




WSL-M-TS-172
TOOL TROLLEY
WORKSTER with
tool assortment,
172 pieces



1507 XL
MOBILE WORKBENCH
with extra-wide
drawers


GEDORE MODULE SYSTEM - COMBINE AS PER DIAGRAM

The fields of use for the GEDORE range of tools are just as varied as the tools themselves. The GEDORE modular system has been devised to provide the employee at his place of work with an optimally matched set of tools and a maximum of flexibility in their selection. The many different module variants ensure that tool trolleys and mobile workbenches are equipped as individually required to bring about an exact arrangement of tools for the jobs on hand. Innumerable combination possibilities result from the large selection of pre-configured modules. GEDORE also has an ideal solution on hand for those special cases and requirements not covered by the module range in the form of the iMOD supply offer. It allows for an individual design of the tool modules, precision-adjustment to one's own needs and also ensures a perfect tool arrangement.



A joint basic raster depicts the drawer sizes and module variants. The drawers (blue) - depending on the raster involved - can be individually combined with the tool and distance modules (in colour). Appropriate configuration examples are on Page 005.

Drawer size with equipping raster of the tool trolleys and mobile workbenches




S
W 480 x D 325 mm



1578



1580



M
W 480 x D 400 mm



WSL-M6



2004 0511



2004 0810




1504



1502



1506 XL



L
W 480 x D 400 mm



WHL-L7



WSL-L7



2005 0511




2005 0810



1504 XL



GTT B-S-177
LIMITED EDITION




XL
W 480 x D 550 mm
Partial pull-out D 505 mm



1505



B 1500 L



XXL 1
W 1055 x D 400 mm



1504 XL




XXL 2
W 998 x D 474 mm




1507 XL





Module variants for equipping tools individually





1/3 MODULE
ES + CT1 MODULE
W 157.5 x D 310 mm




2/3 MODULE
ES + CT2 MODULE
W 315 x D 310 mm




2/4 MODULE
2005 + CT2 MODULE
W 316.5 x D 390 mm



3/4 MODULE
2005 + CT3 MODULE
W 472.5 x D 390 mm




4/4 MODULE
2005 + CT4 MODULE
W 633 x D 390 mm




70/70K MODULE
W 475 x D 77 mm




1/3 MODULE DISTANCE MODULE
W 152 x D 77 mm



150 K DISTANCE MODULE
W 480 x D 150 mm



70 XL DISTANCE MODULE
B 625 x T 77 mm




230 CT DISTANCE MODULE
B 475 x T 230 mm




ALLOCATION DIAGRAM


Insert-drawer compatibility




S
for 1578, 1580




M
for WSL-M6, 2004 0511,
2004 0810, 1504, 1502,
1506XL




L
for WHL-L7, WSL-L7,
2005 0511, 2005 0810,
1504 XL, GTT B-S-177




XL
for 1505, B 1500 L





XXL 1
for 1504 XL





XXL 2
for 1507 XL





1/3 MODULE
ES + CT1 MODULE





2/3 MODULE
ES + CT2 MODULE





2/4 MODULE
2005 + CT2 MODULE





3/4 MODULE
2005 + CT3 MODULE




4/4 MODULE
2005 + CT4 MODULE





70/70K MODULE





1/3
DISTANCE MODULE




150 K
DISTANCE MODULE




70 XL
DISTANCE MODULE



230 CT
DISTANCE MODULE



Configuration examples




GEDORE INDIVIDUAL "I-MODULES"



You haven't found the right tool modules?

Then simply create your own perfect tool arrangement based on corporate design requirements and process specifications. Have a word with us!



GEDORE

WORKSHOP FURNITURE...

Intelligently designed - dependable under extreme use



Form and function perfection

- > Whether mobile or stationary: indispensable aids, in fact, for the rough-and-ready of workshop routine
- > Extremely robust, scratch and impact-resistant, corrosion-proof and easy to care for
- > Durable and highly resilient with stability of the highest-order
- > Numerous models to reflect use and individual requirements
- > Varied, optional accessories available for flexibly extending all the basic models
- > Specific colours (RAL) and outfits on request


Best-possible quality for the highest demands placed

- > Use of the most up-to-date machinery and environmentally-friendly production processes
- > The basis is tightly-controlled and choice sheet steel
- > Experienced and reliable specialists vouch for precision-like processing
- > Stringent quality checks after each production step ensure a constantly high level
- > Best-possible industrial quality for those extreme levels of constant use and conditions subjected to
- > Professional service up to the development of special customised tools
- > Vertical and horizontal forces are calculated with precision
- > Unloaded weight optimisation from a finely-tuned material input
- > Robust and stable sheet steel structure
- > Precision spot welding ensures components stay permanently fixed
- > Durable and highly resilient with stability of the highest-order

1 Powder coating

- > This coating method guarantees a high level of corrosion protection, combined with tough scratch resistance
- > Powder coating is kind on the environment. Unused powder is reclaimed in the plant. No solvent is used
- > Special colours available on request

2 Load capacity



- > The load capacity of the drawers is 40 kg
- > Models 2004*, 2005, 1502, 1504, 1504 XL, 1506 XL: The bottom drawer is designed as heavy-duty drawer, load capacity 60 kg

Ball bearing drawer runners

- > The ball bearing drawer runners ensure safe and easy sliding of the drawers, even when loaded to full capacity
- > Full extension improves access

3 Smooth running and high-performance wheels



Smooth running wheel (swivel castor)

- > Tyres made from solid rubber
- > The precision ball bearing consists of balls which run between an inner and outer hardened ring. Well-proven under extreme loads and at high speeds.



High-performance wheel (fixed castor)

- > Tyres made from solid rubber, high load capacity, resistant to abrasion
- > The rim is made from high-quality casting.
- > The roller bearing consists of rollers made of steel or stainless steel within a cage, which rotate between the axle tube and the wheel hub.
- > The GEDORE smooth running and high-performance wheels keep, even under maximum load, the following features: Smooth running, track-keeping and manoeuvrability!



in unloaded state




with maximum loading




- > On conventional industrial wheels, there is a visible and perceptible change in handling under maximum loading. The high rolling resistance makes it almost impossible to move the mobile equipment when fully loaded. There is an increased risk of the tyre parting from the wheel, which could lead to an accident!

4 Impact protection



- > The vertical impact protection protects the trolley and anything it comes into contact with from damage
- > It also protects other equipment in the workshop or vehicles from inadvertent contact

5 Individual drawer locking



- > In addition to the central locking, each drawer has its own separate latch to prevent unwanted opening, when being moved
- > The latch is automatically released by a tilting bar when the drawer is opened
- > The single latch automatically engages when the drawer closes

6 Central locking



- > One central lock for all drawers and doors
- > Safe and easy handling



7 Square perforation 10 x 38 mm



- > The square perforation in the side walls enable quick access to frequently used tools
- > GEDORE holders and trays are simply clipped in

8 Heel protection edge

- > All-round heel protection by rounded edges on the underside allows the trolley or workbench to be safely pulled or pushed

9 Total brake


- > Prevents unwanted movement and turning of the wheel
- > Ensures safe parking of the trolley or workbench

GTT B-S-177

TROLLEY WITH TOOL ASSORTMENT

177 pieces

- > Your basic equipment for the workshop: compact tool trolley with varied set of tools
- > **Total load-bearing capacity: 900 kg (static), 650 kg (dynamic)**
- > Ample storage space with seven drawers, load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Telescopic, fully extending drawer runners for unrestricted access to the entire drawer
- > Ease in steering and turning thanks to manoeuvrable handle, two roller-bearing GEDORE heavy-duty wheels (fixed castors Ø 200 mm) and two ball bearing GEDORE smooth running wheels (swivel castors Ø 125 mm) with total brake
- > Heel protection for your safety
- > Side walls with square perforation 10 x 38 mm for fixing hooks and tools
- > Dimensions: H 985 x W 775 x D 475 mm
- > Wide drawers (W 640 x D 400 mm) with central locking and cylinder lock
- > Stable, welded sheet-steel construction with ABS tray with three compartments for small items, two can holders, eight screwdriver trays
- > Sheet steel, corrosion resistant and scratch-proof powder-coated
- > Non-standard paint finish, body black, drawers in GEDORE Blue
- > GEDORE tools in metric sizes
- > GEDORE Check-Tool-System, 2-colour foam inserts for visual check into tool completeness
- > Incl. a free extra: GEDORE Lunch box. Contains: insulated cooler bag, GEDORE L-BOXX mini, knife, bottle opener, Coffee2Go beaker
- > Only as long as stocks last




	Contents	H	W	D	Number of drawers	pieces	Code	No.	kg
7 drawers:	Tool Set in CT tool module No. TS-177, 177 pieces	985	775	475	7	177	3106667	GTT B-S-177	102.7
5x type 1, H = 67 mm	+ Tool Trolley with 6 drawers No. GTT B7								
1x type 2, H = 137 mm	+ Rescue knife No. SB 6952-00, GEDORE L-BOXX Mini No. 1102 L,								
1x type 3, H = 207 mm	Cool bag, Coffee2Go mug GEDOREred, Bottle opener 2K GEDORE								

WHL-L7

TOOL TROLLEY WORKSTER HIGHLINE

with 7 drawers

- > For the safe, clear and mobile storage of tools and equipment
- > Strong steel sheet construction with shelf in PP plastic
- > Plenty of storage space thanks to 7 drawers, each with a load capacity of 40 kg, total load capacity of trolley 500 kg
- > Five drawers for tools for individual division, two tall drawers for large items, drawer interior 640 x 400 mm
- > High safety thanks to the individual operation of the drawers and central locking with cylinder locks (including 2 keys)
- > Unrestricted access to the complete drawer thanks to telescopic full extension
- > Additional tool holders on the side wall with Euro square perforation
- > Easy to push thanks to the push, pull and steer handle and two swivel castors Ø 125 mm, two swivel castor with double-stop brake
- > Can be individually equipped and compatible with GEDORE foam modules



	H	W	D	Number of drawers	Code	No.	kg
7 drawers:	1045	785	510	7	3033708	WHL-L7	84.0
5 type 1, H = 80 mm							
2 type 2, H = 160 mm							

AS SET WITH ASSORTMENT

WHL-L7-TS-147

**TOOL TROLLEY WORKSTER SMARTLINE
WITH TOOL ASSORTMENT IN CT MODULES**

147 pieces

- > Tool set in Check-tool modules (CT)
- > Full visibility thanks to 2-colour foam inserts
- > Slip-free, grip recesses
- > Resistant to oil and grease
- > Tools in metric sizes
- > In tool trolley WHL-L7
- > **Detailed listing of the contents on page 40**



	Contents	H	W	D	Number of drawers	pieces	Code	No.	kg
7 drawers: 5 type 1, H = 80 mm 2 type 2, H = 160 mm	1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pieces Combination spanner set in CT module no. TS CT2-7, 24 pieces Tool assortment in CT module no. TS CT2-2154SK-119, 14 pieces Pliers range in CT module no. TS CT2-142, 28 pieces + tool trolley workster highline no. WHL-L7	1045	785	510	7	147	3082105	WHL-L7-TS-147	95.3

WHL-L7-TS-308

**TROLLEY WORKSTER HIGHLINE
WITH TOOL ASSORTMENT**

308 pieces


- > Tool set in Check-tool modules (CT)
- > Full visibility thanks to 2-colour foam inserts
- > Slip-free, grip recesses
- > Resistant to oil and grease
- > Tools in metric sizes
- > In trolley WHL-L7
- > **Detailed listing of the contents on page 40**



	Contents	H	W	D	Number of drawers	pieces	Code	No.	kg
7 drawers: 5x type 1, H = 80 mm 2x type 2, H = 160 mm	1/4"+1/2" socket key assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination spanner set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs Pliers set in CT module No. TS CT2-142, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs 1/2" set of screwdriver bit sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs Screwdriver set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-D30, 59 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407 + trolley workster highline No. WHL-L7	1045	785	510	7	308	3082113	WHL-L7-TS-308	112.6

WSL-L7 TOOL TROLLEY WORKSTER SMARTLINE with 7 drawers

- > For the safe, clear and mobile storage of tools and equipment
- > Strong steel sheet construction with shelf in PP plastic
- > Plenty of storage space thanks to 7 drawers, each with a load capacity of 20 kg, total load capacity of trolley 400 kg
- > Five drawers for tools for individual division, two tall drawers for large items, drawer interior 640 x 400 mm
- > High safety thanks to the individual operation of the drawers and central locking with cylinder locks (including 2 keys)
- > Unrestricted access to the complete drawer thanks to telescopic full extension
- > Additional tool holders on the side wall with Euro square perforation
- > Easy to push thanks to the push, pull and steer handle and two swivel castors Ø 125 mm, one swivel castor with double-stop brake
- > Can be individually equipped and compatible with GEDORE foam modules



	H	W	D	Number of drawers	Code	No.	
7 drawers: 5 type 1, H = 80 mm 2 type 2, H = 160 mm	1045	785	510	7	2977311	WSL-L7	85.0

Tool Trolley WSL-L7

AS SET WITH ASSORTMENT

WSL-L-TS-147 TOOL TROLLEY WORKSTER SMARTLINE WITH TOOL ASSORTMENT IN CT MODULES 147 pieces

- > Tool set in Check-tool modules (CT)
- > Full visibility thanks to 2-colour foam inserts
- > Slip-free, grip recesses
- > Resistant to oil and grease
- > Tools in metric sizes
- > In tool trolley WSL-L7
- > **Detailed listing of the contents on page 40**



	Contents	H	W	D	Number of drawers	pieces	Code	No.	
7 drawers: 5 type 1, H = 80 mm 2 type 2, H = 160 mm	1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pcs. Combination spanner set in CT module no. TS CT2-7, 24 pcs. Tool assortment in CT module no. TS CT2-2154SK-119, 14 pcs. Pliers range in CT module no. TS CT2-142, 28 pcs. + Tool trolley workster smartline no. WSL-L7	1045	785	510	7	147	2980312	WSL-L-TS-147	97.0


WSL-M6

TOOL TROLLEY

WORKSTER SMARTLINE

with 6 drawers

- > Working platform with top made of PP plastic with front flattening
- > With handle for easy pushing, pulling and turning
- > Side walls with square perforation 10 x 38 mm to fix hooks and tools
- > Sides rounded off – a minimum of abutting edges
- > **Individual blocking** only one drawer can be open at a time, single-hand operation
- > 6 wide drawers (W 480 x D 400 mm) fully extendable
- > Load capacity per drawer 20 kg
- > Total load capacity 300 kg
- > 4 smooth running wheels on ball bearings (swivel castors Ø 125 mm) with thread guard, one with total brake
- > Even with maximum loads: smooth running, manoeuvrable and on track
- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)



Number of drawers	H	W	D	Code	No.	kg
6	903	625	510	3100707	WSL-M6	58.0
6 drawers: 5 type 1, H = 80 mm 1 type 2, H = 160 mm						

Tool Trolley WSL-M6

AS SET WITH ASSORTMENT

WSL-M-TS-172

TOOL TROLLEY WORKSTER

WITH TOOL ASSORTMENT

172 pieces

- > Tool set in Check-tool modules (CT)
- > Full visibility thanks to 2-colour foam inserts
- > Slip-free, grip recesses
- > Resistant to oil and grease
- > Tools in metric sizes
- > In trolley WSL-M6



Contents	H	W	D	Number of drawers	pieces	Code	No.
6 drawers: 5 type 1, H = 80 mm 1 type 2, H = 160 mm	903	625	510	6	172	3100197	WSL-M-TS-172
Combination spanner no. 1 B, 8 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm, Socket no. C19, 8 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 mm, 1/2" screwdriver bit socket hexagonal no. IN19, 5 6 7 8 9 10 12 14 17 19 mm, 1/2" reversible ratchet no. 1993 U-10 T, 1/2" extension no. 1990, 75 125 250 mm, 1/2" extension no. 1990 M, with magnet, Bit box with ratchet 1/4" 35 pieces, no. 666-U-20, Torsion bit set no. 666-042, 1/4" ratchet screwdriver SilentGEAR no. 2675 with bit holder, Hexagon socket key no. H 42-10, hex size 1.3 1.5 2 2.5 3 4 5 6 8 10 mm, 3C screwdriver no. 2150, 4 5.5 6.5 8 mm, 3C screwdriver no. 2160 PH 1 2, Universal pliers no. 142 10 TL, 10", Multiple pliers no. 8133-200 JC, 200 mm, Power side cutter no. 8316-180 JC, 180 mm, Voltage tester slotted no. 4615 3, 220-250 V, 3mm, Engineers' hammer no. 4 E-500, 500 g, Twist drill set no. 8550-024, Ø 1 1.5 2 2.5 3 3.5 4 4.5 5 5.5 6 6.5 7 7.5 8 8.5 9 9.5 10 10.5 mm							

2004 0511

TOOL TROLLEY

with 7 drawers

Body:

- > Dimensions: H 985 x W 775 x D 475 mm
- > Working platform in ABS, with 3 compartments for small parts
- > Storage compartment with perforated sheet (Euro perforation 10 x 38 mm), two removable drawers for small parts and door on the handle side
- > With handle for easy pushing, pulling and turning
- > Front side with Euro perforation 10 x 38 mm to fix hooks and tools
- > Heel and impact protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking for cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer and storage compartment with safety locking, single-hand operation
- > Ball bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:

- > Total load capacity 500 kg
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake



	H	W	D	Lengthwise dividers	CD	Number of drawers	Code	No.	
7 drawers: 5x type 1, H = 67 mm, 1x type 2, H = 137 mm, 1x type 3, H = 207 mm	985	775	475	10x	2x	7	1640739	2004 0511	85.0

- > Even under maximum loading, the GEDORE axle structure ensures: smooth running, manoeuvrability and track adhesion

Accessories:

- > Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Optionally extendable with GEDORE tool chests, rear panels and tool holders
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories



2004 0810

TOOL TROLLEY

with 9 drawers plus storage compartment

Body:

- > Dimensions: H 985 x W 775 x D 475 mm
- > Working platform in ABS, with 3 compartments for small parts
- > Storage compartment with perforated sheet (Euro perforation 10 x 38 mm), two removable drawers for small parts and door on the handle side
- > With handle for easy pushing, pulling and turning
- > Front side with Euro perforation 10 x 38 mm to fix hooks and tools
- > Heel and impact protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking for cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Each drawer and storage compartment with safety locking, single-hand operation
- > Ball bearing guide rails
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:

- > Total load capacity 500 kg
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake



	H	W	D	Number of drawers	Code	No.	
9 drawers: 8x type 1, H = 67 mm, 1x type 2, H = 137 mm	985	775	475	9	1640704	2004 0810	95.0

- > Even under maximum loading, the GEDORE axle structure ensures: smooth running, manoeuvrability and track adhesion

Accessories:

- > Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:


- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Optionally extendable with GEDORE tool chests, rear panels and tool holders
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories



AS SET WITH ASSORTMENT

1500 ES-02-2004
TOOL TROLLEY WITH TOOL ASSORTMENT
 207 pieces

- > Proved GEDORE ES tool modules from ABS
- > Non-sliding push tray system
- > Resistant to oil and grease
- > Tools in metric sizes
- > In trolley 2004 0620
- > **Detailed listing of the contents on page 41**




	Contents	H	W	D	Number of drawers	pieces	Code	No.	kg
8 drawers:	Combination spanner set in 2/3 ES module No. 1500 ES-1 B	985	775	475	9	207	2657708	1500 ES-02-2004	117.1
6x type 1, H = 67 mm	Double open-ended spanner set in 1/3 ES module No. 1500 ES-6								
2x type 2, H = 137 mm	1/2" set of sockets in 1/3 ES module No. 1500 ES-19 IS								
	1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-ITX 19 LKP								
	1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-IN 19 LKM								
	1/2" accessories for sockets in 1/3 ES module No. 1500 ES-1993 U-20								
	1/4" socket key assortment in 1/3 ES module No. 1500 ES-20								
	Socket key set in 1/3 ES module No. 1500 ES-2133								
	Combination ratchet spanner set in 1/3 ES module No. 1500 ES-7 R								
	Pliers set in 1/3 ES module No. 1500 ES-145								
	Chisel assortment in 1/3 ES module No. 1500 ES-350								
	Measuring assortment in 1/3 ES module No. 1500 ES-711								
	Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH								
	1/2" impact driver assortment in 1/3 ES module No. 1500 ES-K 1900								
	Set of circlip pliers in 1/3 ES module No. 1500 ES-8000								
	Distance module empty No.1500 ED-70 K, 475x77x40 mm [6x]								
	+ trolley with 8 drawers No. 2004 0620								

1500 ES-03 2004
TOOL TROLLEY WITH TOOL ASSORTMENT
 325 pieces

- > Proved GEDORE ES tool modules from ABS
- > Non-sliding push tray system
- > Resistant to oil and grease
- > Tools in metric sizes
- > In trolley 2004 0810
- > **Detailed listing of the contents on page 41**



	Contents	H	W	D	Number of drawers	pieces	Code	No.	
9 drawers: 8x type 1, H = 67 mm 1x type 2, H = 137 mm	Combination spanner set in 2/3 ES module No. 1500 ES-1 B 1/2" set of sockets in 1/3 ES module No. 1500 ES-19 IS 1/2" accessories for sockets in 1/3 ES module No. 1500 ES-1993 U-20 Double-ended ring spanners set in 1/3 ES module No. 1500 ES-2 Double-ended spanner set in ES module No. 1500 ES-2 B, short 1/4" socket key assortment in 1/3 ES module No. 1500 ES-20 1/4" socket key assortment in CT module No. 1500 CTD-20 BIT Socket key set in 1/3 ES module No. 1500 ES-2133 Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH Screwdriver set in 1/3 ES module No. 1500 ES-2163 TX Double-ended swivel head wrench set in 1/3 ES module. 1500 ES-34 Chisel assortment in 1/3 ES module No. 1500 ES-350 Double-ended ring spanners set in 1/3 ES module No. 1500 ES-400, open Double open-ended spanner set in 1/3 ES module No. 1500 ES-6 Combination ratchet spanner set in 1/3 ES module No. 1500 ES-7 R Measuring assortment in 1/3 ES module No. 1500 ES-711 Set of circlip pliers in 1/3 ES module No. 1500 ES-8000 Hexagon socket key set in 2/3 ES module No. 1500 ES-DT 2142 1/2" set of screwdriver bit sockets hex in 1/3 ES module No. 1500 ES-IN 19 LKM 1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-ITX 19 LKP 1/2" impact driver assortment in 1/3 ES module No. 1500 ES-K 1900 VDE Pliers set in 1/3 ES module No. 1500 ES-VDE 145 VDE Screwdriver set in 1/3 ES module No. 1500 ES-VDE 2170 PZ Screw extractor set No. 8551-55, M3-M18 Hexagon socket key set No. H 42 KEL-88, hex AF 2 2.5 3 4 5 6 8 10 mm, ball end Hexagon socket key set TX No. H 43 KTX-07, SW TX T10 T15 T20 T25 T27 T30 T40 Key file set No. 8728, flat, three-edged, square, half-round, round file Adjustable wrench, open end No. 60 P 8, 10" grip wrench No. 137 10 ⊖ Voltage tester slotted No. 4615 3, 220-250 V, 3mm Cable knife No. 0513-09, 195 mm, 1/2" high-speed swivel disc No. 1940 Distance module empty No. 1500 ED-70 K, 475x77x40 mm [7x] + trolley with 9 drawers No. 2004 0810	985	775	475	9	325	2657716	1500 ES-03-2004	125.8

2005 0511 TOOL TROLLEY with 7 drawers

Body:


- › Dimensions: H 985 x W 775 x D 475 mm
- › Working platform in ABS, with 3 compartments for small parts
- › With handle for easy pushing, pulling and turning
- › Side walls with square perforation 10 x 38 mm to fix hooks and tools
- › Heel and impact protection for your safety
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- › Central locking for cylinder lock
- › Wide drawers (W 640 x D 400 mm) fully extendable, removable
- › Single-hand operation with safety locking
- › Guide rails mounted on ball bearings
- › Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- › Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:

- › Total load capacity 500 kg
- › 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- › 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- › Even under maximum loading, the GEDORE axle structure ensures: smooth running, manoeuvrability and track adhesion




Accessories:

- › Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:

- › Can be equipped with GEDORE tool modules (1500 ES/1500 CT or 2005 CT)
- › Optionally extendable with GEDORE tool chests, rear panels and tool holders
- › Further drawer combinations on request
- › Special colours and designs available on request
- › Delivery without tools and accessories



	H	W	D	Number of drawers	Code	No.	
7 drawers: 5x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	985	775	475	7	1803018	2005 0511	83.0

2005-TS-308

TOOL TROLLEY WITH TOOL ASSORTMENT

308 pieces

- > Tool set in Check-tool modules (CT)
- > Full visibility thanks to 2-colour foam inserts
- > Slip-free, grip recesses
- > Resistant to oil and grease
- > Tools in metric sizes
- > In trolley 2005 0511
- > **Detailed listing of the contents on page 40**




	Contents	pieces	H	W	D	Number of drawers	Code	No.	
7 drawers:	1/4"+1/2" socket key assortment in CT module No. TS CT2-D19-D20, 81 pcs	308	985	775	475	7	2980304	2005-TS-308	121.6
5x type 1, H = 67 mm	Combination spanner set in CT module No. TS CT2-7, 24 pcs								
1x type 2, H = 137 mm	Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs								
1x type 3, H = 207 mm	Pliers set in CT module No. TS CT2-142, 28 pcs								
	Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs								
	1/2" set of screwdriver bit sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs								
	Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs								
	Screwdriver set in 2/4 CT module No. TS CT2-7R-2, 28 pcs								
	Tool assortment in 2/4 CT module No. TS CT2-D30, 59 pcs								
	Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs								
	Hacksaw No. 407								
	+ trolley with 7 drawers No. 2005 0511								

2005 0810

TOOL TROLLEY

with 9 drawers

- > Dimensions: H 985 x W 775 x D 475 mm
- > Working platform with 3 compartments for small parts
- > Both side walls with square perforation to fix torque wrenches or other long tools and accessories
- > Central locking with cylinder lock
- > Wide drawers (W 640 x D 400 mm), fully extendable, removable
- > Single-hand operation with safety locking
- > Ball bearings
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > The trapezoidal GEDORE chassis ensures the following features:
smooth running manoeuvrability, and track-keeping
- > Total load capacity 500 kg



	H	W	D	Code	No.	
9 drawers:	985	775	475	2003562	2005 0810	93.0
8x type 1, H = 67 mm						
1x type 2, H = 137 mm						

1578 TOOL TROLLEY with 6 drawers

- › Ideal for beginners and basic users as well as for small workshops with little floor space

Body:

- › Dimensions: H 930 x W 605 x D 375 mm
- › Shelf in ABS with 3 compartments for small parts
- › With handle for easy pushing, pulling and turning
- › Heel protection for your safety
- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- › Central locking for cylinder lock
- › 4 wide drawers (W 480 x D 325 x H 75 mm)
- › 1 wide drawer (W 480 x D 325 x H 120 mm)
- › 1 wide drawer (W 480 x D 325 x H 210 mm)
- › All drawers open either side
- › Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- › Load capacity per drawer 20 kg

- › Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE chassis:

- › Total load capacity 200 kg
- › 2 high-performance wheels on roller bearings (fixed castors Ø 140 mm)
- › 2 smooth running wheels on ball bearings (swivel castors Ø 100 mm), one with total brake
- › Even under maximum loading, the GEDORE trapezoid axle structure ensures: smooth running, manoeuvrability and track adhesion

Accessories:

- › 6 length- (LD) and 2 crosswise dividers (CD) in zinc-plated sheet steel

Options:

- › Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- › Special colours and designs available on request
- › Delivery without tools and accessories



	H	W	D	Lengthwise dividers	CD	Number of drawers	Code	No.	
6 drawers: 4x type 1, H = 75 mm, 1x type 2, H = 120 mm, 1x type 3, H = 210 mm	930	605	375	6x	2x	6	9018140	1578	43.0

2004 HP-14 WOOD WORKTOP

- › To fit in the plastic top, 30 mm thick, to get an additional work surface
- › Multiplex beech wood
- › Only for trolleys 2004 and 2005 and tool chest 2430



W	D	mm	Code	No.	
563	409	30	2879883	2004 HP-14	5.0

R 2004 L REAR PANEL

- › Lowerable, automatically raised by two gas springs
- › Neat arrangement of tools on square perforation 10 x 38 mm
- › The complete loaded rear wall can be simply lowered
- › Central locking for cylinder lock
- › Can be attached to 2004, 2005
- › Tools not supplied



H	W	D	Code	No.	
768	770	116	1446169	R 2004 L	24.0

RT 2004 L REAR PANEL BOARD

- › Square perforation 10 x 38 mm for tool hooks and holders 1500 H
- › Can be attached to 2004 and 2005




H	W	D	Code	No.	
715	765	30	2663104	RT 2004 L	11.0

1500 H 40 PAPER ROLL HOLDER

- > For paper rolls to diameter 320 mm and width 320 mm
- > Side perforation to hold further accessories
- > Made from sheet steel
- > Colour RAL 9005 black
- > Suitable for all tool trolleys/benches with Euro perforation 10 x 38 mm
- > Tools and accessories not included




H	W	D	Code	No.	
110	350	200	2997754	1500 H 40	1.100

1500 H 25-8 SPRAY CAN HOLDER for 8 spray cans

- > With carrying handle
- > Compatible with standard Euro square perforation 10 x 38 mm
- > Removable dividers so it can also be used for transportation
- > Interior dimensions compatible with GEDORE 1500 CT modules
- > Front square perforation holds additional hooks for further accessories
- > Tools and accessories not included



Model	Capacity	Code	No.	
with carrying handle	8	3127907	1500 H 25-8	2.028

1504 XL MOBILE WORKBENCH EXTRA WIDTH with 7 drawers

Body:

- > Dimensions: H 985 x W 1250 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > Heel protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking for cylinder lock
- > 1 XL drawer (W 1055 x D 400), 6 wide drawers (W 640 x D 400 mm) fully extendable, removable
- > Each drawer with safety locking, single-hand operation
- > Guide rails mounted on ball bearings
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:


- > Total load capacity **1000 kg, 750 kg** when mobile
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > Even under maximum loading, the GEDORE trapezoid axle structure ensures: smooth running, manoeuvrability and track adhesion



Accessories:

- > 10 length- (LD) and 2 crosswise dividers (CD) in zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT or 2005 CT)
- > Rear panel R 1504 XL-L can be added
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories



	H	W	D	mm 	Number of drawers	Code	No.	
7 drawers: 1x type XL, H = 67 mm, W = 1055 mm, 4x type 1, H = 67 mm, 1x type 2, H = 137 mm, 1x type 3, H = 207 mm	985	1250	550	30	7	1988468	1504 XL	124.0

1504 XL-TS-308

MOBILE WORKBENCH WITH TOOL ASSORTMENT

308 pieces

- > 308-piece assortment for industrial, automotive and craft sector
- > Tools in metric sizes
- > GEDORE Check-Tool-System: 2-colour foam insert to check that the set is complete
- > In tool trolley 1504 XL
- > **Detailed listing of the contents on page 40**



	Contents	H	W	D	mm	Number of drawers	pieces	Code	No.	kg
7 drawers: 1x type XL, H = 67 mm, B = 1055 mm 4x type 1, H = 67 mm 1x type 2, H = 137 mm 1x type 3, H = 207 mm	1/4"+1/2" socket key assortment in CT module No. TS CT2-D19-D20, 81 pcs Combination spanner set in CT module No. TS CT2-7, 24 pcs Tool assortment in CT module No. TS CT2-2154SK-119, 14 pcs Pliers set in CT module No. TS CT2-142, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-6-8000, 15 pcs 1/2" set of screwdriver bit sockets in 2/4 CT module No. TS CT2-ITX19, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-2133-2163TX, 13 pcs Screwdriver set in 2/4 CT module No. TS CT2-7R-2, 28 pcs Tool assortment in 2/4 CT module No. TS CT2-D30, 59 pcs Tool assortment in 2/4 CT module No. TS CT2-710, 17 pcs Hacksaw No. 407 + mobile workbench No. 1504 XL, 1.25 m wide	985	1250	550	30	7	308	2980355	1504 XL-TS-308	148.6

1504 0810

MOBILE WORKBENCH

with 9 drawers

Body:

- > Dimensions: H 985 x W 1100 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Large usable storage space with shelf and door
- > Heel protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Central locking for cylinder lock
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Single-hand operation with safety locking
- > Guide rails mounted on ball bearings
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg (not for No. 1504 1000)
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:


- > Total load capacity **1000 kg, 750 kg** when mobile
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > Even under maximum loading, the GEDORE trapezoid axle structure ensures: smooth running, manoeuvrability and track adhesion

Accessories:

- > 4 distance modules No. 1500 ED-70 K
- > Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Rear panel no. R 1504 L or RT 1504 L can be added
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories



	H	W	D	mm	Code	No.	kg
9 drawers:, 8 type 1, H = 67 mm, 1 type 2, H = 137 mm	985	1100	550	30	1814923	1504 0810	111.0

1506 XL 2511

MOBILE WORKBENCH EXTRA WIDTH

with 14 drawers

Body:


- > Dimensions: H 985 x W 1250 x D 550 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > With two similar drawer blocks
- > Heel protection for your safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:

- > Cylinder lock for centrally locking each drawer unit
- > Two identical drawer units each with 7 drawers
- > Wide drawers (W 480 x D 400 mm) fully extendable, removable
- > Single-hand operation with safety locking
- > Guide rails mounted on ball bearings
- > Can be individually equipped with lengthwise and crosswise dividers (can be ordered individually)
- > Load capacity per drawer 40 kg, bottom heavy-duty drawer 60 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE High-performance chassis:

- > Total load capacity **1000 kg, 750 kg** when mobile
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > Even under maximum loading, the GEDORE trapezoid axle structure ensures: smooth running, manoeuvrability and track adhesion



Accessories:

- > 4 distance modules No. 1500 ED-70 K
- > Length- (LD) and crosswise (CD) dividers from zinc-plated sheet steel

Options:

- > Can be equipped with GEDORE tool modules (1500 ES/1500 CT)
- > Rear panel R 1504 XL-L can be added
- > Further drawer combinations on request
- > Special colours and designs available on request
- > Delivery without tools and accessories



	H	W	D	mm	Code	No.	kg
14 drawers:	985	1250	550	30	2528088	1506 XL 2511	141.0
10x type 1, H = 67 mm							
2x type 2, H = 137 mm							
2x type 3, H = 207 mm							

S 1500 ES-01

TOOL ASSORTMENT IN ES MODULES

104 pieces

- > In ES modules from impact resistant ABS
- > General basic range for beginners in all professions
- > Tools in metric sizes
- > **Detailed listing of the contents on page 41**

6,3 1/4" 12,5 1/2"



Contents	Contents	pieces	Code	No.	kg
Combination spanner set in 2/3 ES module No. 1500 ES-1 B	1500 ES-1 B	104	2319845	S 1500 ES-01	14.0
1/2" set of sockets in 1/3 ES module No. 1500 ES-19, hex	1500 ES-19				
1/2" accessories for sockets in 1/3 ES module No. 1500 ES-1993 U-20	1500 ES-1993 U-20				
1/4" socket key assortment in 1/3 ES module No. 1500 ES-20	1500 ES-20				
Pliers set in 1/3 ES module No. 1500 ES-145	1500 ES-145				
Chisel assortment in 1/3 ES module No. 1500 ES-350	1500 ES-350				
Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH	1500 ES-2150 PH				

S 1500 ES-02

MODULE ASSORTMENT MIDDLE

207 pieces

- › In ES modules from impact resistant ABS
- › Detailed listing of the contents on page 41



6,3 1/4" 12,5 1/2" 8 5/16"

Contents	pieces	Code	No.	
Combination spanner set in 2/3 ES module No. 1500 ES-1 B, Double open-ended spanner set in 1/3 ES module No. 1500 ES-6	207	2319853	S 1500 ES-02	28.3
1/2" set of sockets in 1/3 ES module No. 1500 ES-19 IS, 1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-ITX 19 LKP				
1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-IN 19 LKM, 1/2" accessories for sockets in 1/3 ES module No. 1500 ES-1993 U-20				
1/4" socket key assortment in 1/3 ES module No. 1500 ES-20, Socket key set in 1/3 ES module No. 1500 ES-2133				
Combination ratchet spanner set in 1/3 ES module No. 1500 ES-7 R, Pliers set in 1/3 ES module No. 1500 ES-145, Chisel assortment in 1/3 ES module No. 1500 ES-350, Measuring assortment in 1/3 ES module No. 1500 ES-711, Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH				
1/2" impact driver assortment in 1/3 ES module No. 1500 ES-K 1900, Set of circlip pliers in 1/3 ES module No. 1500 ES-8000				
Distance module empty No.1500 ED-70 K, 475x77x40 mm [6x]				

S 1500 ES-03

MODULE ASSORTMENT LARGE

325 pieces

- › In ES modules from impact resistant ABS
- › Detailed listing of the contents on page 41



6,3 1/4" 12,5 1/2" 6,3 1/4" 8 5/16"

Contents	pieces	Code	No.	
Combination spanner set in 2/3 ES module No. 1500 ES-1 B, 1/2" set of sockets in 1/3 ES module No. 1500 ES-19 IS	325	2319861	S 1500 ES-03	38.0
1/2" accessories for sockets in 1/3 ES module No. 1500 ES-1993 U-20, Double-ended ring spanners set in 1/3 ES module No. 1500 ES-2				
Double-ended spanner set in ES module No. 1500 ES-2 B, short, 1/4" socket key assortment in 1/3 ES module No. 1500 ES-20				
1/4" socket key assortment in CT module No. 1500 CTD-20 BIT, Socket key set in 1/3 ES module No. 1500 ES-2133				
Screwdriver set in 1/3 ES module No. 1500 ES-2150 PH, Screwdriver set in 1/3 ES module No. 1500 ES-2163 TX				
Double-ended swivel head wrench set in 1/3 ES module. 1500 ES-34, Chisel assortment in 1/3 ES module No. 1500 ES-350				
Double-ended ring spanners set in 1/3 ES module No. 1500 ES-400, open, Double open-ended spanner set in 1/3 ES module No. 1500 ES-6				
Combination ratchet spanner set in 1/3 ES module No. 1500 ES-7 R, Measuring assortment in 1/3 ES module No. 1500 ES-711				
Set of circlip pliers in 1/3 ES module No. 1500 ES-8000, Hexagon socket key set in 2/3 ES module No. 1500 ES-DT 2142				
1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-IN 19 LKM				
1/2" set of screwdriver bit sockets in 1/3 ES module No. 1500 ES-ITX 19 LKP, 1/2" impact driver assortment in 1/3 ES module No. 1500 ES-K 1900				
VDE Pliers set in 1/3 ES module No. 1500 ES-VDE 145, VDE Screwdriver set in 1/3 ES module No. 1500 ES-VDE 2170 PZ				
Screw extractor set No. 8551-55, M3-M18, Hexagon socket key set No. H 42 KEL-88, AF 2 2,5 3 4 5 6 8 10 mm, ball end, Hexagon socket key set No. H 43 KTX-07, SW TX T10 T15 T20 T25 T27 T30 T40, Key file set No. 8728, flat, three-edged, square, half-round, round file				
Adjustable wrench, open end No. 60 P 8, 10" grip wrench No. 137 10, Voltage tester No. 4615 3, 220-250 V, 3mm				
Cable knife No. 0513-09, 195 mm, 1/2" high-speed swivel disc No. 1940, Distance module empty No.1500 ED-70 K, 475x77x40 mm [7x]				

1507 XL

MOBILE WORKBENCH

extra-wide drawers

Body:

- > Dimensions: H 985 x W 1200 x D 635 mm
- > 30 mm thick multiplex beech wood worktop, surface additionally protected by linseed oil varnish
- > Worktop set back to park flush against the wall
- > With handle for easy pushing, pulling and turning
- > Side walls with Euro perforation 10 x 38 mm to fix hooks and tools
- > Ready to take up tool holder KL-5501-20 for installation of spring compressor KL-5501
- > Heel protection for personal safety
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

Drawers:


- > Central locking with cylinder lock
- > Wide drawers (W 998 x D 474 mm) fully extending, removable
- > **Individual drawer locking** stops more than one drawer from opening, one-handed operation
- > Guide rails on ball bearings with **self-closing**
- > Load capacity per drawer 70 kg
- > Sheet steel, corrosion resistant and scratch-proof powder-coated, GEDORE blue

GEDORE high-performance chassis:

- > Total load capacity **1000 kg, 750 kg** when mobile
- > 2 high-performance wheels on roller bearings (fixed castors Ø 200 mm)
- > 2 GEDORE smooth running wheels on ball bearings (swivel castors Ø 125 mm), both with total brake
- > Even under maximum load, the GEDORE trapezoidal axle construction remains smooth running, manoeuvrable and keeps on track

Options:

- > Ideal for equipping with GEDORE tool modules (1500 ES/1500 CT and TS ranges) maximum 9 pieces 1/3 modules possible per drawer
- > Tools and accessories not included



	H	W	D	mm	Number of drawers	Code	No.	kg
5 drawers: 3 type 1, H = 75 mm 1 type 3, H = 155 mm 1 type 5, H = 235 mm	985	1200	635	30	5	3127826	1507 XL 30101	130
5 drawers: 3 type 2, H = 101.5 mm 2 type 3, H = 155 mm	985	1200	635	30	5	3127788	1507 XL 03200	130
6 drawers: 4 type 1, H = 75 mm 2 type 3, H = 155 mm	985	1200	635	30	6	3127796	1507 XL 40200	136
5 drawers: 4 type 2, H = 101.5 mm 1 type 4, H = 208 mm	985	1200	635	30	5	3127818	1507 XL 04010	130
6 drawers: 5 type 1, H = 75 mm 1 type 5, H = 235 mm	985	1200	635	30	6	3127834	1507 XL 50001	136

TS-147 TOOL ASSORTMENT IN CHECK-TOOL MODULES 147 pieces

- > Tool set in Check-tool modules (CT)
- > Full visibility thanks to 2-colour foam inserts
- > Slip-free, grip recesses
- > Resistant to oil and grease
- > Tools in metric sizes
- > Impact cap screwdriver, positive-fit joint of handle and blade for an optimum transmission of force
- > **Detailed listing of the contents on page 40**



Contents	pieces	Code	No.	
1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pieces, Combination spanner set in CT module no. TS CT2-7, 24 pieces	147	2955997	TS-147	12.0
Tool assortment in CT module no. TS CT2-2154SK-119, 14 pieces, Pliers range in CT module no. TS CT2-142, 28 pieces				

TS-190 TOOL ASSORTMENT IN CHECK-TOOL MODULES 190 pieces

- > Tool set in Check-tool modules (CT)
- > Full visibility thanks to 2-colour foam inserts
- > Slip-free, grip recesses
- > Resistant to oil and grease
- > Tools in metric sizes
- > Impact cap screwdriver, positive-fit joint of handle and blade for an optimum transmission of force
- > **Detailed listing of the contents on page 40**



Contents	pieces	Code	No.	
1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pieces, Combination spanner set in CT module no. TS CT2-7, 24 pieces	190	2956527	TS-190	17.1
Tool assortment in CT module no. TS CT2-2154SK-119, 14 pieces, Pliers range in CT module no. TS CT2-142, 28 pieces				
Tool assortment in 2/4 CT module no. TS CT2-6-8000, 15 pcs., 1/2" set screwdriver bits in 2/4 CT module no. TS CT2-ITX19, 28 pcs.				

TS-308 TOOL ASSORTMENT IN CHECK-TOOL MODULES 308 pieces

- > Tool set in Check-tool modules (CT)
- > Full visibility thanks to 2-colour foam inserts
- > Slip-free, grip recesses
- > Resistant to oil and grease
- > Tools in metric sizes
- > Impact cap screwdriver, positive-fit joint of handle and blade for an optimum transmission of force
- > **Detailed listing of the contents on page 40**



Contents	pieces	Code	No.	
1/4"+1/2" socket range in CT module no. TS CT2-D19-D20, 81 pcs., Combination spanner set in CT module no. TS CT2-7, 24 pcs.	308	2956535	TS-308	30.1
Tool assortment in CT module no. TS CT2-2154SK-119, 14 pcs., Pliers range in CT module no. TS CT2-142, 28 pcs.				
Tool assortment in 2/4 CT module no. TS CT2-6-8000, 15 pcs., 1/2" set screwdriver bits in 2/4 CT module no. TS CT2-ITX19, 28 pcs.				
Tool assortment in 2/4 CT module no. TS CT2-2133-2163TX, 13 pcs., Screwdriver set in 2/4 CT module no. TS CT2-7R-2, 28 pcs.				
Tool assortment in 2/4 CT module no. TS CT2-D30, 59 pcs., Tool assortment in 2/4 CT module no. TS CT2-710, 17 pcs., Hacksaw no. 407				

S 2005 BASIC

TOOL ASSORTMENT

BASIC

198 pieces

- › Tool set in Check-tool modules (CT) plus 3 distance modules
- › Full visibility thanks to 2-colour foam inserts
- › Slip-free, grip recesses
- › Resistant to oil and grease
- › Tools in metric sizes
- › For trolley 2005, WSL, WHL
- › **Detailed listing of the contents on page 44**



Contents	pieces	Code	No.	kg
1/4"-3/8"-1/2" socket key set in CT module No. 2005 CT4-U-20, Combination spanner assortment in CT module No. 2005 CT4-2-7, Tool assortment in CT module No. 2005 CT4-8000, Screwdriver set in CT module No. 2005 CT2-2160, Tool assortment in CT module No. 2005 CT2-119, 21 pcs, Tyre lever No. 38, 400 500 mm, Brake calliper brush No. 643, Brake calliper file No. 8726, 8" triangular file No. 8719 2-8, 200x14 mm, 8" flat file No. 8701 2-8, 200x20 mm, 8" round file No. 8722 2-8, 200x8 mm, 8" half-round file No. 8725 2-8, 200x20 mm, 3C screwdriver slotted No. 2150 6.5-200, 6.5 mm, Kneeling board No. 906, Work gloves M Pact No. 922 10, 1/2" torque wrench TORCOFIX K No. 4550-20, 40-200 Nm, Wood sectioned folding ruler No. 4533-2. 2 m, Lengthways module No. 1500 ED-150 K, empty, 480x150 mm [2x], Distance module empty No.1500 ED-70 K, 475x77x40 mm, ES module No. 1500 E-S L, empty, 310x157 mm, 5x42 mm, sub-divided	198,	2146096	S 2005 BASIC	36.0

S 2005 AUTO

TOOL ASSORTMENT

AUTO

247 pieces

- › Tool set in Check-tool modules (CT) plus 3 distance modules
- › Full visibility thanks to 2-colour foam inserts
- › Slip-free, grip recesses
- › Resistant to oil and grease
- › Tools in metric sizes
- › For trolley 2005, WSL-L and WHL
- › **Detailed listing of the contents on page 44**



6,3 1/4" 10 3/8 12,5 1/2"

Contents	pieces	Code	No.	kg
1/4"-3/8"-1/2" socket key set in CT module No. 2005 CT4-U-20, Combination spanner assortment in CT module No. 2005 CT4-2-7, Screwdriver bit socket set 1/2" in 2/4 CT tool module No. 2005 CT2-INR, 41 pcs, Hexagon Allen key set in 2/4 CT tool module No. 2005 CT2-2143 KTX, 7 pcs, Tool assortment in CT module No. 2005 CT4-8000, Tool assortment in CT module No. 2005 CT4-2160-119, 36 pcs, Tyre lever No. 38, 400 500 mm, Brake calliper brush No. 643, Brake calliper file No. 8726, 8" triangular file No. 8719 2-8, 200x14 mm, 8" flat file No. 8701 2-8, 200x20 mm, 8" round file No. 8722 2-8, 200x8 mm, 8" half-round file No. 8725 2-8, 200x20 mm, 3C screwdriver slotted No. 2150 6.5-200, 6.5 mm, Kneeling board No. 906, Work gloves M Pact No. 922 10, 1/2" torque wrench TORCOFIX K No. 4550-20, 40-200 Nm, Wood sectioned folding ruler No. 4533-2. 2 m, Lengthways module No. 1500 ED-150 K, empty, 480x150 mm [2x], Distance module empty No.1500 ED-70 K, 475x77x40 mm, ES module No. 1500 E-S L, empty, 310x157 mm, 5x42 mm, sub-divided	247	2055066	S 2005 AUTO	43.0



1500 CT1-19
SOCKET SET 1/2",
HEXAGON
 in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm

12.5 1/2"



Contents	pieces	Code	No.	
Socket No. 19, AF 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 mm	26	2308908	1500 CT1-19	2.790
Screwdriver bit socket No. IN 19, AF 6 7 8 9 10 12 14 mm				

1500 CT1-D 19
SOCKET SET 1/2",
UD PROFILE
 in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm

12.5 1/2"



Contents	pieces	Code	No.	
Socket 1/2" No. D 19, AF 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 mm	26	2308916	1500 CT1-D 19	2.680
● Screwdriver bit socket 1/2" No. IN 19, AF 6 7 8 9 10 12 14 mm				

1500 CT1-IN 19 LKM
SCREWDRIVER BIT
SOCKET SET 1/2"
 in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm

12.5 1/2"




Contents	pieces	Code	No.	
● Screwdriver bit socket 1/2" No. IN 19 6 7 8 9 10 12 14 mm	15	2308932	1500 CT1-IN 19 LKM	1.900
● Screwdriver bit socket 1/2" No. IN 19 L 6-140 7-140 8-140 9-140 10-140 12-140 14-140				

1500 CT1-ITX 19 LKP SCREWDRIVER BIT SOCKET SET 1/2" in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm

12,5 1/2"




Contents	pieces	Code	No.	kg
<ul style="list-style-type: none"> ⊕ Screwdriver bit socket 1/2" No. ITX 19 T20 T25 T27 T30 T40 T45 T50 T55 T60 ⊕ Screwdriver bit socket 1/2" No. ITX 19 L T20-100 T25-100 T27-100 T30-100 T40-100 T45-100 T50-100 T55-100 T60-100 TX gauge No. 708 	19	2308940	1500 CT1-ITX 19 LKP	1.915

1500 CT1-1993 T ACCESSORIES FOR SOCKET WRENCHES 1/2" in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm

12,5 1/2"




Contents	pieces	Code	No.	kg
<ul style="list-style-type: none"> 1/2" reversible ratchet No. 1993 U-10 T, 1/2" sliding T-bar No. 1987, 292 mm 1/2" universal joint No. 1995, 1/2" extension No. 1990, 125 250 mm 	5	2309106	1500 CT1-1993 T	1.765

1500 CT1-30 SOCKET SET 3/8" in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm

UNIT DRIVE 10 3/8"




Contents	pieces	Code	No.	kg
<ul style="list-style-type: none"> 3/8" socket hex No. 30, AF 6 7 8 9 10 11 12 13 14 15 16 17 18 19 3/8" screwdriver bit socket hex, No. IN 30, AF 4 5 6 8 10 mm, 3/8" universal joint No. 3095, 51 mm 3/8" sliding T-bar No. 3087, 3/8" extension No. 3090 -5 -10, 125 250 mm, 3/8" reversible ratchet No. 3093 U-10, 200 mm 	24	2308975	1500 CT1-30	1.670

1500 CT1-ITX 30 SCREWDRIVER BIT SOCKET SET 3/8" in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm


10 3/8"



Contents	pieces	Code	No.	kg
<ul style="list-style-type: none"> ⊕ Screwdriver bit socket 3/8" No. IN 30 L, hex AF 4 5 6 7 8 10 mm, ⊕ Screwdriver bit socket 3/8" No. ITX 30 T20 T25 T27 T30 T40 T45 T50 ⊕ Screwdriver bit socket 3/8" No. ITX 30 L T20 T25 T27 T30 T40 T45 T50, ⊕ Socket 3/8" No. TX 30 E5 E6 E7 E8 E10 E11 E12 E14 ⊕ Screwdriver bit socket 3/8" slotted No. IS 30, AF 5.5 6.5 8 10 12 mm, ⊕ Screwdriver bit socket 3/8" No. IKS 30 1 2 3 ⊕ Screwdriver bit socket 3/8" No. IKS 30 PZD 1 2 3 	39	2308983	1500 CT1-ITX 30	2.175

1500 CT1-20 SOCKET SET 1/4" in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




6.3 1/4"



Contents	pieces	Code	No.	
○ 1/4" socket No.20 hex AF 4 5 5.5 6 7 8 9 10 11 12 13 14 mm	37	2308967	1500 CT1-20	0.845
● 1/4" screwdriver bit socket No. IN 20 hex AF 3 4 5 6 8 mm				
⊕ 1/4" screwdriver bit socket No. ITX 20, AF T8 T9 T10 T15 T20 T25 T27 T30 T40 mm				
⊕ 1/4" socket No. TX 20, E4 E5 E6 E7 E8 E10, 1/4" sliding T-bar with slider No. 2087, 115 mm, 1/4" extension No. 2090-4, 97 mm, 1/4" universal joint No. 2095, 1/4" square plug-in handle No. 2098, 2C handle, 1/4" reversible ratchet U-10, 127 mm				

1500 CT1-2133 SOCKET WRENCH SET in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm



Contents	pieces	Code	No.	
Socket key with 3C handle No. 2133, AF 5.5 6 7 8 9 10 mm	6	2309122	1500 CT1-2133	0.820

1500 CT1-2150 PH SCREWDRIVER SET in 1/3 Check-Tool module


> Dimensions: W 157.5 x D 310 mm



Contents	pieces	Code	No.	
⊖ 3C screwdriver slotted No. 2150, 4 5.5 6.5 8 mm	6	2309130	1500 CT1-2150 PH	0.630
⊕ 3C screwdriver cross-slotted No. 2160 PH 1 2				

1500 CT1-2150 PZ SCREWDRIVER SET in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




Contents	pieces	Code	No.	
⊖ 3C screwdriver slotted No. 2150, 4 5.5 6.5 8 mm	6	2309149	1500 CT1-2150 PZ	0.630
⊕ 3C screwdriver cross-slotted No. 2160 PZ 1 2				

1500 CT1-2163 TXB SCREWDRIVER SET

in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




Contents	pieces	Code	No.	
⊕ 3C screwdriver recessed TX with drill hole No. 2163 TXB, AFT10 T15 T20 T25 T30 T40 mm	6	2309165	1500 CT1-2163 TXB	0.500

1500 CT1-2163 TX SCREWDRIVER SET

in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




Contents	pieces	Code	No.	
⊕ 3C screwdriver recessed TX No. 2163 TX AFT8 T10 T15 T20 T25 T30 mm	6	2309157	1500 CT1-2163 TX	0.400

1500 CT1-2 DOUBLE ENDED RING SPANNER SET

in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




Contents	pieces	Code	No.	
Double-ended ring spanner UD profile No. 2 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	8	2308827	1500 CT1-2	1.360

1500 CT1-400 DOUBLE-ENDED RING SPANNER SET

open, in 1/3 Check-Tool module



> Dimensions: W 157.5 x D 310 mm



Contents	pieces	Code	No.	
Double ended ring spanner open hex No. 400, AF 8x10 10x11 12x14 13x15 17x19 mm	5	2309068	1500 CT1-400	0.565

1500 CT1-6 DOUBLE OPEN ENDED SPANNER SET in 1/3 Check-Tool module


> Dimensions: W 157.5 x D 310 mm



Contents	pieces	Code	No.	kg
Double open-ended spanner No. 6, AF 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 mm	10	2308851	1500 CT1-6	1.440

1500 CT1-7 R COMBINATION RATCHET SPANNER SET in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm



Contents	pieces	Code	No.	kg
Combination ratchet spanner No. 7 UR, AF 8 10 12 13 14 15 16 17 18 19 mm	10	2308894	1500 CT1-7 R	1.240

1500 CT1-7 UR COMBINATION RATCHET SPANNER SET, REVERSIBLE in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm



Contents	pieces	Code	No.	kg
Combination ratchet spanner No. 7 UR, AF 8 10 12 13 14 15 16 17 18 19 mm	10	2331969	1500 CT1-7 UR	1.245

1500 CT1-8000 SET OF CIRCLIP PLIERS in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm





Contents	pieces	Code	No.	kg
Circlip pliers for external retaining rings No. 8000 A 1 A 2 A 21	6	2309181	1500 CT1-8000	1.009
Circlip pliers for internal retaining rings No. 8000 J 1 J 2 J 21				

1500 CT1-142

PLIERS SET

in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




Contents	pieces	Code	No.	
10" universal pliers No. 142 10 JC, 2C handle	4	2309025	1500 CT1-142	1.217
Power combination pliers No. 8250-180 JC, 180 mm 2C handle				
Bent nose pliers No. 8132-160 JC, 160 mm 2C handle				
Power side cutter No. 8316-160 JC, 160 mm 2C handle				

1500 CT1-VDE 142

VDE PLIERS SET

in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




Contents	pieces	Code	No.	
Universal pliers No. 142 10 C, 10"	4	2309033	1500 CT1-VDE 142	1.158
VDE Power combination pliers No. VDE 8250-180 H				
VDE Bent nose pliers No. VDE 8132-160 H				
VDE Side cutter No. VDE 8314-160 H				

1500 CT1-VDE 2170 PZ

VDE SCREWDRIVER SET

in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




Contents	pieces	Code	No.	
⊖ VDE Screwdriver slotted No. VDE 2170, AF 4 5.5 6.5 8 mm	6	2309173	1500 CT1-VDE 2170 PZ	0.625
⊕ VDE Screwdriver cross-slotted No. VDE 2160 PZ 1 2				

1500 CT1-350

CHISEL SET

in 1/3 Check-Tool module

> Dimensions: W 157.5 x D 310 mm




Contents	pieces	Code	No.	
Flat chisel No. 97-250, 250x24 mm, Cross-cut chisel No. 98-125, 125 mm	8	2309041	1500 CT1-350	1.425
Drift punch No. 99 12-5 12-8, Ø 5 8 mm, Centre punch No. 100-12, 120x12x5 mm				
Pin punch, No. 119-1.5 3 4 mm				
Engineers' hammer ROTBAND-PLUS No.600 H-300, with hickory shaft 300g				

1500 CT2-7 COMBINATION SPANNER SET

in 2/3 Check-Tool module

> Dimensions: W 315 x D 310 mm




Contents	pieces	Code	No.	
Combination spanner No. 7, AF 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm	25	2308878	1500 CT2-7	1.750
Hexagon socket key set No. PH 42-88 hex AF 2 2.5 3 4 5 6 8 10 mm				

1500 CT2-7-32 COMBINATION SPANNER SET

in 2/3 Check-Tool module

> Dimensions: W 315 x D 310 mm





Contents	pieces	Code	No.	
Combination spanner No. 7, AF 23 24 27 30 32 mm	5	2308886	1500 CT2-7-32	1.865

1500 CT2-DT 2142 HEXAGON ALLEN KEY SET

in 2/3 Check-Tool module

> Dimensions: W 315 x D 310 mm



Contents	pieces	Code	No.	
● Hexagon socket key with 2CT-handle No. DT 2142, AF 2 2.5 3 4 5 6 7 8 10 mm	9	2309009	1500 CT2-DT 2142	0.900

2005 CT3-32 SOCKET SET 3/4"

in 3/4 Check-Tool module


> Dimensions: 472.5 x 390 x 50 mm

> Suitable for:

> all drawers of models B 1500, 1502, 1505

> only drawers with height 137 and 207 mm of models 1504, 1504 XL, 1506 XL, 2004, 2005, workster

> For XL drawer of models 2005, WHL, WSL-L7, 1504 XL, WHL-L-L7, 1507 XL





Contents	pieces	Code	No.	
Socket 3/4" hex UD profile No. 32, AF 22 24 27 30 32 36 38 41 46 50	14	2752727	2005 CT3-32	9.0
Extension 3/4" No. 3290-8 -16 200 mm, 400 mm				
Reversible ratchet 3/4" No. 3293 U-2, 510 mm, Sliding T-handle 3/4" No. 3287				

2005 CT4-7 XL COMBINATION SPANNER SET

in 4/4 Check-Tool module

- > Dimensions: 633 x 390 x 35 mm
- > For XL drawer of models 2005, WSL-L7, 1504 XL, WHL-L7, 1507 XL
- > Extra long




Contents	pieces	Code	No.	↕
Combination spanner No. 7 XL, AF 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 36 41 mm	18	2704226	2005 CT4-7 XL	8.150

2005 CT4-U-20 SOCKET SET 1/4"-3/8"-1/2"

in 4/4 Check-Tool module

- > Dimensions: 633 x 390 x 35 mm
- > For drawers of models 2005, WSL-L7, 1504 XL, WHL-L7, 1507 XL
- > Extra long




6,3 1/4" 10 3/8" 12,5 1/2"



Contents	pieces	Code	No.	↕
<ul style="list-style-type: none"> ○ 1/4" socket No. 20, AF 5.5 6 7 8 9 10 11 12 13 14 mm 1/4" reversible ratchet No. 2093 U-20 1/4" T-bar ratchet No. 2093 U-3 T 1/4" extension No. 2090-4 -6, 97 148 mm 1/4" universal joint No. 2095 3/8" socket No. D 30, AF 8 9 10 11 12 13 14 15 16 17 18 19 21 22 mm ● 3/8" screwdriver bit socket No. IN 30 L, AF 4 5 6 7 8 10 ⊕ 3/8" screwdriver bit socket No. ITX 30 L, T20 T25 T27 T30 T40 T45 T50 ⊖ 3/8" socket No. TX 30, E5 E6 E7 E8 E10 E11 E12 E14 ⊕ 3/8" screwdriver bit socket No. IKS 30, 1 2 3 ⊖ 3/8" screwdriver bit socket No. IKS 30 PZD 1 2 3 ⊖ 3/8" screwdriver bit socket No. IS 30, AF 5.5 6.5 8 10 12 mm 3/8" spark plug socket with retaining spring 20.8 mm 3/8" spark plug socket with retaining spring 16 mm 3/8" spark plug socket with retaining spring 18 mm 3/8" reversible ratchet No. 3093 U-20 3/8" extension with release lever No. 3090 A-5 -10 3/8" universal joint No. 3095 1/2" socket No. D 19, AF 10 11 12 13 14 15 16 17 18 19 21 22 23 24 27 30 32 mm 1/2" reversible ratchet 1/2" No. 1993 U-20 1/2" extension 1/2" No. 1990-5 -10, 125 250 mm 1/2" reducer 1/2" to 3/8" No. 1930 1/2" universal joint 1/2" No. 1995 1/2" swivel handle No. 1996, 255 mm 	89	2016257	2005 CT4-U-20	7.6

2005 CT4-8000 TOOL ASSORTMENT in 4/4 Check-Tool module


- > Dimensions: 633 x 390 x 35 mm
- > For XL drawer of models 2005, WSL-L7, 1504 XL, WHL-L7, 1507 XL
- > Extra long



Contents	pieces	Code	No.	kg
Engineers' hammer ROTBAND-PLUS No. 600 H-300 -500	13	2016303	2005 CT4-8000	4.1
Recoilless hammer No. 248 ST-40				
Universal pliers No. 142 10 JC				
Bent nose pliers No. 8132-160 JC				
Power side cutter No. 8316-160 JC				
Power combination pliers No. 8250-180 JC				
Circlip pliers for external retaining rings No. 8000 A 1 2 21				
Circlip pliers for internal retaining rings No. 8000 J 1 2 21				

1500 CTD-20 BIT TOOL MODULE 1/4" with assortment

- > Dimensions: W 315 x D 310 mm




Contents	pieces	Code	No.	kg
1/4" socket No. 20 L, AF 4 4.5 5 6 7 8 9 10 12 13 mm	45	1733419	1500 CTD-20 BIT	0.700
1/4" screwdriver bit No. 680, AF 4 5.5 6.5 8 mm				
1/4" screwdriver bit No. 685, AF 2.5 3 4 5 6 mm				
1/4" screwdriver bit No. 685 X 5 6 8				
1/4" screwdriver bit No. 687 TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40				
1/4" screwdriver bit No. 690 1 2 3				
1/4" screwdriver bit No. 690 PZD 1 2 3				
Miniature LED lamp No.649				
Adaptor No. 673 6.3				
Bit holder No. 699				
1/4" bit adapter No. 620				
Multi-grip No. 676				
Combination holding tool No. 639				

1500 ED-70 S

DISTANCE MODULE 1/3 EMPTY, IN SHEET STEEL

- > For trolley WSL-L7, WHL-L7 and 2005, workbench 1504 XL and tool chest 2430
- > Dimensions: W 152 x D 77 x H 40 mm




W	D	H	Code	No.	
152	77	40	1851462	1500 ED-70 S	0.240

1500 ED-70 K

DISTANCE MODULE EMPTY

- > For fixing modules 1500 ES in drawers with depth 400 mm of tool trolley 2004 and workbenches 1502, 1504, 1505 and 1506 XL
- > Dimensions: W 475 x D 77 x H 40 mm




W	D	H	Code	No.	
475	77	40	1618687	1500 ED-70 K	0.120

1500 ED-70 XL

DISTANCE MODULE EMPTY, IN SHEET STEEL

- > For drawer of models 2005, WSL-L7 and 1504 XL
- > Dimensions: W 625 x D 77 x H 40 mm




W	D	H	Code	No.	
625	77	40	1803069	1500 ED-70 XL	0.854

1500 ED-230 CT

DISTANCE MODULE EMPTY

- > For workbenches 1505 and B 1500
- > Check-Tool module: 2-colour foam insert with two nest-holes for small parts
- > Resistant to oil and grease
- > Dimensions: B 475 x D 230 x H 35 mm



W	D	H	Code	No.	
475	230	35	3036650	1500 ED-230 CT	0.055

TS-147 / TS-190 / TS-308

Individual components at a glance


TS CT2-D19-D20



- 1/4" reversible ratchet no. 2093 U-20, 127 mm
- 1/4" universal extension no. 2090 KR-4, 97 mm
- 1/4" sliding T-handle no. 2087, 115 mm
- 1/4" socket no. D 20, 4 5 5.5 6 7 8 9 10 11 12 13 mm
- 1/4" socket no. TX 20, E4 E5 E6 E7 E8 E10
- ⊖ 1/4" screwdriver bit no. 680, 4 5.5 6.5 8 mm
- 1/4" screwdriver bit hex no. 685, 2.5 3 4 5 6 mm
- 1/4" screwdriver bit multipoint no. 685, M5 M6 M8
- ⊕ 1/4" screwdriver bit cross-head no. 690, PH1 2 3
- ⊕ 1/4" screwdriver bit cross-head no. 690 PZD, PZ1 2 3
- 1/4" screwdriver bit TX no. 687, T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40
- Bit holder no. 673 6.3, 1/4" hex - 1/4" square
- Bit adapter no. 620, 1/4" hex - 1/4" square

- Driving handle no. 676, 1/4"
- Bit holder no. 699, 1/4" hex
- 1/2" reversible ratchet no. 1993 U-20, 270 mm
- 1/2" socket extension no. 1990-2.1/2, 63 mm
- 1/2" universal extension no. 1990 KR -5 -10, 125 + 250 mm
- 1/2" socket no. D 19, 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm
- 1/2" screwdriver bit socket no. IN 19, 5 6 7 8 9 10 12 14 mm

TS CT2-7



- Combination spanner no. 7, 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm
- Hexagon socket key set no. PH 42-88, hex in holder 2 2.5 3 4 5 6 8 10 mm

TS CT2-2154SK-119



- ⊖ 3C screwdriver slotted no. 2154SK, with striking cap 3.5 5.5 6.5 8 mm
- ⊕ 3C screwdriver no. PH1 PH2
- Engineers' hammer no. 4 E-500, with ash handle, 500 g
- Centre punch no. 100-12, 120x12x5 mm
- Pin punch no. 119, 1.5 3 4 mm
- Flat chisel no. 97-250 octagonal, 250x24 mm
- Cross-cut chisel no. 98-125 octagonal, 125x10x5 mm
- Drift punch no. 99 12-5 octagonal, 120x12x5 mm

TS CT2-142



- Universal pliers no. 142 10 GPK 10" 15 settings
- Power combination pliers no. 8250-180 JC, 180 mm 2C handle
- Multiple pliers no. 8133-200 JC, 200 mm 2C handle
- Power side cutter no. 8316-180 JC, 180 mm 2C handle
- Twist drill Ø 1 1.5 2 2.5 3 3.5 4 4.5 5 5.5 6 6.5 7 7.5 8 8.5 9 9.5 10 10.5 / Ø 3.3 4.2 6.8 10.2

TS-147
TS-190
TS-308


TS 147 (147 pieces)

TS CT2-6-8000



- Double open ended spanner no. 6, 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 24x27 mm
- Pliers for external retaining rings no. 8000 AE 1, straight, 10-25 mm
- Pliers for external retaining rings no. 8000 AE 2, straight, 19-60 mm
- Pliers for external retaining rings no. 8000 A 21, angled, 19-60mm
- Pliers for internal retaining rings no. 8000 J 1, straight, 10-25 mm
- Pliers for internal retaining rings no. 8000 J 2, straight, 19-60 mm
- Pliers for internal retaining rings no. 8000 J 21, angled, 19-60mm

TS CT2-ITX19



- 1/2" screwdriver bit socket multipoint no. INX 19, XZN M6 M8 M10 M12
- 1/2" screwdriver bit socket hex no. IN 19 L, 5 6 8 10 12 14 mm
- 1/2" screwdriver bit socket TX no. ITX 19, T20 T25 T27 T30 T40 T45 T50 T55 T60
- 1/2" screwdriver bit socket TX no. ITX 19 L, T20 T25 T27 T30 T40 T45 T50 T55 T60


TS 190 (190 pieces)



TS-308

Individual components at a glance

TS CT2-D30



Double ended ring spanner open no. 400,
8x10 10x11 12x14 13x15 17x19 mm
1/2" impact socket bit with protective sleeve
no. K 19 LS, 17 19 21 mm
1/2" impact driver no. K 1900
Connecting piece no. KB 819 hex 5/16" x 1/2" square
Screwdriver bit slotted no. 880, 7 8 9 12 mm
Screwdriver bit hex no. 885, 5 6 8 10
Screwdriver bit cross-head no. 890, PH 1 2 3 4
3/8" reversible ratchet no. 3093 U-20, 200 mm

3/8" universal extension no. 3090 KR -5 -10, 125 + 250 mm
3/8" socket hex no. D 30, 6 7 8 9 10 11 12 13 14 15
16 17 18 19 20 21 22 24 mm
3/8" screwdriver bit socket hex no. IN 30, 5 6 7 8 10 mm
● 3/8" screwdriver bit socket multipoint, no. INX 30,
XZN M5 M6 M8 M10
● 3/8" screwdriver bit socket TX no. ITX 30,
T20 T25 T27 T30 T40 T45 T50

TS CT2-710




Recoilless hammer no. 248 ST-40, Ø 40 mm
Screw extractor set no. 8551-55, M3-M18 5 pcs.
Feeler gauge set no. 702 20 M, 0.05-1.00 mm
Socket file set no. 8728, 6 pcs.
Gasket scraper no. 133 K, 240 mm
Pocket knife scraper no. 710
Cable knife no. 0063-08, 200 mm
Wire brush no. 646, 6-row

TS CT2-2133-2163TX



3C screwdriver TX no. 2163 TX,
T10 T15 T20 T25 T30 T40
Socket wrench with 3C handle no. 2133, hex,
5.5 6 7 8 9 10 mm
Locking plier no. 137 10, 10"

TS CT2-7R-2



Combination ratchet spanner no. 7 R,
8 10 12 13 14 15 16 17 18 19 mm
Double ended ring spanner no. 2, 6x7 8x9 10x11
12x13 14x15 16x17 18x19 20x22 mm
Hexagon socket key set TX no. H 43 TX-09, in holder
T7-T40, T7 T8 T9 T10 T15 T20 T25 T30 T40
Steel tape measure no. 4534-5, tape L. 5 m
Hacksaw no. 407

TS-308

TS 308 (308 pieces)

S 1500 ES-01 / S 1500 ES-02 / S 1500 ES-03

Individual components at a glance

1500 ES-20




1/4" reversible ratchet No. 2093 U-10, 127 mm
1/4" sliding T-bar No. 2087, 115 mm
1/4" extension No. 2090-4, 97 mm
1/4" universal joint No. 2095
1/4" square plug-in handle No. 2098
1/4" sockets No. 20, hex 4 5 5.5 6 7 8 9
10 11 12 13 14 mm
1/4" screwdriver bit sockets No.: IN 20,
hex 3 4 5 6 8 mm
1/4" socket No. TX 20 outer TX E4 E5 E6 E7 E8 E10
1/4" screwdriver bit sockets No.:
ITX 20 recessed
TX T8 T9 T10 T15 T20 T25 T27 T30 T40

1500 ES-1993 U-20



1/2" reversible ratchet No. 1993 U-20, 270 mm
1/2" sliding T-bar No. 1987, 292 mm
1/2" universal joint No. 1995, 73.5 mm
1/2" extension No. 1990, 125 250 mm

1500 ES-19*



1/2" sockets No. 19, hex 10 11 12 13 14 15
16 17 18 19 21 22 23 24 26 27 28 30 32 mm
1/2" screwdriver bit sockets No.:
IN 19, recessed hex 6 7 8 9 10 12 14 mm

*** Range included only in the S 1500 ES-01**

1500 ES-2150 PH



3C screwdriver slotted No. 2150 PH,
4 5.5 6.5 8 mm
3C screwdriver cross-slotted No. 2160 PH,
PH 1, 2

1500 ES-145*



Power combination pliers No. 8250-180 JC,
180 mm 2C handle
Bent nose pliers No. 8132-160 JC,
160 mm 2C handle
Power side cutter No. 8316-160 JC,
160 mm 2C handle
Universal pliers No. 142 10 JC, 10" 2C handle

*** Range included only in the S 1500 ES-01
and in the S 1500 ES-02**

S 1500 ES-01
S 1500 ES-02
S 1500 ES-03



S 1500 ES-01 / S 1500 ES-02 / S 1500 ES-03

Individual components at a glance

1500 ES-1 B



1500 ES-1 B
 Combination spanner set No. 1B, AF 6 7 8 9 10
 11 12 13 14 15 16 17 18 19 20 21 22 mm
 Hexagon socket key set No. PH 42-88, 6kt
 SW 2 2,5 3 4 5 6 8 10 mm

1500 ES-350



Flat chisel No. 97-250, octagonal, 250x24 mm
 Cross-cut chisel No. 98-125, octagonal, 125x10x5 mm
 Drift punch No. 99 12-5, octagonal, 120x12x5 mm
 Centre punch No. 100-12, 120x12x5 mm
 Pin punch No. 119, 1.5 3 4 mm
 Engineers' hammer No. 600 H-300, ROTBAND-PLUS
 with hickory handle, 300 g

S 1500 ES-01 (104 pieces)
 S 1500 ES-02
 S 1500 ES-03

1500 ES-19 IS



1/2" socket No. 19, hex 10 11 12 13 14 15 16
 17 18 19 21 22 23 24 25 26 27 28 30 32 mm
 1/2" screwdriver bit socket slotted No. IS 19, 10 12 mm
 1/2" screwdriver bit socket cross-slotted No. IKS 19,
 PH 2 3 4 mm
 1/2" screwdriver bit socket multi-point No. INX 19,
 XZN M8 M10 mm

1500 ES-6



6 double open-ended spanners 6x7 8x9 10x11 12x13
 14x15 16x17 18x19 20x22 21x23 24x27 mm

1500 ES-ITX 19 LKP



Screwdriver bit sockets 1/2" No. ITX 19 recessed TX T20
 T25 T27 T30 T40 T45 T50 T55 T60
 Screwdriver bit sockets 1/2" No. ITX 19 L, long recessed
 TX T20T20 T25 T27 T30 T40 T45 T50 T55 T60
 TX gauge No. 708

1500 ES-711



Thread file No. 140, for metric threads
 Steel tape No. 4534-5, 5 m
 TX gauge No. 708 E4-E16/T10-T60
 Digital measuring calliper No. 711 mm
 + inch in hard box
 Tweezers No. 720, angled tips, 150 mm
 Scriber No. 745 250 mm

1500 ES-8000



Circlip pliers No. 8000 A for external retaining
 rings, straight, 10-25 19-60 mm
 Circlip pliers No. 8000 A 21 for external retaining
 rings, angled, 19-60 mm
 Circlip pliers No. 8000 J for internal retaining rings,
 straight, 12-25 19-60 mm
 Circlip pliers No. 8000 J 21 for internal retaining
 rings, angled, 19-60 mm

1500 ES-K 1900



K 19 impact socket 1/2" hex 10 13 14 17 19 mm
 880 screwdriver bit 5/16" slotted 7 8 9 12 mm
 885 screwdriver bit 5/16" recessed hex 5 6 8 10 mm
 890 screwdriver bit 5/16" cross-slotted PH 1 2 3 4
 KB 819 adapter 5/16" hex dr. - 1/2" sq. dr.
 K 1900 impact driver 1/2

1500 ED-70 K



3 impact-resistant ABS distance modules



S 1500 ES-03

Individual components at a glance

S 1500 ES-02
S 1500 ES-03
S 1500 ES-02 (207 pieces)

1500 ES-IN 19 LKM



Screwdriver bit sockets 1/2" No. IN 19, recessed hex 5 6 7 8 9 10 12 14 17 mm
Screwdriver bit sockets 1/2" No. IN 19 L, 90mm recessed hex 5 6 8 10 12 14 mm

1500 ES-2133



Socket key No. 2133 with 3K handle hex 5.5 6 7 8 9 10 mm

1500 ES-7 R



7 R combination ratchet spanner UD profile 8 10 12 13 14 15 16 17 18 19 mm

1500 ES-2



Double ended ring spanners No. 2, 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm

1500 ES-2163 TX



3C screwdriver No. 2163 TX, recessed TX T8 T10 T15 T20 T25 T30

1500 ES-34



Swivel head wrench double ended No. 34, UD profile 8x9 10x11 12x13 14x15 16x17 mm

1500 ES-VDE 145



Universal pliers No. 142 10 C, 10", 15 settings
VDE Power combination pliers No. VDE 8250-180 H, 180 mm, 2C handle
VDE Bent nose pliers No. VDE 8132-160 H, 160 mm, 2C handle
VDE Side cutter No. VDE 8314-160 H, 160 mm 2C handle

1500 ES-VDE 2170 PZ



VDE Screwdriver slotted No. VDE 2170, 4 5.5 6.5 8 mm
VDE Screwdriver cross-slotted No. VDE 2160 PZ, PZ 1 2

1500 ES-400



Double ended ring spanners open No. 400, 8x10 10x11 12x14 13x15 17x19 mm

1500 CTD-20 BIT



1/4" socket No. 20 L long hex AF 4 4.5 5 6 7 8 9 10 12 13 mm
1/4" screwdriver bit slotted No. 680, 4 5.5 6.5 8 mm
1/4" screwdriver bit hex No. 685, AF 2.5 3 4 5 6 mm
1/4" screwdriver bit multi-point No. 685 X, XZN M5 M6 M8
1/4" screwdriver bit TX No. 687, TX T6 T7 T8 T9 T10 T15 T20 T25 T27 T30 T40

1/4" screwdriver bit cross-slotted No. 690, PH 1 2 3
1/4" screwdriver bit cross-slotted No. 690, PZ 1 2 3
1/4" adaptor 673 6,3, hex x 1/4" sq.
1/4" bit holder No. 699, hex
1/4" bit adapter No. 620, hex x 1/4" sq.
1/4" multi-grip No. 676
Combination holding tool No. 639, M3-M8
Miniature LED lamp No. 649

1500 ES-DT 2142



Hexagon socket key No. DT 2142, 2CT-handle AF 2 2.5 3 4 5 6 7 8 10 mm

S 1500 ES-03

Individual components at a glance

Tools for set supplementing purposes



Screw extractor set
No. 8551-55, M3-M18 5 pcs



Key file set
No. 8728, 6 pcs.



Grip wrench
No. 137 10, 10"



Adjustable
wrench No. 60
P 8 8"



Hexagon socket key set XL
No. H 42 KEL-88, ball end
in holder 8 pcs 2-10 mm



Hexagon socket key set
No. H 43 KTX-07, in holder
TX T10-T40 7 pcs



1940 high-speed swivel
disk 1/2"



0513-09 cable knife
195mm



Voltage tester 220-250 V No. 4615,
3 slotted 3 mm

S 1500 ES-03

S 1500 ES-03 (325 pieces)

2005 BASIC / 2005 AUTO

Individual components at a glance



Tyre lever No. 38 16", 400 mm
Tyre lever No. 38 20", 500 mm



Brake calliper brush No. 643



Half-round file 8" No. 8725, 200x20 mm
Triangular file 8" No. 8719, 200x14 mm
Hand file 8" No. 8701, 200x20 mm
Round file 8" No. 8722, 200x8 mm
Brake calliper file No. 8726



Torque wrench TORCOFIX K 1/2"
No. 4550, 40-200 Nm



Wood sectioned folding ruler 2 m No. 4533-2



Distance module No. 1500 ED-70 XL, empty, 625x77x40 mm



3C screwdriver slotted No. 2150
6.5 mm, 200 mm



Work gloves M Pact L/10 No. 922



ES module No. 1500 E-S L, empty,
310x157,5x42 mm, sub-divided



Lengthways module No. 1500 ED-150, empty,
480x150 mm



Kneeling board No. 906

2005 BASIC
2005 AUTO

2005 BASIC / 2005 AUTO

Individual components at a glance

2005 CT4-8000



- Circlip pliers for external retaining rings No. 8000 A 1, straight, 10-25 mm, 19-60 mm
- Circlip pliers for external retaining rings No. 8000 A 2, angled, 19-60 mm, 12-25 mm
- Circlip pliers for internal retaining rings No. 8000 J 1, straight, 19-60 mm
- Circlip pliers for internal retaining rings No. 8000 J 21, angled, 19-60 mm
- Universal pliers No. 142 10 JC, 10" 15 settings 2C handle
- Bent nose pliers No. 8132-160 JC, 160 mm 2C handle
- Power side cutter No. 8316-160 JC, 160 mm 2C handle
- Power combination pliers No. 8250-180 JC, 180 mm 2C handle
- Engineers' hammer ROTBAND-PLUS with hickory shaft No. 600 H-300 H-500, 300 500 g
- Recoilless hammer No. 248 ST-40, head-D. 40 mm


2005 CT4-U-20



- 1/4" socket No. 20, hex AF 5.5 6 7 8 9 10 11 12 13 14 mm
- 1/4" T-bar ratchet No. 2093 U-3 T 140 mm
- 1/4" reversible ratchet No. 2093 U-20 127 mm
- 1/4" extension No. 2090-4 -6, 97 148 mm
- 1/4" universal joint No. 27 mm
- 3/8" socket set 3/8", UD profile No. D 30, AF 8 9 10 11 12 13 14 15 16 17 18 19 21 22 mm
- 3/8" socket outer TX No. TX 30, E5 E6 E7 E8 E10 E11 E12 E14
- 3/8" socket outer TX No. TX 30, E5 E6 E7 E8 E10 E11 E12 E14
- 3/8" screwdriver bit socket long internal hex No. IN 30 L, AF 4 5 6 7 8 10 mm
- 3/8" screwdriver bit socket long recessed TX No. ITX 30 L, T20 T25 T27 T30 T40 T45 T50
- 3/8" screwdriver bit socket cross-slotted No. IKS 30, PH 1 2 3
- 3/8" screwdriver bit socket cross-slotted No. IKS 30 PZD, PZ 1 2 3
- 3/8" screwdriver bit socket slotted No. IS 30, AF 5.5x1 6.5x1,2 8x1.2 10x1.6 12x2 mm

- 3/8" spark plug socket with retaining spring No. 52, 20.8 mm
- 3/8" spark plug socket with retaining spring No. 53, 16 mm
- 3/8" spark plug socket with retaining spring No. 56, 18 mm
- 3/8" reversible ratchet No. 3093 U-20, 200 mm
- 3/8" universal joint No. 3095, 51 mm
- 3/8" extension with release lever No. 3090 A-5 -10, 125 250 mm
- 1/2" socket set 3/8", UD profile No. D 19, AF 10 11 12 13 14 15 16 17 18 19 21 22 23 24 27 30 32 mm
- 1/2" reversible ratchet No. 1993 U-20, 270 mm
- 1/2" extension No. 1990-5 -10
- 1/2" swivel handle No. 1996, 255 mm
- 1/2" universal joint No. 1995 73.5 mm
- Reducer 1/2" to 3/8" No. 1930

2005 CT4-2-7



- Double-ended ring spanner UD profile No. 2, AF 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 mm
- Combination spanner UD profile No. 7, AF 6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 mm
- Combination ratchet spanner UD profile No. 7 R, AF 10 11 12 13 14 15 16 17 18 19 22 mm

2005 CT2-2160



- 3C screwdriver cross-slotted No. 2160 PH, PH 1 2 3
- Screwdriver, short, cross-slotted No. 2161 PH, PH 1
- 3C screwdriver cross-slotted No. 2160 PZ, PZ 1 2 3
- Screwdriver, short, cross-slotted No. 2161 PZ, PZ 1
- 3C screwdriver slotted No. 2150, 3.5 5.5 8 mm
- Screwdriver, short, slotted No. 2153, 4 mm
- Hexagon socket key, slotted No. 173, 4 8 mm
- Hexagon socket key cross-slotted No. 174 PH 1+2

2005 CT2-119*



- Flat chisel flat oval No. 95-200, 200x23x13 mm
- Drift punch octagonal No. 99 12-3 12-5 12-6 12-8, Size 3 5 6 8 mm
- Centre punch No. 100-12, 120x12x5 mm
- Pin punch No. 119-3 -4 -5 -6 -8, Size 3 4 5 6 8 mm
- Pin punch No. 119-175, Size 4 6 mm | 175 mm
- Pin punch with point No. 119-175 6 mm | 175 mm
- Three-edged hollow ground scraper No. 132-150, 150 mm
- Flat scraper No. 133 F-150, 150 mm
- Gasket scraper No. 133 D-150, 150 mm
- Feeler gauge set, No. 702 20 M, 0.05 - 1.00 mm
- Thread gauge No. 706
- TX screw gauge E4-E16/T10-T60
- Digital measuring calliper mm+inch No. 711
- Voltage tester 3-48 V AC/DC No. 4612

* Range included only in the 2005 BASIC

2005 AUTO


Individual components at a glance

2005 CT2-INR



1/2" screwdriver bit socket recessed TX pin
No. ITX 19 B, T20 T25 T27 T30 T40 T45 T50 T55 T60
1/2" screwdriver bit socket long XZN multi-point
No. INX 19 L, M6 M8 M10 M12 M14
1/2" screwdriver bit socket 100 mm long RIBE
No. INR 19 L, M5 M6 M8 M10 M12 M14
1/2" screwdriver bit socket 188 mm long RIBE
No. INR 19 L, M6 M8 M10 M12
Hexagon socket key set XL No. H 42 KEL-88,
hex ball end in holder 2-10 mm 8 pcs
Hexagon socket key set No. H 43 TX-09 in holder
9 pcs TX T7-T40

2005 CT2-2143 KTX



Cranked socket key for recessed TX screws
T10 T15 T20 T25 T27 T30

S-270 TRUCK


Individual components at a glance

S-270 TRUCK Module 1



24" tyre lever No. 39, offset for commercial trucks, 610 mm
Combination spanner UD profile No. 7, AF 36 mm
Electronic side cutters No. 8350-9
1/4" bit screwdriver No. 169
1/4" bit assortment No. 620-024, 24 pcs
1/2" socket set 3/8", UD profile No. D 19, AF 36 mm
1/2" socket set 3/8", UD profile No. D 19 L,
AF 10 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm
1/2" screwdriver bit socket hex No. IN 19,
AF 4 5 6 7 8 9 10 12 14 17 19 mm
1/2" socket No. TX 19, TX E10 E11 E12 E14 E16
E18 E20 E24
1/2" impact socket hex No. K 19, AF 13 14 15 16
17 18 19 21 22 23 24 27 mm
1/2" impact socket extension No. KB 1990-5, 125 mm
Safety ring No. KB 1970 D. 19 mm for 10-14 mm,
D. 24 mm for 15-32 mm
Safety pin No. KB 1970 D. 3 mm for 10-14 mm,
D. 3 mm for 15-32 mm

S-270 TRUCK Module 2



VDE Screwdriver slotted No. VDE 2170, 2.5 mm
VDE Screwdriver SLIM DRIVE slotted No. VDE 2172,
4 5.5 6.5 mm
VDE Screwdriver SLIM DRIVE VDE 2162 PH 1
VDE Screwdriver cross-slotted No. VDE 2160 PH 0 3 4
3C screwdriver cross-slotted No. 2160 PH 2
3C screwdriver TX with pin No. 2163 TXB, T7 T8
T9 T10 T15 T20 T25 T27 T30 T40
Pin punch No. 119, Ø 2 3 4 5 mm
10" flat file No. 8701, 250x25 mm
10" round file No. 8722, 250x10 mm

S-270 TRUCK Module 3



10" water pump pliers No. 145 10 C, 7 settings
15" water pump pliers No. 145 15 C, 9 settings
20" water pump pliers No. 145 20 C, 11 settings
7"+12" grip wrench No. 137
Precision crimp wrench for insulated cable lugs No. 8142
2C handle combination pliers German model,
No. 8210-160 JC, 160 mm
2C handle power side cutter No. 8316-140 JC, 140 mm
2C handle power side cutter No. 8316-200 JC, 200 mm
2C multiple pliers No. 8133-180 JC, 180 mm
VDE Multiple pliers angled with insulating sleeves
No. VDE 8131 AB-200 H, 200 mm

S-270 TRUCK

Individual components at a glance

S-270 TRUCK Module 4



Double open-ended spanner No. 6, AF 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x27 25x28 30x32 mm
Combination spanner extra long UD profile No. 7 XL, AF 10 12 13 14 17 19 22 24 27 30 32 mm
Pocket measuring callipers No. 710

2005 CT4-U-20



1/4" socket No. 20, hex AF 5.5 6 7 8 9 10 11 12 13 14 mm
1/4" T-bar ratchet No. 2093 U-3 T 140 mm
1/4" reversible ratchet No. 2093 U-20 127 mm
1/4" extension No. 2090-4 -6, 97 148 mm
1/4" universal joint No. 27 mm
3/8" socket set 3/8", UD profile No. D 30, AF 8 9 10 11 12 13 14 15 16 17 18 19 21 22 mm
3/8" socket outer TX No. TX 30, E5 E6 E7 E8 E10 E11 E12 E14

S-270 TRUCK Module 5



Engineers' hammer ROTBAND-PLUS with hickory shaft No. 600 H-600 H-1500, 600 1500 g
Recoilless hammer No. 248 H-50, D. 50 mm
Centre punch No. 100-12, 120x12x5 mm
Pin punch No. 119, Ø 6 7 8 9 10 mm
Gasket scraper No. 133 K, 240 mm
Splitting chisel flat oval No. 104, 240x26x7 mm
Steel tape measure No. 4534-8, 8 m
Hexagon socket key set XL ball end in holder 8 pcs No. H 42 KEL-88, 2-10 mm
Car light tester No. 4610
Wire brush No. 644, 3-row

● 3/8" screwdriver bit socket long internal hex No. IN 30 L, AF 4 5 6 7 8 10 mm
● 3/8" screwdriver bit socket long recessed TX No. ITX 30 L, T20 T25 T27 T30 T40 T45 T50
⊕ 3/8" screwdriver bit socket cross-slotted No. IKS 30, PH 1 2 3
⊕ 3/8" screwdriver bit socket cross-slotted No. IKS 30 PZD, PZ 1 2 3
⊖ 3/8" screwdriver bit socket slotted No. IS 30, AF 5.5x1 6.5x1,2 8x1.2 10x1.6 12x2 mm
3/8" spark plug socket with retaining spring No. 52, 20.8 mm
3/8" spark plug socket with retaining spring No. 53, 16 mm

S-270 TRUCK Module 6



Combination spanner UD profile No. 7, AF 6 7 8 10 12 13 14 15 16 17 19 23 24 mm
Cross-cut chisel flat oval No. 96-175, 175x17x11 mm
Wood sectioned folding ruler No. 4533-2. 2 m
Scraper No. 0175-10, 100 mm
LED torch

3/8" spark plug socket with retaining spring No. 56, 18 mm
3/8" reversible ratchet No. 3093 U-20, 200 mm
3/8" universal joint No. 3095, 51 mm
3/8" extension with release lever No. 3090 A-5 -10, 125 250 mm
1/2" socket set 3/8", UD profile No. D 19, AF 10 11 12 13 14 15 16 17 18 19 21 22 23 24 27 30 32 mm
1/2" reversible ratchet No. 1993 U-20, 270 mm
1/2" extension No. 1990-5 -10
1/2" swivel handle No. 1996, 255 mm
1/2" universal joint No. 1995 73.5 mm
Reducer 1/2" to 3/8" No. 1930

S-270 TRUCK

S-270 TRUCK (270 pieces)

TS-177

Individual components at a glance

LIMITED EDITION

TS-177 Module 1



1/2" Reversible ratchet No. 1993 U-20
1/2" Extension No. 1990-3 -5 -10
1/2" Socket No. D 19, SW 10 12 13 15 16 17 18 19 22 24 27 30 32 mm
1/2" Screwdriver bit socket hexagonal No. IN 19, SW 5 6 7 8 9 10 12 14 17 19 mm
1/2" Extension with magnet No. 1990 M
Combination spanner No. 1 B, SW 8 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32 mm
Bit box with ratchet 1/4" No. 666-U-20

TS-177 Module 2



Hexagon socket key set No. H 42-10, 10 pieces
Torsions bit set No. 666-042, 42 pieces
⊖ 3K screwdriver slotted No. 2150 PH, 4 5.5 6.5 8 mm
⊕ 3K screwdriver cross-slotted No. 2160 PH, PH 1, 2
Universal pliers No. 142 10 TL
Multiple pliers No. 8133-200 JC
Side cutter No. 8314-180 JC
Voltage tester No. 4615 3
Engineers' hammer No. 4 E-500
Twist drill bit set No. 8550-024, 24 pieces
Pin punch set No. 316 D, 6 pieces

TS-177

TS-177 (177 pieces)

GEDORE

TOOLS FOR LIFE

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149
42899 Remscheid - GERMANY
Tel. + 49 (0) 21 91- 596 - 0
Fax + 49 (0) 21 91- 596 - 230
info@gedore.com
www.gedore.com

Vertrieb Deutschland

Tel. + 49 (0) 21 91- 596 - 900
Fax + 49 (0) 21 91- 596 - 999

Sales International

Tel. + 49 (0) 21 91- 596 - 910
Fax + 49 (0) 21 91- 596 - 911

GEDORE Automotive GmbH

Breslauer Straße 41
78166 Donaueschingen - GERMANY
Tel. +49 771 83223-0
Fax +49 771 83223-90

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz - GERMANY
Tel. +49 7042 9441-0
Fax +49 7042 9441-41
info@loesomat.de

GEDORE AUSTRIA GmbH

Gedore-Str. 1
8190 Birkfeld / Stmk. - AUSTRIA
Tel. +43 (0) 3174 / 363 64 00
Fax +43 (0) 3174 / 363 83 20
sales.austria@gedore.com
www.gedore.at

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Júndiz
01015 Vitoria Alava - SPAIN
Tel. +34-945-29 22 62
Fax +34-945-29 21 99
gedore@gedore.es
www.gedore.es

GEDORE UK Limited

Marion Street, SKIPTON BD23 1TF
North Yorkshire - UNITED KINGDOM
Tel. +44 (0) 1756 / 70 67 00
Fax +44 (0) 1756 / 79 80 83
sales@gedoreuk.com
www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La Mare II
10, avenue du Fief - Bât. 12
BP 79144 Saint-Ouen-l'Aumône
F-95074 Cergy Pontoise Cedex - FRANCE
Tél. +33 (0)1 34 40 16 60
Fax +33 (0)1 34 40 16 61
jadore@gedore.fr
www.gedore.fr

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV
Alphen aan den Rijn - NETHERLANDS
Tel. +31 (0) 172 / 42 73 50
Fax +31 (0) 172 / 42 73 60
technag@gedore.nl
www.gedore.nl

GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a
43-190 Mikołów - POLAND
Tel. +48 (0) 32 / 738-40 10
Fax +48 (0) 32 / 738-40 20
gedore@gedore.pl
www.gedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275 Bairro
Vicentina | Vicentina
São Leopoldo - RS | 93025-340 - BRAZIL
Tel. +55 51-35 89 9200
Fax + 55 51-35 89 9222
export@gedore.com.br
www.gedore.com.br

GEDORE TOOLS, INC.

7187 Bryhawke Circle, Suite 700
NORTH CHARLESTON,
SC 29418 - USA
Tel. +1-843/225 50 15
Fax +1-843/225 50 20
info@gedoretools.com
www.gedoretools.com

GEDORE Tool Trading (Shanghai) Co., Ltd.

1/E, Block 2, 1358 Pingan Road,
Minhang, Shanghai - CHINA 201109
Tel. +86-21-3388 7258
Fax +86-21-3388 7259
Service Hotline: 400 880 1858
info@gedore.cn
www.gedore.cn

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road,
New Germany, 3610 - South Africa
PO Box 68, New Germany, 3620
SOUTH AFRICA
Tel. +27 (0) 31 / 705 3587
Fax +27 (0) 31 / 705 32770
general@gedoresa.co.za
www.gedore.co.za

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar
Gurgaon – 122051
Haryana - INDIA
Tel. +91 (0) 124 22910 – 65/66/67
Fax +91 124 2341067
sales@gedoreindia.com
www.gedore.in

GEDORE TOOLS MIDDLE EAST FZE

The One Tower, 39th Floor, Office #3923
Sheik Zayed Road
Dubai - U.A.E
Tel. +971 4 2462923
info@gedore.ae

Brands of the GEDORE Group

gedore.com · ochsenkopf.com

gedore.com

Your dealer:

ООО "КОМПАНИЯ ОПТТУЛС"
г.Москва, ул.Иловайская, д.3, стр.2
Tel.: +7 (495) 646-00-96
E-Mail: sale@opttools.ru
Internet: www.opttools.ru

Delivery without decoration. Technical specifications subject to modifications.
No liability for printing errors. Please ask your local dealer.

Valid from 01/04/2020 until 31/03/2021