

IMPULSE

TOOL PROMOTION / QUALITY MADE BY GEDORE



SOCKET SET 1/4"+1/2"
232 pieces



MAXIMUS
Cross and slot



PLIER WRENCH



R4600 3097
SOCKET SET
1/4"+1/2"

5



R6900 3069
SOCKET WRENCH
SET 1/2" SERVICE

10



R4600 3232
SOCKET SET
1/4"+1/2"

4



R4600 7138
UNIVERSAL SET
ALLROUND IN
ALUMINIUM CASE

6



R3801 1005
2C-SCREWDRIVER
MAXIMUS

38



NEW

HIGHLIGHTS
2021



NEW

R2818 4010
PLIER WRENCH

34














CONTENTS



R3800 3043
TOOL SET
MEASURING-
CUTTING-
SCREWING

8

	SOCKET SETS	04 – 20
	RANGE OF SOCKETS	21 – 27
	TORQUE WRENCHES	28
	AUTOMOTIVE	28 / 40 / 41
	WORKSHOP EQUIPMENT	28 – 31
	RATCHET SPANNERS	32 – 33
	PLIERS	34 – 36
	SCREWDRIVERS AND BITS	36 – 39
	STRIKING TOOLS	39
	1000 V	40
	MEASURING / MARKING	40
	CUTTING / FILING / DRILLING	40

THE ORGANISED ALL-ROUNDER

High quality tool set for a wide range of applications


The GEDORE red ratchet set offers a wide selection of different bits and sockets for all tasks in the trade, industry and DIY. Thanks to the smart combination of the tool set with all common profiles and spanner sizes

and many accessories, nothing stands in the way of successful work. The GEDORE red lever-action ratchets supplied offer secure fixing of the nut and are of extremely high quality, as well as being finely toothed for the smallest possible back-swing angle. To ensure that nothing gets lost and that all the tools included are always handy and practically organised, this socket set from GEDORE red comes in a black and red plastic case.



R4600 3232 SOCKET SET 1/4"+1/2" 232 pieces

- › Hand-operated
- › Plastic case in GEDORE red Design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300185	R46003232	1/4" + 1/2" 2K reversible ratchets, 1/4" + 1/2" Sockets 1/4" + 1/2" Cross handle with slide, 1/4" + 1/2" Socket extension, 1/4" + 1/2" Cardan joint, 1/4" Square socket handle, 1/2" Sockets TX, Enlargement adapter/slide 3/8" x 1/2", 1/2" Bit adapter square x 5/16" hexagonal, 1/4" Bit screwdriver, 1/4" Bits, internal hex, slotted, PH, PZ, TX, TXB, 1/4" Bit holder 60+80+120mm, Bit box 30 pcs., Combination spanner, Offset screwdriver set, hexagon socket 8 pcs., Offset screwdriver set, TX 8 pcs.	452	340	86	232	8,9

1

PERFECT EQUIPMENT

- 232 tools for the most diverse screwdriving applications in a simple layout guarantees quick access

2

HIGH QUALITY

- The lever-operated reversible ratchets from GEDORE red offer secure fixing of the nut and are of extremely high quality, as well as being finely toothed for the smallest possible reversing angle.

3

STABLE STORAGE

- Lightweight plastic case with metal locks guarantee safe storage even in mobile use




PERFECT
CHOICE



"This set stands out for one thing, its incredible number of tools."

R4600 3097
SOCKET SET 1/4"+1/2"
97 pieces

- > Hand-operated
- > Plastic case in GEDORE red design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300186	R46003097	1/4" 2K lever reversible ratchet, 1/4" square plug-in handle, 1/4" socket wrench insert, hexagon 1/4" cross handle with sliding piece, 1/4" socket wrench extension, 1/4" universal joint 1/2" socket wrench extension, 1/2" universal joint, Enlarging adapter/slide 3/8" x 1/2", 1/4" bit adapter, 1/2" bit adapter, 1/4" bits, hexagon socket, slotted, PH, PZ, TX, TX BO, 5/16" bits, hexagon socket, slot, PH, PZ, TX, Maximus screwdriver, Adjustable open-end wrench	452	340	86	97	8,9

THE PERFECT ALL-ROUNDER

Comprehensive equipment, clearly arranged and robustly stowed away. The tool set makes every work man's heart beat faster.

The ALLROUND R46007138 tool set from GEDORE red is the ideal initial equipment. Whether for installation work, assembly activities or in the workshop, the tool set offers the right equipment for many tasks. From screwdriving tools such as our high-quality, fine-toothed reversible ratchets, impact tools, measuring and cutting tools to pliers and VDE tools, this set contains almost everything. The tool set is complete with a sturdy aluminium case.



1

COMPACT STORAGE

- The insert allows the extensive range of tools to be stored compactly. The clipboard can be fixed to the side for a better overview thanks to holders

2


EXTENSIVE EQUIPMENT

- With the 138-piece tool case you get a wide range of products. The selected tools are ideal for a wide range of applications, from precision mechanics to assembly.

3

HIGH QUALITY


- The lever-action ratchets from GEDORE red offer secure fixing of the nut and are manufactured to a high standard, as well as being finely toothed for the smallest possible swing-back angle.



"The GEDORE red reversible ratchets supplied offer secure fixing of the nut and are finely toothed for the smallest possible reversing angle."

R4600 7138
UNIVERSAL SET ALLROUND
IN ALUMINIUM CASE
 138 pieces

- > Hand-operated
- > Aluminium case in GEDORE red design



Kneeling board



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300189	R46007138	Socket wrench insert, internal TX Spark plug insert 3/8", with pressed-in rubber and additional hexagon drive SW 21 Spark plug insert 1/2" with pressed-in rubber Spark plug insert 1/2" with pressed-in rubber and additional hexagon drive SW 24 Cross handle with sliding piece 1/4", design according to DIN 3122, ISO 3315 Socket wrench extension 1/4" 1/2 Cardan joint 1/4" 1/2", joint screwed, design according to DIN 3123 - C 12.5 Enlarging adapter/slide 3/8" x 1/2", for driving socket wrench and screwdriver sockets Bit adapter 1/4", with internal square and internal hexagon, for all bits and tools with 1/4" external hexagon Combination wrenches metric to DIN 3113, form A, ISO 3318, ISO 7738, ring side angled 15°, jaw position 15, Adjustable open-end wrench, jaw position 15 Hexagon socket key set hexagon, ball end, long Offset screwdriver set TX, long Screwdriver slotted, cross recessed PH Screwdriver slotted, with striking cap VDE Screwdriver PZ Phase tester, integrated glow lamp and series resistance for networks from 220- max. 250V Ratchet screwdriver 1/4" Bit box 30 pcs. Bit 1/4", hexagon socket, slotted, PH, PZ, TX, TX B0 suitable for holders according to DIN ISO 1173 - D 6,3 Combination pliers, gripping zones for flat and round material, 2 component handle, gentle power transmission Diagonal cutter, 2-component handle, gentle power transmission Flat-round pliers straight, straight gripping surfaces, serrated lengthwise, 2-component handle, power transmission gentle on the hands Water pump pliers adjustable in 7 positions, head and joint polished, 2 component handle, power transmission that is easy on the hands Crimping pliers and plastic box with accessories 40 pcs file, half round LED flashlight Chisel set in plastic holder Cutter knife with 10 spare blades hacksaw 150 mm, plus spare saw blades Fitter's hammer 300 gr. Measuring tape, 5 mtr Universal shears Kneebord	455	55	157	138	13

ESPECIALLY FOR THE DIY ENTHUSIAST

A set specially designed for the ambitious DIY enthusiast. Whether as initial equipment or as an extension of existing tool sets.

The R38003043 tool set from GEDORE red is a useful assortment for flexible use on the road or at home.

The selection of 43 practical tools helps with measuring, cutting and screwing. For universal use, the tool set offers, for example, screwdrivers with slot and PH with impact cap, various pliers, cutter knives and a spirit level.

The sturdy plastic case with its space-saving and clear division facilitates quick access and keeps things tidy.



R3800 3043
TOOL SET
MEASURING-
CUTTING-
SCREWING
 43 pieces



- › Hand-operated
- › Plastic case in GEDORE red design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300190	R38003043	Screwdriver slot 3 x 75 mm Screwdriver slot with striking cap 4x75 mm, 5.5x100 mm, 6.5x125 mm Screwdriver cross-recess PH with striking cap 1x75 mm, PH 2x100 mm Hexagon socket key 9 pcs. hexagon socket 1.5 2.2.5 3 4 5 6 8 10 long Offset screwdriver set 9 pcs TX T10 T15 T20 T25 T27 T30 T40 T45 T50 Roll tape measure, 5m, Side cutters, Flat nose pliers straight Combination pliers, Spirit level, Cutter Knives	383	272	80	43	6,2

1

HELPS YOU TO WORK FASTER

- 43 tools for the various challenges of hobby and DIY work in a clear arrangement guarantee quick access.

2

STABLE STORAGE

- Lightweight and handy plastic case with reliable metal locks guarantee safe storage even in mobile use

3

EASY POWER TRANSMISSION

- The ergonomic 2-component handles of the pliers and screwdrivers optimally transmit the hand force reducing fatigue.



"The set is ideal for work at home. With the selection of tools you are ready to go."



R3300 5031
BIT BOX 1/4"
 32 pieces

- > Bits: Hardness: 60 HRC +/- 2, torque: 18.4 N-m
- > Drive adaptor with magnetic bit locking
- > Hexagon drive according to DIN 3126 ISO 1173 - C 6.3
- > Machine-operated
- > Box with clear cover



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3301338	R33005031	1/4" hexagon sizes 3 4 5, 1/4" slotted 0.6x4.5 1.0x5.5 1.2x6.5 2x 1/4" cross-head PH 1 2 3, 2x1/4" cross-head PZ 1 2 3 2xTX T10 T15 T20 T25 T30 T40 Quick change adaptor for 1/4" bits C 6.3 with magnet Bit adaptor 1/4" hex x 1/4" square	110	70	40	32	0,25

EVERYTHING FOR MOBILE SERVICE

The tool set provides the essential tools for mobile service.

The R69003069 socket set from GEDORE red includes, among other things, a 1/2" socket spanner assortment with a fine-toothed lever-action ratchet, matching sockets and accessories. The selection of 69 tools helps with screwing, tightening and loosening in service work. In addition, the set offers, among other things, adjustable spanners, various combination spanners and ring ratchet spanners, pliers, hammers, slotted and Phillips screwdrivers. The angled screwdriver sets for hexagon socket and TX complete the user-friendly compilation. The set is rounded off by the robust plastic case and its clear arrangement of the tools.



1

EFFICIENT WORK

- 69 tools for the wide range of challenges in service activities in a simple arrangement for quick access

2

PERFECT SET

- The set composition is specially designed to meet the requirements of service technicians

3

STABLE STORAGE

- Lightweight and handy plastic case with reliable metal locks guarantee safe storage even in mobile use

4


HIGH QUALITY

- The lever-action ratchet from GEDORE red offers secure fixing of the nut and is manufactured to an extremely high standard, as well as being finely toothed for the smallest possible swing-back angle.



"All components are made of high-quality chrome vanadium steel and have a matt satin finish, so they are durable and stable. The lightweight plastic case makes the socket set ideal for mobile use."

R6900 3069
SOCKET WRENCH
SET 1/2" SERVICE
 69 pieces




- > Hand-operated
- > Plastic case in GEDORE red design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300191	R69003069	Connecting square according to DIN 3120, ISO 1174, with ball locking device, Internal square drive according to DIN 3120, ISO 1174, with ball catch groove, 2-component reversible ratchet, clockwise/anticlockwise rotation switchable by lever, push-button release, fine-serrated, oval head, 2-component handle, gentle power transmission, for sockets, Socket wrench insert, hexagon, metric, short version to DIN 3124, ISO 2725, Hexagon socket wrench insert, metric, long version to DIN 3124, ISO 2725, Socket wrench extension 1/2, Cardan joint 1/2", joint screwed, design according to DIN 3123 - C 12.5, Enlarging adapter/slide 3/8" x 1/2", for driving socket wrench and screwdriver sockets, Double ring ratchet wrench, straight pattern, metric, fine toothed, Combination wrenches metric to DIN 3113, form A, ISO 3318, ISO 7738, ring side angled 15°, jaw position 15, Hexagon socket key set hexagon, ball end, long, Offset screwdriver set TX. long, Screwdriver slotted, cross recessed PH, Screwdriver slotted, with striking cap, Phase tester, integrated glow lamp and series resistance for networks from 220- max. 250V, Combination pliers, gripping zones for flat and round material, 2 component handle, gentle power transmission, Water pump pliers adjustable in 7 positions, head and joint polished, 2 component handle, power transmission that is easy on the hands	552	360	100	69	9,9

R4600 3092
SOCKET SET 1/4" + 1/2"
 92 pieces

- > Hand-operated
- > Plastic case in GEDORE red Design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300062	R46003092	1/4" 2K lever reversible ratchet fine-toothed, 72 teeth 150 mm, 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4.4 5 5.5 6 7 8 9 10 11 12 13 mm 1/4" socket wrench insert hexagon SW 4.5 6 7 8 9 10 11 12 13 mm 50 mm 1/4" socket wrench extension 50 100 mm, 1/4" cross handle with sliding piece 115 mm 1/4" universal joint 32 mm, bit holder 1/4" hexagonal x 1/4" hexagonal, with magnet 60 mm Bit adaptor 1/4" square x 1/4" hexagon 25 mm Drive adaptor 1/4" hexagon x square with ball lock 25 mm 1/4" bits inner hexagon 3 4 5 6 8 10 25 mm, 1/4" bits slot 4 5,5 7 25 mm 1/4" bits cross recess PH 0 1 2 3 4 25 mm, 1/4" bits cross recess PZ 1 2 3 25 mm 1/4" bits TX T8 T10 T15 T20 T25 T27 T30 T40 25 mm, 5/16" bits TX T45 T50 T55 30 mm 1/2" 2K lever reversible ratchet fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 17 19 22 24 27 30 32 mm 1/2" spark plug insert 21 mm (13/16") 65 mm, 1/2" socket wrench extension 125 250 mm 1/2" universal joint 65 mm, Enlarging/sliding piece 3/8" x 1/2" 44 mm Bit adaptor 1/2" square x 5/16" hexagon 38 mm, Double-jointed key SW 8x9 10x11 12x13 14x15 mm Combination wrench SW 8 10 12 13 14 17 m, Hexagon Key Wrenches, hexagon SW 1.5 2 2.5 mm	272	383	80	92	5,85

MOBILE, COMPACT AND FLEXIBLE

Clearly arranged and conveniently packaged, a comprehensive set of matching 1/2" tools for numerous applications opens up with one handle.

The GEDORE red bit ratchet set R49005023 is suitable as a compact solution for flexible use on the move or for the DIY enthusiast. The selection of 23 tools and accessories

helps loosen and tighten many small screw connections in the 1/4" range. For universal use, the 23-piece socket set offers various inserts and bits, a mini bit ratchet and the GEDORE red Bit-Fix adapter. The compact and space-saving plastic box with viewing lid provides a good overview and is also equipped with a belt clip for mobile use.



R4900 5023 BIT-RATCHET-SET 1/4" WITH ADAPTOR COMPACT 23 pieces

- > For hand-operated screw work
- > Rugged plastic box with belt clip



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300026	R49005023	Bit ratchet 1/4" reversible, with drive adapter Socket wrench insert hexagon SW 6 7 8 10 11 12 13 mm 1/4" bits hexagon socket 4 5 6 mm, 1/4" bits slot 5,5 mm, 1/4" bits cross recess PH 1 2 1/4" bits cross recess PZ 1 2, 1/4" bits TX T15 T20 T25 T27 T30, Adapter 1/4" square x 1/4" hex bit holder 1/4" hex x 1/4" hex bit holder, with magnet 67 mm	50	70	50	23	0,38

1

ERGONOMIC AND RELIABLE

- The ergonomically forged mini bit ratchet can take 1/4" bits directly or, via an adapter, any standard 1/4" socket.

2

LIGHT AND HANDY

- Lightweight and compact plastic box with belt clip for safe storage in mobile use

3

CLARITY

- For easy overview the box has a transparent lid

4

USEFUL

- Innovative adapter with extremely small outer diameter and integrated holding function

SMALL BUT GOOD!

"The set is ideal for use on the road. With mini bit ratchet and bit fix adapter you are prepared for most cases."



R3891 0000
RATCHET SCREWDRIVER 1/4"
 with telescopic blade

- > Adjustable Telescopic blade infinitely
- > Quick-release system for hex bits as per DIN 3126 - C 6.3 + E 6.3 (1/4")
- > Reversible clockwise/anticlockwise ratchet function
- > Ratchet lock in central position



Code	No.	Drive square inch	Drive square mm	variable blade length mm	variable length mm	Weight kg
3301341	R38910000	1/4"	6,3	0 - 100	183-287	0,223

EXTENSIVE BASIC EQUIPMENT IN STEEL CASING

Whether for in the workshop or in tough continuous use - the extensive range offers reliable help for different work requirements in a safe sheet steel case.

The GEDORE red socket wrench set R46004049 is an optimum basic set for all handymen and DIY enthusiasts for whom the safe and orderly transport of their tools is important. 49 helpful tools and accessories in the 1/2" and 1/4" range are securely fixed in the 2-colour foam insert. The two-tone color of the foam insert makes

it easy to visually check that the tools are complete.

The ergonomically shaped handles of the quality ratchets ensure optimum power transmission and high torque. The fine toothing with a catch-up angle of 5° enables work in the tightest installation spaces. In addition, the various inserts, bit sockets, extensions and the included bit adapter provide a comprehensive basic equipment for a wide range of applications.



R4600 4049 SOCKET SET 1/2" + 1/4" 49 pieces

- > Hand-operated
- > Red sheet-steel case with foam insert



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300010	R46004049	1/4" 2K lever reversible ratchet fine-toothed, 72 teeth 150 mm 1/4" socket wrench insert hexagon SW 4 4.5 5 5.5 6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket hexagon socket 4 5 6 8 37 mm 1/4" screwdriver bit slot 5.5 37 mm 1/4" screwdriver bit insert cross recess PH 2 37 mm 1/4" screwdriver bit insert cross recess PZ 2 37 mm 1/4" screwdriver bit socket TX with bore hole T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" socket wrench extension 50 100 mm 1/4" universal joint 32 mm 1/2" 2K lever reversible ratchet fine-toothed, 72 teeth 250 mm 1/2" hexagon socket wrench insert SW 10 11 12 13 14 15 16 17 18 19 21 22 24 1/2" socket wrench extension 75 125 250 mm 1/2" universal joint 66 mm, Bit adaptor 1/2" square x 5/16" hexagon 38 mm	187	575	51	49	5,142

1

HIGH QUALITY PROCESSING

- The lever-action ratchets from GEDORE red offer secure fixing of the nut and are manufactured to an extremely high standard, as well as being finely toothed for the smallest possible swing-back angle.

2

VALUABLE AND ROBUST STORAGE

- High-quality sheet steel case with 2-colour check tool foam insert for secure holding of the tools and simple visual check

3

UNIVERSAL USE

- The set contains an orderly basic set of 49 tools and accessories in the 1/4" and 1/2" range for versatile use



**TOUGH
AS NAILS**



"The socket set offers a great basic set for the workshop or on the road, which will safely reach its destination thanks to the sturdy case."

R6900 4024
SOCKET SET 1/2"
24 pieces

- > Hand-operated
- > Red sheet-steel case with foam insert




Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
330006	R69004024	1/2" 2K lever reversible ratchet fine-toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" socket wrench extension 75 125 250 mm 1/2" universal joint 66 mm 1/2" cross handle with sliding piece 250 mm Bit adaptor 1/2" square x 5/16" hexagon 38 mm	187	575	51	24	5,344

R4900 4033
SOCKET SET 1/4"

32 pieces

- > Hand-operated
- > Red sheet-steel case with foam insert




Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300000	R49004033	1/4" 2K lever reversible ratchet fine-toothed, 72 teeth 150 mm 1/4" square plug-in handle 165 mm 1/4" socket wrench insert hexagon SW 4.4.5 5.5.6 7 8 9 10 11 12 13 25 mm 1/4" screwdriver bit socket hexagon 3 4 5 6 8 10 37 mm 1/4" screwdriver bit slot 4 5.5 6.5 37 mm 1/4" screwdriver bit insert cross recess PH 0 1 2 3 37 mm 1/4" socket wrench extension 50 100 mm 1/4" cross handle with sliding piece 115 mm 1/4" universal joint 32 mm, Drive adaptor 1/4" hexagon x 1/4" square 50 mm	318	147	46	32	1,14

R4904 4033
SOCKET SET 1/4"

33 pieces


- > Hand-operated
- > Red sheet-steel case with foam insert



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300004	R49044033	1/4" 2K jointed reversible ratchet fine-toothed, 72 teeth 150 mm 1/4" square drive handle 165 mm 1/4" socket wrench insert hexagon SW 4.4.5 5.5.6 7 8 9 10 11 12 13 25 mm 1/4" Screwdriver bit socket hexagon socket 3 4 5 6 8 10 37 mm 1/4" Screwdriver bit socket TX with hole T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" Socket wrench extension 50 100 mm 1/4" Cross handle with sliding block 115 mm 1/4" Universal joint 32 mm, Drive adaptor 1/4" 6-square x 1/4" square 50 mm Bit adapter 1/4" square x 1/4" hexagon 25 mm	318	147	46	33	1,164

R5900 3026 SOCKET SET 3/8"

26 pieces




- > Hand-operated
- > Plastic case in GEDORE red design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300053	R59003026	3/8" 2K lever-action ratchet fine-toothed, 72 teeth 180 mm 3/8" Socket 12-sided SW 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 24 mm 3/8" Socket 6-sided long SW 8 9 10 11 12 13 14 15 17 19 L.63mm 3/8" Spark plug socket SW 16 21 mm 65 mm 3/8" Screwdriver bit hexagon socket SW 3 4 5 6 7 8 10 48 mm 3/8" Screwdriver bit socket slotted 5.5 7 8 48 mm, 3/8" Screwdriver bit socket cross recess PH 1 2 48 mm 3/8" Screwdriver bit socket cross recess PZ 1 2 48 mm 3/8" Screwdriver bit socket TX T15 T20 T25 T27 T30 T40 T45 T50 T55 48 mm 3/8" socket extension 75 250 mm, 3/8" universal joint 49 mm 3/8" - 1/4" reducer 27 mm, 3/8"x1/2" enlarger/slider 44 mm	300	180	52	26	2,44

R4900 3046 SOCKET SET 1/4"

46 pieces



- > Hand-operated
- > Plastic case in GEDORE red Design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300052	R49003046	1/4" 2K reversible lever ratchet fine-toothed, 72 teeth 150 mm, 1/4" square socket 165 mm 1/4" socket hexagon SW 4 4,5 5,5 6 7 8 9 10 11 12 13 14 25 mm 1/4" screwdriver bit socket hexagon socket inner 3 4 5 6 7 8 37 mm 1/4" screwdriver bit socket slot 4 5,5 6,5 37 mm 1/4" Screwdriver bit socket Phillips PH 1 2 3 37 mm 1/4" Screwdriver bit socket Phillips PZ 1 2 37 mm 1/4" Screwdriver bit socket TX T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" Socket wrench extension 50 100 mm, 1/4" Flexible socket wrench extension 150 mm 1/4" Cross handle with slide 115 mm, 1/4" Cardan joint 32 mm Bit-Adapter 1/4" square x 1/4" hexagon 25 mm, Allen wrench set hexagon SW 1,27 1.5 2 2.5 mm	300	180	52	46	1,414

R6900 3024
SOCKET SET 1/2"
 24 pieces hexagon

- > Hand-operated
- > Plastic case in GEDORE red Design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300055	R69003024	1/2" 2K lever reversible ratchet fine toothed, 72 teeth 250 mm 1/2" socket wrench insert hexagon SW 10 11 12 13 14 15 16 17 18 19 20 21 22 24 27 30 32 1/2" spark plug insert SW 16 21 mm 65 mm 1/2" socket wrench extension 125 250 mm 1/2" universal joint 66 mm, 1/2" cross handle with sliding piece 250 mm	383	272	80	24	4,43

R6800 3020
SOCKET SET 3/8" + 1/2"
 20 parts, TX

- > Hand-operated
- > Plastic case in GEDORE red Design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300045	R68003020	3/8" socket TX E6 E7 E8 E10 3/8" screwdriver bit socket TX T10 T15 T20 T25 T27 1/2" socket TX E12 E14 E16 E18 E20 1/2" screwdriver bit socket TX T30 T40 T45 T50 T55 Reducer 1/2" square x 3/8" square	180	300	52	20	2

R7800 4014 SOCKET SET 3/4"

14 pieces

- > Hand-operated
- > Plastic case in GEDORE red Design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300011	R78004014	3/4" reversible ratchet, coarse-cogged, 24 teeth 510 mm 3/4" socket hexagon 22 24 27 30 32 36 38 41 46 50 mm 3/4" socket extensions 200 - 400 mm, 3/4" sliding T-bar with slider 460 mm	552	360	100	14	14,2

R6800 3075 ASSEMBLY TOOL SET TX 1/4" + 1/2"

75 pieces

- > Hand-operated
- > Plastic case in GEDORE red Design



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3301575	R68003075	1/4" socket TX E4 E5 E6 E7 E8 E10 E11 25 mm 1/4" screwdriver bit TX T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" bit adapter square x hexsquare 25 mm 1/4" bits TX with hole T7 T8 T9 T10 T15 T20 T25 T27 T30 T40 25 mm 1/2" socket TX E12 E14 E16 E18 E20 E22 E24 bit adapter 1/2" square x 10 mm hex-square 38 mm 10mm bits TX T40 T45 T50 T55 T60 30 mm 10mm bits TX T15 T20 T25 T30 T40 T45 T50 T55 T60 75 mm screwdriver TX T8x60 T10x80 T15x80 T20x100 T25x100 T27x125 T30x125 T40x150 mm Double ended ring spanner TX E6xE8 E10xE12 E14xE18 E20xE24 Allen wrench TX T8 T10 T15 T20 T25 T27 T30 T40 T45 T50 T55 T60 Telescopic-magnetic lifter with scribe 126 - 636 mm	383	272	80	75	3,5

PROBLEM SOLVER FOR EXTREME CASES

Heavily rusted or deformed connections are once again far too tight? Where normal tools can no longer help, our spiral flute extractors from GEDORE red can.

The GEDORE red spiral groove extractor set R68003010 has been specially developed for screws, nuts or bolts that can no longer be loosened using conventional tools or methods. Driven by a

1/2" ratchet, the innovative spiral profile cuts counter-clockwise into the defective bolt or nut head. The conically tapered spiral profile cuts itself into the screw connection independently, enabling the screw connection to be loosened. With the practical expulsion mandrel, the residual pieces are removed from the special nuts without much effort. The right sizes are easy to remove and clearly arranged in the practical plastic box.



R6800 3010
EXTRACTOR
SET 1/2"
10 pieces



- > Square drive as per DIN 3120 - C 12.5, ISO 1174, with ball retention groove
- > For loosening and removing bolts and damaged screws
- > Anticlockwise cutting thread with 6 cutting edges tapering together
- > Hand-operated



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300034	R68003010	1/2" 10 11 12 13 14 15 16 17 19 mm 34 mm Chuck 80 mm	130	130	55	10	0,95

1

EASY REMOVAL

- The defective screws can be easily removed from the inserts with the removal mandrel

2

INNOVATIVE SPECIAL PROFILE

- The conical spiral profile cuts itself into the damaged screw head and loosens the screw connection.

3

EFFICIENT WORK

- The labelling in the box facilitates quick access to the appropriate inserts

4

GOOD EQUIPMENT

- 9 spiral groove extractors in the most common sizes (SW 10-19 mm) for loosening / removing stuck screw connections plus practical impact mandrel

**FOR WHEN
NOTHING ELSE
WORKS!**



"The extractor set loosens even completely stripped screws loosely and easily."



R4017 0027
2C SWIVEL HEAD BIT RATCHET 1/4"
reversible

- › Ratchet head swivels through 180°
- › Lockable in 5 positions
- › With magnetic holder
- › Lever for reversible clockwise/anticlockwise operation
- › In-hex for direct mounting of bits as per DIN 3126 - D 6.3



Code	No.	Drive square inch	Drive square mm	Length mm	Return angle	Number of teeth	Weight kg
3300160	R40170027	1/4"	6,3	163	5°	72	0,13

SMALL , GREAT EFFECT

Reduced to the essentials and yet versatile.

The GEDORE red Mini Bit Ratchet R40150027 is the combination of high-quality design and incredible robustness for particularly fast screwing, even in tight working situations. Whenever screwing with a cordless screwdriver or conventional tool is not possible due to constricted installation space, the GEDORE red Mini Bit Ratchet comes into its own. The very low overall height is ideal for all particularly tight situa-

tions. Simple and fast switching is ensured by the reversing lever for left-hand and right-hand rotation. In addition to the direct holder for common 1/4" bits, the use of 1/4" sockets is possible via the drive adapter supplied. This makes the GEDORE red mini bit ratchet R40150027 an indispensable aid for professionals and DIY enthusiasts.



R4015 0027 BIT RATCHET 1/4" reversible, with drive adaptor

- > Lever for reversible clockwise/anticlockwise operation
- > In-hex for direct mounting of bits as per DIN 3126 - D 6.3
- > With retention spring
- > Square connection according to DIN 3120 - A 6.3, ISO 1174, with ball locking
- > External hexagonal drive according to DIN 3126 - C 6.3 (1/4"), with ball lock



Code	No.	Drive square inch	Drive square mm	Length mm	Return angle	Number of teeth	Pieces	Weight kg
3300161	R40150027	1/4"	6,3	91	6°	60	2	0,034

1

PRECISION

- Fine-toothed mini bit ratchet with a small return angle of 6°

2

HIGH QUALITY

- Drop-forged solid steel design ensures durability and robustness

3

USEFUL HELPER

- The included drive adapter for the use of sockets increases the flexibility for different screwing cases

4

COMPACT MINI RATCHET

- Compact size and low swivel angle are ideal for confined screwdriving situations



**MANY
POSSIBILITIES**

"The Mini Bit Ratchet is the smallest of our ratchets. Its versatility surprises every time."



R4005 0009
REVERSIBLE RATCHET 1/4"
cranked

- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Number of teeth	Weight kg
3300159	R40050009	1/4"	6,3	10 °	145	36	0,1

R5005 0009
REVERSIBLE RATCHET 3/8"
 cranked

- > Offset pattern for in-depth work
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Number of teeth	Weight kg
3300225	R50050009	3/8"	10	10°	210	36	0,226

R5012 0027
2C SWIVEL HEAD
REVERSIBLE RATCHET 3/8"

- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Number of teeth	Weight kg
3301819	R50120027	3/8"	10	5°	246	72	0,339

R6005 0009
2C REVERSIBLE RATCHET 1/2"
 cranked

- > Offset pattern for in-depth screw work
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Number of teeth	Weight kg
3300411	R60050009	1/2"	12,5	10°	255	36	0,514

R6012 0027 2C SWIVEL HEAD REVERSIBLE RATCHET 1/2"

- > Ratchet head swivels through 180°
- > Lockable in 5 positions
- > Lever for reversible clockwise/anticlockwise operation
- > Push-button release
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Number of teeth	Weight kg
3300409	R60120027	1/2"	12,5	5°	292	72	0,633

R6011 XXXX 2C SWIVEL-HEAD TELESCOPIC RATCHET reversible

- > Telescopic shaft can be locked in 5 positions
- > Ratchet head swivels through 180°
- > Ring for reversing clockwise/anticlockwise direction
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	No.	Square drive inch	Square drive mm	variable length	Return angle	Number of teeth	Weight kg
3300523	R60110009	1/2"	12,5	430-580	10°	36	1,292

R7000 0003 REVERSIBLE RATCHET 3/4"

- > Lever for reversible clockwise/anticlockwise operation
- > Acc. to DIN 3122, ISO 3316
- > For sockets, accessories etc. with square drive as per DIN 3120 - C 6.3, ISO 1174, with ball retention groove



Code	No.	Square drive inch	Square drive mm	Return angle	Length mm	Number of teeth	Weight kg
3300514	R70000003	3/4"	20	15°	503	24	1,94

ALL-ROUND CAREFREE PACKAGE FOR WHEEL CHANGES

Equipped like a pro!

The GEDORE red telescopic ratchet is ideal for loosening tight wheel bolts. The extendable shaft to max. 600mm makes the work much easier. In combination with the colour-coded and coated sockets, the sensitive aluminium rims are additionally protected. They prevent scratching of the wheel nuts. The GEDORE red torque spanner R68900200 is just the right

tool for safely tightening wheel bolts. Controlled tightening up to 200 N-m is always guaranteed precisely and reliably with GEDORE red torque spanners.

1

2

3

4



R6900 3000 WHEEL CHANGE SET

3 pieces



- > Set for the controlled tightening of screws, nuts with sockets (suitable for impact wrenches) for the assembly or disassembly of car wheels
- > R68900200: Controlled right and left hand tightening from 40 to 200 N-m
- > Repeatable and exact with working accuracy of a +/- 4 % tolerance from the set scale value
- > Torque wrench with test certificate according to DIN EN ISO 6789-2:2017
- > R60010027: the telescopic ratchet, which is comfortable to hold, can be extended in five stages from 460 mm to up to 600 mm with simple hand movements
- > R63043003: damage-free working on sensitive surfaces, e.g. aluminium rims by means of plastic sleeves in SW 17, 19 and 21 with colour coding
- > Safe working from bore present for fixing with locking ring and pin



Code	No.	Contents	Pieces	Weight kg
3300187	R69003000	R68900200 Torque wrench 1/2" 40-200 N-m, R60010027 2C telescopic ratchet 1/2" reversible, R63043003 Impact socket set 1/2" 3 pieces	3	3,3

1

PRECISE WORK

- The fine-toothed telescopic ratchet is ideally suited for loosening and pre-tightening wheel bolts

2

MORE POWER, LESS EFFORT

- The telescopic ratchet R60010027 can be extended from 460 mm up to 600 mm to apply more force for loosening wheel nuts

3

CERTIFICATE INCLUDED

- The torque wrench is supplied with a certificate according to DIN EN ISO 6789-2:2017.

4

MORE PROTECTION FOR SURFACES

- The plastic sheathing of the three power sockets protects sensitive aluminium rims due to the low-lying wheel nuts

SAFE AND PRECISE



"With the wheel change set you are perfectly positioned. Simple, reliable and safe!"



R6300 3012 IMPACT SOCKET SET 1/2"

12 pieces

- > Square drive as per DIN 3121 - G 12,5, ISO 1174
- > Acc. to DIN 3129, ISO 2725-2
- > Machine-operated, fixing with safety ring / pin
- > In rugged plastic case



12.5mm
1/2"



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3300574	R63003012	Size 10 11 12 13 14 15 16 17 19 21 22 24 mm	300	180	52	12	1,598

RX890 XXXX TORQUE WRENCH

- > Controlled screw tightening from 5 to 550 N-m
- > Torque triggering clearly to be heard and felt
- > Clockwise and anti-clockwise tightening from switching over the mushroom head/push-through square
- > Audible Torque triggering can clearly be heard and felt
- > Tripping accuracy: /-3 % tolerance of the set scale value



Code	No.	Type	Square drive inch	Square drive metric mm	N-m	Height mm	Housing - square centre spacing mm	Length mm	Head width mm	Head height mm	Weight kg
3301214	R48900025	Recessed square with knob, ribbed	1/4"	6,3	5-25	34	17,5	285	35,0	25,3	0,515
3301871	R58900050	Push-through square With pin	3/8"	10	10-50	34	17,5	334,5	35,0	25,3	0,476
3301216	R68900100	Recessed square with knob, ribbed	1/2"	12,5	20-100	51,5	22	395	46,0	35,9	1,176
3301217	R68900200	Recessed square with knob, ribbed	1/2"	12,5	40-200	51,5	22	485	46,0	35,9	1,42
3301218	R68900300	Recessed square with knob, ribbed	1/2"	12,5	60-300	51,5	23	577,5	46,0	35,9	1,541
3301219	R78900400	Recessed square with knob, ribbed	3/4"	20	80-400	58,2	31	684	62,5	38	2,39
3301220	R78900550	Push-through square With pin	3/4"	20	110-550	58,2	34,5	957,5	69,0	38	4,184

R6800 3013 CROW'S FOOT SOCKET SET 13 pieces

- > Square plug-in handle with swivel square drive according to DIN 3120 - C 12.5, ISO 1174, with ball catching groove
- > Open screw profiles for repairs on cables, for instance



Code	No.	Contents	Length mm	Width mm	Depth mm	Pieces	Weight kg
3301589	R68003013	SW 20 21 22 23 24 25 26 27 28 30 32 mm Square plug-in handle 383 mm, Extension 125 mm	480	195	80	13	3

R2015 2006
WORKSHOP
TROLLEY MECHANIC
 6 drawers, black, matt



- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 6 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys
- > Max. load capacity 210 kg



Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3300012	R20152006	3020/7016	910	628	418	4 x H = 69 mm 1 x H = 144 mm 1 x H = 218 mm	210	6	56

R2156 2002
TOOL TROLLEY MECHANIC
WITH 6 DRAWERS R20152006
WITH TOOL SET R21010002
 166 pieces

- > Solid sheet steel construction, torsion-resistant, highly loadable
- > 6 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- > Load capacity 25 kg per drawer, variable partitionable
- > Central locking with cylinder lock with 4 keys

Detailed listing of the range contents on page 42



Code	No.	Contents	Number of drawers	Pieces	Weight kg
3300013	R21562002	R22150006 1/4" socket wrench set in 1/3 foam module, R22150000 Double ring wrench set in 1/3 foam module R22150018 Set of pliers in 1/3 foam module, R22150019 Hammer and chisel set in 1/3 foam module R22150009 Socket wrench set 1/2" in 1/3 foam module, R22150008 Ratchet with accessories 1/2" in 1/3 foam module R22250001 Combination ratchet wrench set in 2/3 foam module R22150014 Screwdriver set in 1/3 foam module, R22150015 Screwdriver set in 1/3 foam module R22150017 Set of circlip pliers in 1/3 foam module, R27200010 Grip pliers 10", R33005031 Bit-Box 1/4" R38990000 (De)magnetizer, R94420021 Caliper gauge, R93200025 Cutter knife with 5-fold blades R94650013 Feeler Gauge Set, 13 pcs., R93160052 Half-round file, R94550003 Tape measure 3 m	6	166	75,24

R2020 0007
WORKSHOP TROLLEY
WINGMAN
 with 7 drawers



- › Solid sheet steel construction, torsion-resistant, highly loadable
- › 7 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- › Load capacity 35 kg per drawer
- › Central locking with cylinder lock with 4 keys




Code	No.	RAL	Height mm	Width mm	Depth mm	Drawers	Max. load-bearing capacity kg	Number of drawers	Weight kg
3301690	R20200007	3020 / 7016	1.034	724	470	5 x H = 83 mm 2 x H = 155 mm	450	7	80

R2204 1004
WORKSHOP TROLLEY WINGMAN
WITH 4 DRAWERS R20200004
+ ASSORTMENT
 130 pieces

- › Solid sheet steel construction, torsion-resistant, highly loadable
- › 4 drawers telescopically fully extendable with individual locking (one-hand operation)
- › Load capacity 35 kg per drawer
- › Large compartment with 2 lockable hinged doors
- › Central locking with cylinder lock with 2 keys

Detailed listing of the range contents on page 43



Code	No.	RAL	Height mm	Width mm	Depth mm	Contents	Drawers	Number of drawers	Weight kg
3301689	R22041004	3020/7016	1.034	724	470	R22350000 Tool set inserts, ratchet, accessories 1/4"-1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ring ratchet wrench, double open-end wrench	4x H 83 mm compartment: H 386 x W 612 mm	4	81,64

**SOLID AND
RESILIENT**



**R2207 1004
WORKSHOP TROLLEY WINGMAN
WITH 7 DRAWERS R20200007
+ ASSORTMENT**
130 pieces

- › Solid sheet steel construction, torsion-resistant, highly loadable
- › 7 drawers with telescopic full-extension runners with individual locking (one-hand operation)
- › Load capacity 35 kg per drawer
- › Central locking with cylinder lock with 4 keys

Detailed listing of the range contents on page 43



Code	No.	RAL	Height mm	Width mm	Depth mm	Contents	Drawers	Number of drawers	Weight kg
3301694	R22071004	3020/7016	1.034	724	470	R22350000 Tool set sockets, ratchet, accessories 1/4" -1/2" R22350005 Tool set screwdrivers, pliers, hammer, chisel R22350006 Tool set ratchet wrenches, double open-ended spanner	5x H = 83 mm 2x H = 155 mm	7	93,64

R0720 3012
COMBINATION
RATCHET
SPANNER SET
 12 pieces



- > In accordance with DIN 3113 ISO 3318
- > Ring offset to 15°, reversible for right and left hand operation
- > Ratchet mechanism with 72 teeth
- > In rugged plastic case



Code	No.	Contents	Pieces	Weight kg
3300059	R07203012	Combination ratchet spanners 8 10 12 13 15 17 18 19 mm/br Square end drive adaptor 1/4" for Size 10 mm, 3/8" for Size 13 mm, 1/2" for Size 19 mm/br, Bit adaptor 1/4" for Size 10mm	12	15,68

R0730 5005
FLEXIBLE HEAD
COMBINATION RATCHET
SPANNER SET
 5 pieces



- > DIN 3113 ISO 3318
- > With 180° swivel head
- > Ratchet mechanism with 72 teeth
- > With holder




Code	No.	Contents	Pieces	Weight kg
3300890	R07305005	SW 8 10 13 17 19	5	1,158

R0590 5010
OPEN ENDED RATCHET
SPANNER SET
 metric, 10 pieces



- > In accordance with DIN 3113 ISO 3318
- > Straight pattern
- > Open end with ratchet function
- > With holder



Code	No.	Contents	Pieces	Weight kg
3301003	R05905010	10 11 12 13 14 15 16 17 18 19 mm	10	1,758

R0512 6008
DOUBLE OPEN ENDED
SPANNER SET
 in wallet, metric, 8 pieces



- > Acc. to DIN 895, ISO 3318, ISO 1085
- > Jaw set at 15°
- > In practical roll-up bag

Code	No.	Contents	Pieces	Weight kg
3301081	R05126008	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm	8	0,64

R0512 5012
DOUBLE OPEN ENDED
SPANNER SET
 short



- > Acc. to DIN 895, ISO 3318, ISO 1085
- > Jaw set at 15°
- > With holder



Code	No.	Contents	Pieces	Weight kg
3300961	R05125012	6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 21x23 24x26 25x28 27x32 mm	12	2

R0910 5017
COMBINATION
SPANNER SET
 metric, 17 pieces



- > Acc. to DIN 3113, Form A, ISO 3318, ISO 7738
- > Jaw set at 15°
- > With holder



Code	No.	Contents	Pieces	Weight kg
3300994	R09105017	Size 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm	17	1,8

R0391 XXXX
SINGLE OPEN
ENDED SPANNER
 with ratchet



- > Jaw set at 15°
- > Swedish pattern, roller with left hand thread
- > Ratchet function
- > With mm-scale



Code	No.	Length inch	Length mm	Clamping reach inch	Clamping reach mm	Weight kg
3301001	R03910008	8	205	1.18	30	0,412
3301002	R03910010	10	256	1.42	36	0,66

A KEY TO SUCCESS

Not the right wrench to hand or would you rather use pliers? The pliers wrench from GEDORE red combines various spanners and pliers in one tool - an all-rounder for professionals and DIY users.

The GEDORE red pliers wrench R28184010 is a hybrid of wrench and pliers and is therefore versatile in its use. Whether screwing, bending, holding, pressing or gripping, everything is possible with it. Due to its intelligent design, it replaces two complete sets of spanners (metric and imperial, 0-50 mm or 0-1.7/8"), as well as various pliers

with a span of 0-50 mm. It can be conveniently and practically steplessly adjusted to various wrench widths by means of the sliding mechanism and is also suitable as an alternative to the ratchet open-end wrench. The smooth and parallel jaws are gentle on surfaces such as chrome-plated or plastic workpieces. Its optimised pressing and clamping force with a tenfold transmission ratio enables maximised power transmission while conserving your own effort.



R2818 4010 PLIER WRENCH



- › Adjustable, universal tool for screwing, bending, holding, pressing and gripping
- › Can replace wrench sets up to 50 mm, or up to 1.7/8" as well as pliers
- › Smooth jaws for gentle gripping of surface-sensitive workpieces (e.g. chrome-plated screw connections, bathroom fittings)
- › Sliding mechanism may be activated from almost any setting
- › Function of an open-end ratchet
- › Sliding mechanism and paralleled jaws for quick and easy adjustment, practically stepless
- › 17 setting positions

Code	No.	Clamping reach mm	Length mm	Weight kg
3300016	R28184010	50	250	0,09

1

HIGH QUALITY

- Smooth and parallel jaws protect surface-sensitive screw connections or fittings

2

PRODUCTIVE AND EASY WORK

- Adjustment to the workpiece is done at the touch of a button on the quick setting device.

3

WIDE RANGE OF APPLICATIONS

- The pliers wrench is suitable for screwing, bending, holding, pressing and gripping due to its mechanics and gripping jaws

4

HIGH POWER TRANSMISSION

- The high pressing and clamping force with tenfold transmission ratio guarantees a firm hold of the workpieces



**MAXIMUM
POWER
TRANSMISSION**

"The pliers wrench is an all-rounder for every use and should not be missing in any toolbox. The versatile use and the increased power transmission make it the perfect everyday companion."



R2815 4010 **WATER-PUMP-PLIERS**

Easy one-hand adjustment

- > Acc. to DIN 8976
- > Automatic setting mechanism for one-handed operation
- > Safety-box joint, substantial stability from a double guide
- > Slim design allows easy access
- > Lengthways-serrated grip surfaces
- > head polished
- > Dip-coated handle covers
- > Chrome-vanadium steel



Code	No.	Span mm	Span inch	Length mm	Weight kg
3301172	R28154010	35	10	250	0,374

R2800 2003
PLIERS SET
 3 pieces



- > Induction-hardened cutting edges
- > 2-component-handle for a comfortable transfer of force
- > Chrome-vanadium steel



Code	No.	Contents
3301155	R28002003	Combination pliers 180 mm, Side cutter 160 mm, Telephone pliers, straight 200 mm

Pieces	Weight kg
3	0,711

R2800 2004
PLIERS SET
 4 pieces



- > Circlip pliers for external retaining rings, straight and angled, Size 2
- > Circlip pliers for internal retaining rings, straight and angled, Size 2
- > Dip-coated handle covers
- > Chrome-vanadium steel



Code	No.	Contents
3301156	R28002004	External fuse tongs straight A2, External fuse tongs angled A21, Internal fuse clamp straight J2, Internal fuse tongs angled J21

Pieces	Weight kg
4	0,68

R3800 2006
SCREWDRIVER SET
 6 pieces



- > Blades of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handles form a firm unit with the blades
- > 5-edge handle heads stop them rolling off when put down



Code	No.	Contents
3301270	R38002006	Slotted screwdriver 3 5.5 6.5 mm, Cross-slotted screwdriver PH 0 1 2

Pieces	Weight kg
6	0,435

R3667 5009
HEXAGON ALLEN KEY SET
 in-hex, long, 9 pieces

- > With ball end
- > In holder



Code	No.	Contents
3301335	R36675009	Size 1.5 2 2.5 3 4 5 6 8 10

Pieces	Weight kg
9	0,404

R3840 2006
SCREWDRIVER SET TX
 6 pieces

- > Blades of high-grade chrome-molybdenum steel, chrome-plated
- > Moulded handles form a firm unit with the blades
- > 5-edge handle heads stop them rolling off when put down



Code	No.	Contents
3301272	R38402006	TX screwdriver T10 T15 T20 T25 T30 T40

Pieces	Weight kg
6	0,55

R3867 2006
2GT-SCREWDRIVER SET
 In-hex, 6 pieces

- > Two-way profile
- > 2-component-handle for a hands-friendly transfer of force



Code	No.	Contents
3301281	R38672006	SW 2,5 3 4 5 6 8 mm

Pieces	Weight kg
6	0,731

VERSATILE SCREWDRIVER

The Maximus can replace 4 conventional screwdrivers! Quickly and easily the screwdriver can be adapted to the screwdriving situation via the double blades and the adapter.

Thanks to its versatility, the GEDORE red MAXIMUS R38011005 screwdriver is the perfect screwdriving partner for DIY enthusiasts or mobile use. Thanks to the interchangeable double blades, a slotted screwdriver can be converted into a cross-recess screwdriver in next to no time. The adapter

included in the set is housed in the 2-component handle to save space and can accommodate any standard 1/4" bit. For particularly tight screws, a conventional wrench can be applied via the hexagonal stop on the handle for reinforcement when loosening or tightening.



1 HELPS WORK FASTER

- The interchangeable double blades SL PH in the shaft of the Maximus can be easily and quickly repositioned and offer more flexibility

2 EASY POWER TRANSMISSION

- The ergonomic 2-component handle optimally transmits the hand force and is easy on the health at the same time.

3 MULTIFUNCTIONAL USE

- The adapter housed in the handle is suitable for 1/4" bits



"The MAXIMUS never fails to impress with its versatility. In just a few simple steps, I have a space-saving and flexible screwdriver."

R3801 1005 2C-SCREWDRIVER MAXIMUS

5 pieces



- > 2-component-handle for a hands-friendly transfer of force
- > With hexagon socket DIN 3126 - D 8 (5/16") for bits
- > Additional 10 mm drive option on the bit adapter inserted in the shaft



Code	No.	Contents	Lengths
3300038	R38011005	2-component handle 5/16" shank Bit double blade PH 1 2 Bit double blade Slot 5.5 6.5 mm Bit adapter 8mm (5/16") x 1/4"	Handle 126 mm Shaft 67 mm Handle with shaft and bit double blade 225 mm



Pieces	Weight kg
5	0,23

R9212 XXXX ENGINEERS' HAMMER

with fibreglass



- > Drop-forged hammer head, black paint-finished, of heat-treated steel
- > Striking surfaces inductively case-hardened for tough long-term work
- > Near unbreakable fibreglass handle

Code	No.	Head weight g	Length mm	Weight kg
3300720	R92120012	300	300	0,48
3300722	R92120020	500	320	0,73
3300723	R92120032	800	350	1,1

R9020 0106 PIN PUNCH SET

6 pieces



- > In metal case with lid

Code	No.	Contents
3300824	R90200106	Pin punch Ø 3 4 5 6 8 10 mm

Pieces	Weight kg
6	0,82



R3900 2005 VDE TOOL ASSORTMENT

5 pieces



VDE screwdriver:

- > For slotted head screws:
Acc. to DIN 5264, DIN ISO 2380
- > For cross-head screws PH:
Acc. to DIN 7438, DIN ISO 8764

VDE Side cutter:

- > Acc. to DIN ISO 5749

VDE Telephone pliers, straight:

- > Acc. to DIN ISO 5745




Code	No.	Contents	Pieces	Weight kg
3301414	R39002005	VDE Screwdriver slotted 3, 5.5 mm, VDE Screwdriver cross-slotted PH 2 VDE Side cutter 180 mm, VDE Telephone pliers 200 mm, straight pattern	5	0,833

R9410 XXXX SPIRIT LEVEL

magnetic

- > Smooth square alloy profile
- > One vertical and one horizontal vial
- > magnetic
- > Measurement accuracy: +/- 0.5 mm/m



Code	No.	Length mm	Weight kg
3301424	R94100151	300	0,17
3301425	R94100187	1.000	0,482

R1910 1002 PRY-BAR-SET

4 pieces

- > Easy remove jammed components
- > Positioning of parts
- > Hold parts in position
- > Expansion of clamping bores etc.



Code	No.	Contents	Pieces	Weight kg
3301568	R19101002	24", 610 x 20 mm 18", 460 x 20 mm 12", 310 x 16 mm 8", 200 x 10 mm	4	1,4

R9300 0006 KEY FILE SET

6 pieces



- > With wooden handle
- > Made of special steel

Code	No.	Contents	Length mm	Pieces	Weight kg
3301596	R93000006	Triangular file, Flat file, Round file, Half-round file, Square file	177	6	0,85

R9350 0025 TWIST DRILL BIT SET, ROLLED

25 pieces



- > HSS Twist drill bit DIN 338, type N
- > Right hand cutting
- > Tip angle: 118°
- > In metal case



Code	No.	Contents	Pieces	Weight kg
3301611	R93500025	1.0 1.5 2.0 2.5 3.0 3.5 4.0 4.5 5.0 5.5 6.0 6.5 7.0 7.5 8.0 8.5 9.0 9.5 10.0 10.5 11.0 11.5 12.0 12.5 13.0 mm	25	1,263

R9911 XXXX WORK GLOVES



- > Grip areas for small and smooth parts
- > Palms of one piece
- > Breathable surface between the fingers
- > Adhesion to smooth surfaces ensured from internal coating

Code	No.	Glove size	Weight kg
3301749	R99110005	M/9	0,08
3301750	R99110010	L/10	0,095
3301751	R99110015	XL/11	0,09
3301752	R99110020	XXL/12	0,09

The individual components at a glance

R2156 2002

R2215 0006




R2215 0017



R2215 0014



R2215 0015



R2215 0000



R2215 0019



R2215 0009



R2215 0018



R2215 0008



R2225 0001



R3300 5031



Assortment	No.	Content
R21562002	R22150006	1/4" 2C lever reversible ratchet, fine-tooth, 72 teeth 150 mm, 1/4" square plug-in handle 165 mm 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13, 1/4" screwdriver bit socket in-hex 3 4 5 6 8 10 37 mm 1/4" screwdriver bit socket slotted 5.5 6.5 37 mm, 1/4" screwdriver bit socket cross-slotted PH 1 2 3 37 mm 1/4" screwdriver bit socket cross-head PZ 1 2 37 mm, 1/4" socket TX with hole T10 T15 T20 T25 T27 T30 T40 37 mm 1/4" socket extension 100 mm, 1/4" sliding T-handle with slide 115 mm, 1/4" universal joint 32 mm
	R22150017	Circlip pliers for external retaining rings, straight 19-60 mm, Circlip pliers for external retaining rings, angled 19-60 mm Circlip pliers for internal retaining rings, straight 19-60 mm, Circlip pliers for internal retaining rings, angled 19-60 mm
	R22150014	Screwdriver slotted 4 5.5 6.5 8 mm, Screwdriver cross-slotted PZ 1 2
	R22150015	Screwdriver TX T10 T15 T20 T25 T30 T40
	R22150000	Double-ended ring spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm
	R22150019	Engineers' hammer 300 g, Flat cold chisel 125 mm 150 mm, Cross-cut chisel 125 mm Centre punch 4 mm 120 mm, Pin punch 4 mm 120 mm, Drift punch 3 mm 150 mm
	R22150009	1/2" socket hexagon 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 1/2" screwdriver bit socket in-hex 6 7 8 9 10 12 14 55 mm
	R22150018	Water pump pliers 10" 250 mm, Combination pliers 180 mm, Bent nose telephone pliers, straight 160 mm, Side cutter 160 mm
	R22150008	1/2" 2C lever reversible ratchet, fine-tooth, 72 teeth 250 mm, 1/2" socket extension 125 250 mm, 1/2" sliding T bar with slide 250 mm, 1/2" universal joint 66 mm
	R22550001	Ratchet wrench 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 mm, Hexagon socket key set, 9 pcs, 1.5 2 2.5 3 4 5 6 8 10 mm
	R33005031	1/4" hexagon sizes 3 4 5, 1/4" slotted 0.6x4.5 1.0x5.5 1.2x6.5, 2x 1/4" cross-head PH 1 2 3, 2x 1/4" cross-head PZ 1 2 3 2x TX T10 T15 T20 T25 T30 T40, Quick change adaptor for 1/4" bits C 6.3 with magnet, Bit adaptor 1/4" hex x 1/4" square

Tools for set completion



Digital Calipers



half-round file
310 mm



Measuring tape
3 m



Grip pliers 10"
225 mm



Cutter Knives
with 5 spare blades
175 mm



Set of feeler gauges,
13-piece



(Ent-) Magnetizer

The individual components at a glance

R2204 1004 / R2207 1004

R2235 0000 SOCKET WRENCH SET 1/4" 1/2" AND ACCESSORIES

in 3/3 foam module, 84 pieces



Assortment	No.	Content
R22041004/ R22071004	R22350000	1/4" 2C lever reversible ratchet, fine-tooth, 72 teeth 150 mm, 1/4" square plug-in handle 165 mm, 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14, 1/4" socket hexagon 4 4.5 5 5.5 6 7 8 9 10 11 12 13 50 1/4" screwdriver bit socket in-hex 3 4 5 6 8 10 37 mm, 1/4" screwdriver bit socket slotted 5.5 6.5 37 mm 1/4" screwdriver bit socket cross-slotted PH 1 2 3 37 mm, 1/4" screwdriver bit socket cross-head PZ 1 2 37 mm 1/4" socket TX with hole T10 T15 T20 T25 T27 T30 T40 37 mm, 1/4" socket extension 100 mm 1/4" sliding T-handle with slide 115 mm, 1/4" universal joint 32 mm, 1/2" 2C lever reversible ratchet fine-tooth, 72 teeth 250 mm 1/2" socket hexagon 10 11 12 13 14 15 16 17 18 19 21 22 23 24 26 27 28 30 32 1/2" screwdriver bit socket in-hex 6 7 8 9 10 12 14 55 mm 1/2" spark plug socket 16 21 mm 65 mm, 1/2" socket extension 125 250 mm 1/2" sliding T-handle with slide 250 mm, 1/2" universal joint 66 mm Adjustable spanner 8" 200 mm

R2235 0005 SCREWDRIVER, PLIERS, HAMMER, CHISEL SET

in 3/3 foam module, 23 parts



Assortment	No.	Content
R22041004/ R22071004	R22350005	Combination plier 180 mm, Side cutter 160 mm, Bent nose telephone pliers, straight 200 mm, Screwdriver slotted 3 4 5.5 6.5 mm Screwdriver cross-slotted PH 1 2, Screwdriver TX T10 T15 T20 T25 T30 T40, Water pump pliers 10", 250 mm Engineers' hammer 300 g, Flat cold chisel 125 mm, 150 mm Cross-cut chisel 125 mm, Pin punch 4 mm 120 mm Centre punch 4 mm 120 mm, Drift punch 3 mm 150 mm

R2235 0006 RING RATCHET AND DOUBLE OPEN-END WRENCH SET

in 3/3 foam module, 22-part



Assortment	No.	Content
R22041004/ R22071004	R22350006	Ratchet wrench 8 9 10 11 12 13 14 15 16 17 18 19 20 22 mm Double open ended spanner 6x7 8x9 10x11 12x13 14x15 16x17 18x19 20x22 mm

GEDORE

TOOLS FOR LIFE

GEDORE Werkzeugfabrik GmbH & Co. KG

Remscheider Straße 149
42899 Remscheid · GERMANY
Tel. + 49 (0) 21 91-596-0
Fax + 49 (0) 21 91-596-230
info@gedore.com
www.gedore.com

Vertrieb Deutschland
Tel. + 49 (0) 21 91-596-900
Fax + 49 (0) 21 91-596-999

GEDORE Automotive GmbH

Breslauer Straße 41
78166 Donaueschingen · GERMANY
Tel. +49 771 83223-0
Fax +49 771 83223-90

GEDORE Torque Solutions GmbH

Bertha-Benz-Straße 12
71665 Vaihingen/Enz · GERMANY
T +49 7042 9441-0
F +49 7042 9441-41
info@loesomat.de

GEDORE AUSTRIA GmbH

Gedore-Str. 1
8190 Birkfeld / Stmk. · AUSTRIA
Tel. +43 (0) 3174 / 363 64 00
Fax +43 (0) 3174 / 363 83 20
sales.austria@gedore.com
www.gedore.at

GEDORE Tools S.A. (Pty) Ltd.

103 Qashana Khuzwayo (Shepstone) Road,
New Germany, 3610 - South Africa
PO Box 68, New Germany, 3620
SOUTH AFRICA
Tel. +27 (0) 31 / 705 3587
Fax +27 (0) 31 / 705 32770
general@gedoresa.co.za
www.gedore.co.za

GEDORE IBÉRICA S.L.

c/Arangutxi 12, Poligono Industrial de Jündiz
01015 Vitoria Alava · SPAIN
Tel. +34-945-29 22 62
Fax +34-945-29 21 99
gedore@gedore.es
www.gedore.es

GEDORE UK Limited

Marion Street, SKIPTON BD23 1TF
North Yorkshire · UNITED KINGDOM
Tel. +44 (0) 1756 / 70 67 00
Fax +44 (0) 1756 / 79 80 83
sales@gedoreuk.com
www.gedoreuk.com

GEDORE France SARL

Parc d'activités des Béthunes - La Mare II
10, avenue du Fief - Bât. 12
BP 79144 Saint-Ouen-l'Aumône
F-95074 Cergy Pontoise Cedex · FRANCE
Tél. +33 (0)1 34 40 16 60
Fax +33 (0)1 34 40 16 61
jadore@gedore.fr
www.gedore.fr

GEDORE TECHNAG B.V.

Flemingweg 7, 2408 AV
Alphen aan den Rijn · NETHERLANDS
Tel. +31 (0) 172 / 42 73 50
Fax +31 (0) 172 / 42 73 60
technag@gedore.nl
www.gedore.nl

GEDORE (INDIA) Private Limited

148, Sector 3, IMT Manesar
Gurgaon - 122051
Haryana · INDIA
Tel. +91 (0) 124 22910 - 65/66/67
Fax +91 124 2341067
sales@gedoreindia.com
www.gedore.in

GEDORE POLSKA Sp. z o.o.

ul. Żwirki i Wigury 56a
43-190 Mikołów · POLAND
Tel. +48 (0) 32 / 738-40 10
Fax +48 (0) 32 / 738-40 20
gedore@gedore.pl
www.gedore.pl

Ferramentas GEDORE do Brasil S.A.

Rua Vicentina Maria Fidélis, 275 Bairro
Vicentina | Vicentina
São Leopoldo - RS | 93025-340 · BRAZIL
Tel. +55 51-35 89 9200
Fax + 55 51-35 89 9222
export@gedore.com.br
www.gedore.com.br

GEDORE TOOLS, INC.

7187 Bryhawke Circle, Suite 700
NORTH CHARLESTON,
SC 29418 · USA
Tel. +1-843/225 50 15
Fax +1-843/225 50 20
info@gedoretools.com
www.gedoretools.com

GEDORE Tool Trading (Shanghai) Co., Ltd.

1/E, Block 2, 1358 Pingan Road,
Minhang, Shanghai · CHINA 201109
Tel. +86-21-3388 7258
Fax +86-21-3388 7259
Service Hotline: 400 880 1858
info@gedore.cn
www.gedore.cn



Your dealer / stamp:

Где купить:
ООО "КОМПАНИЯ ОПТУЛС"
г.Москва, ул.Иловайская, д.3, стр.2
Tel.: +7 (495) 646-00-96
E-Mail: sale@opttools.ru
Internet: www.opttools.ru

Brands of the GEDORE Group
gedore.com · ochsenkopf.com

IMPULSE TOOL PROMOTION valid
vom 01/04/2021 bis 31/03/2022.
While stocks last.

Delivery without decoration. Technical specifications subject to modifications.
No liability for printing errors. Please ask your local dealer.

gedore.com