

RC **RODCRAFT**®

DE

Bedienungsanleitung/Sicherheitshinweise

Rollsitz
klappbar

EN

Instruction Manual/Safety Instruction

Creeper





Sehr geehrter Kunde!!

Rodcraft Pneumatic Tools dankt Ihnen für den Kauf eines seiner Produkte und lädt Sie zum Lesen dieses Handbuchs ein.

Alle notwendigen Informationen für einen sachgerechten Gebrauch des gekauften Gerätes sind hierin enthalten: es empfiehlt sich also, es vollständig durchzulesen und sich an die darin enthaltenen Hinweise zu halten.

Bitte bewahren Sie das Handbuch so auf, daß es unbeschädigt erhalten bleibt. Der Inhalt dieses Handbuchs kann ohne Vorbescheid und ohne weitere Verpflichtungen geändert werden, so daß Änderungen und Verbesserungen in die bereits gesandten Kopien eingelegt werden können.

Das Kopieren oder Übersetzen eines jeglichen Teiles dieses Handbuchs ist ohne vorherige schriftliche Genehmigung des Herstellers untersagt.

1- Technische Daten und Abmessungen:

RFS01			
Eigengewicht [kg]	14	Rahmenhöhe min. [mm]	120
Abmessungen [mm] l x b x h	1250x450x150	Sitzhöhe [mm]	455

1.1- Verantwortung des Eigentümers und/oder des Benutzers des Gerätes

Dieses Handbuch gehört zum Lieferumfang des RSF01 und muß diesen immer - auch beim Verkauf - begleiten.

Der Eigentümer und/oder Benutzer des RSF01 muß mit der Gebrauchsanweisung vertraut sein, bevor dieses in Betrieb genommen wird.

Der Hersteller haftet nicht für Personen- und Sachschäden, die auf einen unzulässigen oder unsachgemäßen Gebrauch des Rollbrettes zurückzuführen sind.

2- Verpackung

Das Rollbrett wird in einem Karton verpackt geliefert.

3- Inbetriebnahme

- Die Kartonage öffnen und kontrollieren, daß das Rollbrett keine Transportschäden aufweist und alle im Versandschein aufgeführten Teile vorhanden sind. Gegebenenfalls den Lieferanten benachrichtigen. Das Verpackungsmaterial muß nach der entsprechenden Landesverordnung entsorgt werden.

3.1- Verstellung des Rollbretts

- Zur Verstellung des Rollbretts gehen Sie bitte wie folgt vor:
- Betätigen Sie die Arretierung (Pos.14).
- Nun ziehen Sie an dem quer über den Sitz gespannten Gurt (Pos.2) die Sitzfläche in aufrechte Position.
- Bei Erreichen der optimalen Sitzhöhe rastet die Arretierung automatisch ein.

Zur Verstellung des Rollbrettes von Sitzposition auf ebenerdige Position gehen Sie bitte wie folgt vor:

- Ziehen Sie die Sitzfläche am Gurt leicht nach hinten.
- Nun betätigen Sie die Arretierung und führen den Sitz nach unten.
- Nach Erreichen der ebenerdigen Position rastet die Arretierung automatisch ein.

4- Wartung

Alle beweglichen Teile in regelmäßigen Zeitabständen leicht schmieren.

5- Entsorgung der Rollbretter

Das Entsorgen der RFS01 muß gemäß der Gesetzgebung des jeweiligen Landes erfolgen.

6- Achtung Sicherheitsvorschriften

- Jedes defekte oder gefährliche Teil muß durch vom Hersteller gelieferte Original – Ersatzteile (siehe Ersatzteilliste) ersetzt werden.
- Beim Verstellen ist generell darauf zu achten, daß die Finger nicht zwischen Rahmen und Strebe gelangen, **QUETSCHGEFAHR**.



- Verwenden Sie das Rollbrett nur auf ebenerdigen und festen Boden, **STOLPERGEFAHR**



7- Beschädigte Rollbretter

- Alle beschädigten, stark verschlissenen oder schlecht funktionierenden Rollbretter **MÜSSEN AUSSER BETRIEB GESETZT WERDEN**.
- Die Reparatur muß von einem autorisierten Fachmann des Verkäufers ausgeführt werden.



Dear customer !!

Rodcraft Pneumatic Tools thanks you for purchasing one of our products. Please read this manual thoroughly. You will find in this manual all the information needed for professional use of the purchased device: We recommend you read the manual completely and to follow the instructions thoroughly. Please keep the manual in a safe place where it will not be damaged. The contents of this manual may be subject to change without prior notice, so that modifications and corrections may be included in copies already sent out. Copying and translation of the manual or any part of the manual is not permitted without prior written approval of the manufacturer.

1- Specifications:

RFS01			
Own weight [kg]	14	Frame height min. [mm]	120
Dimensions [mm] l x b x h	1250x450x150	Seat height: [mm]	455

1.1- Responsibilities of the owner and/or operator of the device

This manual is and must be included in the delivery of the device and when it is sold. The owner and/or user of the device must be familiar with the operating instructions before the device is started. The manufacturer is not liable for any personal injury and property damage that is caused by incorrect or improper use of the product.

2 -Wrapping

Das Rollbrett wird in einem Karton verpackt geliefert.

3- Starting operation

- Open the carton box and check that the product was not damaged during transport and that all parts listed in the parts list are present. If necessary, contact the delivery company. The wrapping material must be disposed of in accordance with the national environmental protection laws.

3.1- Adjusting the rolling board

To adjust the rolling board, proceed as follows:

- Press the lock (position 14).
- Pull the belt that extends across the seat (position 02) to move the seat into a vertical position.
- When you reach the optimum seat height, the lock is secured automatically.

To adjust the rolling board of the seat position to the ground level, proceed as follows:

- Use the belt to pull the seating area slightly backwards.
- Press the lock, and push the seat down.
- After reaching the ground level, the lock is secured automatically.

4- Maintenance

- All movable parts must be greased regularly

5- Rolling board disposal

The RFS01 must be disposed of in accordance with the applicable laws of each country.

6-General Safety Instructions

- Each broken or dangerous part must be replaced by the manufacturer with original spare parts (see spare parts list).
- During the adjustment, be careful not to get your fingers caught between the frame and the brace. **DANGER OF CRUSHING.**



- Only use the rolling board on flat and solid surfaces. **DANGER OF TRIPPING.**



7- Special Safety Instructions

- All damaged worn and badly functioning rolling boards **MUST BE REMOVED FROM OPERATION.**
- All repair work must be carried out by an authorized representative of the seller.



E-mail: info@rodcraft.com Internet: www.rodcraft.com

Где купить:

ООО "КОМПАНИЯ ОПТУЛС"

г.Москва, ул.Бирюлёвская, д.53, корп. 2, офис 113

Tel.: +7 (495) 646-00-96

E-Mail: sale@opttools.ru

Internet: www.opttools.ru