



RUNIPOTEC®

STRONGEST CABLE PULLING




NEW IN 2018





The muscle power you use will be optimally converted into performance using the revolutionary RUNPOGLIDER (special glider) with swivel. The perfect mixture of shape, stability and flexibility (based on the conical shape) now enables you to have **even more penetrating power!**



1 SWIVEL The integrated swivel, allows the cable to turn in the pipe and reducing wear and tear and gives the cablepullingsystem and the cable an extended service lifetime.

2 HIGHEST-POSSIBLE BREAKAGE PROTECTIO Numerous stable safety reinforcements in the connection between the spiral strand and the RUNPOGLIDER guarantee the highest-possible **breakage protection** ($\text{Ø } 6 \text{ mm} > 200 \text{ kg}$ / $\text{Ø } 7 \text{ mm} > 300 \text{ kg}$) for **RUNPOGLIDER spirals**.

3 NO HEAD CHANGING The universal **special eyelet head** is not only shaped optimally for pushing in the RUNPOGLIDER spirals or the POWER REX, it is also made for pulling in the cable at the same time.

Therefore it is not necessary to change the head!

4 MORE CABLE TAKE-UP The extra-large eyelet in the **special eyelet** head can take up more cable than other spirals. This enables you to **save** valuable time!

Item	Item no.	Rec. retail price
RUNPOGLIDER with SWIVEL Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread Compatible with RUNPOTEC-Products POWER REX, RUNPOSTICKS, fiberglass rods 4,5 mm and 6 mm	20238	29,- €

Advantage:



Large eyelet hole
up to $7 \times 2.5 \text{ mm}^2$
cable take-up

Quality check

RUNPOTEC products are checked at several stages for

- » Breaking load
- » Material quality
- » Material fatigue
- » Mechanical stress
- » Functional ability



X BOARD
CABLE ROLLER



6

PROFI-CABLE ROLLER

XB 500 For all types of cables and pipes

XB 300 For all small- to mid-sized cable drums

8



CABLE DRUM ROLLER

PRO 530 | PRO 670

Pre-mounted incl. support rollers

9



ROLL-OFF RAILS AS 900

Roll off heavy cabling and cable drums
from 500 mm to 2000 mm diameter

10

RUNPOCAM
RC2



RUNPOCAM RC 2

Multifunction-inspection-camera

in W-BOXX system case

in the lengths **10 m**, **30 m** and **50 m**

24

RUNPOFIX




RUNPOFIX

Cable pulling loop with protective cap

Protects plugs against damage

42



CAPSTAN WINCH CW 800 E

Incl. steel trolley mounting rail and strap

For horizontal cable pulling

44



POLYESTER TOWING ROPE

Incl. steel cage or on drum

Rope-Ø: 8 mm, 10 mm, 12 mm

Length: 120 m, 150 m, 200 m, 300 m, 350 m



RUNPOTEC SYSTEM-CASE

W-BOXX – compatible with Sortimo®

Can be stacked with click system

Replaceable case insert

W-BOXX | Sortimo COMPATIBLE

CABLE PULLING SYSTEMS	
Cable lubricating compound GEL SPRAY FOAM SPRAY	13
RUNPO 5 2 x RUNPOGLIDER with swivel, special plastic tape Ø 5,3 mm, triple twisted	14
RUNPOSTICKS standard and comfort plastic-coated basalt pushrod set	16
RUNPO 1 Special plastic fish tape Ø 4 mm, with RUNPOGLIDER	18
POWER REX Fiberglass rod Ø 3 mm incl. RUNPOGLIDER with swivel	19
RUNPOTEC RT 2008 Mechanical cable pull in tool	22
RUNPOGLIDER spiral MET Metal spiral Ø 4 mm with RUNPOGLIDER	23
RUNPOFIX Cable pulling loop with protective cap Protects plugs against damage	24
Cable pulling grip Ø 4 – 15 mm	25
Cable pulling grip Ø 9 – 100 mm	26
Cable diameters Summary table - Information page	27
Fiberglass rod Ø 4,5 mm incl. steel cage incl. the new double-outlet system	28
Fiberglass rod Ø 6 mm incl. steel cage incl. the new double-outlet system	31
Fiberglass rod Ø 7,5 – 9 mm incl. steel cage incl. the new double-outlet system	35
Fiberglass rod Ø 11 mm incl. steel cage incl. the new double-outlet system	38
Fiberglass rod Ø 15 mm incl. steelcage and meter counter	40
Cage-flexible leading head-set RUNPOSTICKS, 13 parts	34
Capstan winch CW 800 E for horizontal cable pulling	42
Polyester towing rope incl. steel cage or drum Ø 8 mm, 10 mm, 12 mm 100 m – 350 m	44
Metal spiral Ø 4 mm	46
Nylon fish tape Ø 3 – 4 mm	46
INSPECTION SYSTEMS	
RUNPOCAM RC 2 Multifunction-inspection-camera 10 m, 30 m, 50 m	10
RUNPOMETER Laser distance meter RM80	45
CABLE ROLLER SYSTEMS	
X-BOARD Profi cable roller XB 300	6
X-BOARD Profi cable roller XB 500	7
Cable drum roller PRO 530 PRO 670	8
Roll-off rails AS 900 In a 2-part set	9
PRICE LIST GTC	
Price list	47
GTC General terms and conditions	51



Profi cable roller XB 300



Item	Item no.	Rec. retail price
X BOARD – Profi cable roller XB 300 – Ø 300 mm Load bearing capacity 200 kg	10137	109,00 €

The compact X-BOARD – XB 300 is a universal, professional device for winding in/out cables on all small- to mid-sized cable drums.

The XB 300 scores highly thanks to its small, lightweight and flat design but is still capable of carrying up to 200 kg.


Ideal for damaged cable drums.

It enables trouble-free and efficient working without the tangled cables.

5 rubberised feet ensure a non-slip and secure standing position.

Ideal for protecting already completed flooring surfaces.

The removable pin enables cable drums featuring varying hole sizes to be used.

components	Item no.	Rec. retail price
 X-BOARD DORN for X-BOARD XB300 and XB 500	20632	8,70 €



Profi cable roller XB 500



X-BOARD DORN
 Ø 40 mm
 Attachable
 centring piece
 for large drums.



Item	Item no.	Rec. retail price
X BOARD – Profi cable roller XB 500 – Ø 500 mm Load bearing capacity 200 kg	10136	239,00 € 199,00 €

introductory price

The compact X-BOARD – XB 500 is a universal, professional device for winding in/out cable drums featuring all types of cables and pipes (single core lines, cable rings, cable drums, empty conduits, ropes and rope drums).

It enables trouble-free and efficient working without the tangled cables.


The X-BOARD – XB 500 can bear loads of up to 500 kg and is suitable for almost all types of drum.


Especially ideal for damaged cable drums.

8 rubberised feet ensure a non-slip and secure standing position.

Ideal for protecting already completed flooring surfaces.




The height-adjustable lid is perfectly designed to secure loose cables, cable rings or pipes in the X-BOARD XB 500; this prevents uncontrolled cable winding.

components	Item no.	Rec. retail price
 <p>X-BOARD DORN for X-BOARD XB300 and XB 500</p>	20632	8,70 €

Cable drum roller **PRO 530 | PRO 670**

Item	Item no.	Rec. retail price
Cable drum roller – pre-mounted incl. support rollers Load bearing capacity 215 kg		
PRO 530	10134	178,00 €
PRO 670	10135	209,00 €

RUNPOTEC's innovative, high-quality cable drum roller made from lightweight yet solid pressure-cast and continuous-cast aluminium featuring sturdy, adjustable support rollers is ideal for very high loads in everyday use. The support rollers with spring core axles can be easily adjusted to accommodate a wide range of cable drum sizes up to max. 1000 mm thanks to gap adjustment to 85, 160, 225, 290, 310 and 335 mm. The closed support roller bearings offer protection against dirt and corrosion and thus guarantee maintenance-free operation. The four compact feet made from high-quality plastic ensure the cable drum roller always stands securely without risk of slipping and that already completed floor coverings are protected. The high-quality, functional design featuring sophisticated technology guarantees a long service life. **Cable drum roller PRO 530 and PRO 670 can be retrofitted with castors!**

Accessories Components	Item no.	Rec. retail price
 <p>Castors in a 4-part set 2 piece with parking brakes PU = 4 x castors</p>	20623	85,00 €
 <p>Unwind roll 530 for cable drum roller PRO 530 Roller length 530 mm</p>	20609	25,00 €
 <p>Unwind roll 670 for cable drum roller PRO 670 Roller length 670 mm</p>	20610	27,00 €

Roll-off rails AS 900

VIDEO



Roll-off rails
AS 900



Item	Item no.	Rec. retail price
Roll-off rails AS 900 In a 2-part set 2 piece max. drum weight 1700 kg (wooden drum)	10142	750,00 €

The AS 900 roll-off rails are designed to safely roll off heavy cabling and cable drums featuring dimensions of 480 mm to 2000 mm.

The robust stainless steel/aluminium construction with high-quality, maintenance-free, ball-bearing-mounted, heavy-duty rollers ensures a long service life.

The roll-off brake ensures that drums can be changed simply and quickly.

Their narrow two-part design means they can easily be used in narrow locations.

The roll-off rails are especially recommended wherever various types of cable need to be processed next to one another in a short space of time.

Multifunction-inspection-camera - compatible with all RUNPOTEC products with RTG Ø 6 mm thread.

RUNPOCAM RC2

Multifunction-inspection-camera
10 m, 30 m and 50 m length



INCLUDED ACCESSORIES:

- A** RUNPOGLIDER with front thread
- B** SYSTEMGLIDER
- C** High-performance 320-lumen rechargeable LED lamp
- D** Micro memory card 8 GB / adapter
- E** Magnet fishing-set
- F** connection thread set, RTG Ø 6 (Blind cap, inside and outside connection thread)
- G** Stainless steel fishing hook
- H** Dual-USB charging adapter 12 V
- I** Flexible attachment 12 cm
- J** USB / Micro-USB charging cable 3 m
- K** Dual-USB charging adapter 230 V
- L** RC 2 thread attachment
- M** USB / Micro-USB charging cable 1 m






Item	Length	Item no.	Rec. retail price
RUNPOCAM RC 2	10 m	10139	499,00 €
Multifunction-inspection-camera in system-case	30 m	10140	539,00 €
	50 m	10141	579,00 €

Application: For pipe inspectionen from Ø 20 mm for long distances up to 50m – but also for bigger pipe diameters (etc.). In combination with the RUNPOSTICKS outstanding for suspended ceilings, shafts, ventilation- and equipment inspection.

Evidence gathering, recording function foto-, video- and audio documentation! Operation up to 6 hours.

Multifunction-inspection-camera with 6 integrated LED (**camera probe IP rating IP67**), enclosed in robust stainless steel head (Ø 12 mm / L 28 mm) with RTG Ø 6 mm inside connecting thread – compatible to all RUNPOTEC products with RTG Ø 6 mm thread.

Compatible with the following RUNPOTEC products

POWER REX – RUNPOCAM	RUNPOSTICKS – RUNPOCAM	RUNPO 1 – RUNPOCAM	PROFI-SET / STANDARD-SET	FIBERGLASS ROD
			Ø 4,5 mm, 6 mm 	Ø 7,5 mm, 9 mm, 11 mm, 15 mm 

Application examples – evidence gathering/recording function – foto, video (HD) and audio



PIPE INSPECTION
for large pipe diameters




PIPE INSPECTION
from - Ø 20 mm and more




IP RATING IP67



VENTILATION INSPECTION AND SERVICING



CAVITY WALL INSPECTION
Locating and capturing



SHAFTS AND UNDERFLOOR DUCTING

Combination version – Compatible with all RUNPOTEC products with RTG Ø 6 mm thread.



Extensive combination examples


















RUNPOCAM RC2 + RUNOGLIDER with front thread




RUNPOCAM RC2 + RC2 thread attachment + sliding hook



RUNPOCAM RC2 + Systemglider + LED lamp

Item		Item no.	Rec. retail price
 	RC 2 camera probe with cable incl. camera reel Ø 12 mm L 28 mm IP 67 RUNPOTEC RTG Ø 6 mm inside thread 10 m 30 m 50 m	20593 20560 20559	185,00 € 259,00 € 298,00 €
	camera reel RC 2 (picture 2)	20608	25,00 €
	 	20485	39,90 €
	High-performance 320-lumen rechargeable LED lamp 2 x RUNPOTEC RTG Ø 6 mm thread (1 x Vertical and 1 x Horizontal) micro-USB-charging socket for battery, IP67		
		Systemglider RC2 L 130 mm B 58 mm H 53 mm RUNPOTEC RTG Ø 6 mm front thread	20606
	RUNPOGLIDER with front thread RUNPOTEC RTG Ø 6 mm thread	20460	29,00 €
	Flexibel camera probe 0,8 m Ø 9 mm for RUNPOCAM 300.000 pixel (720 x 576) Field of view 64°, IP rating IP 67 4 x LED (dimmbable)	20481	59,50 €
	EXTRA SLIM Ø 3,9 MM Flexibel camera probe 1 m Ø 3,9 mm for RUNPOCAM 100.000 pixel (320 x 240) Field of view 54°, IP rating IP 67 2 x LED (dimmbable)	20488	118,50 €
	RC2 thread attachment L 101 mm B 16 mm H 19 mm RUNPOTEC RTG Ø 6 mm front thread	20607	14,50 €
	Micro memory card 8 GB incl. card adapter	20483	4,10 €
	Magnet fishing-set 1,5 – 2,9 kg (pipe-Ø 16 – 40 mm)	20475	19,00 €
	connection thread set RUNPOTEC RTG Ø 6 mm thread (set of 3 = 1 x inside, 1 x outside, 1 x blindcap)	20484	8,10 €
	Stainless steel fishing hook with RUNPOTEC RTG Ø 6 mm thread	20261	5,70 €
	Flexible attachment 12 cm stainless steel RUNPOTEC RTG Ø 6 mm thread	20509	6,70 €
	RUNPOTEC system-case with RUNPOCAM RC2 case insert	20611	47,00 €

	Item	Item no.	Rec. retail price
	<p>Cable lubricating compound GEL 1050 ml</p> <p>Non-inflammable friction-reducing, improved gliding property, non-corrosive, heat-resistant up to 85°C/185°F, non-stick and non-staining, gentle on skin, biodegradable.</p>	30064	8,45 €
	<p>Cable lubricating compound GEL 250 ml</p> <p>Non-inflammable friction-reducing, improved gliding property, non-corrosive, heat-resistant up to 85°C/185°F, non-stick and non-staining, gentle on skin, biodegradable.</p>	30467	4,20 €
 <p>NON-INFLAMMABLE</p>	<p>Cable lubricating compound SPRAY 400 ml</p> <p>Special attachment – spray large areas or open the tube for precise streams.</p> <p>Non-inflammable excellent lubrication, non-stick, non-drying, colourless, odourless, non-toxic.</p>	20523	7,80 €
 <p>NON-INFLAMMABLE</p>	<p>Cable lubricating compound FOAM 400 ml</p> <p>Special attachment – spray large areas or open the tube for precise streams.</p> <p>Non-inflammable excellent lubrication, water-soluble, non-stick, non-drying, VOC-free, biodegradable.</p>	20522	6,80 €
	<p>LIQUID lubricant 1000 ml</p>	30063	6,89 €

RUNPO 5

Triple twisted and 2 x



Item	\varnothing	Length	Item no.	Rec. retail price
RUNPO 5 incl. 2 x RUNPOGLIDER with swivel, triple twisted special plastic tape, outside \varnothing 5,3 mm, tension load: 270 kg	5,3 mm	20 m	10013	124,90 €
		30 m	10014	139,90 €

Recommended tube diameter, bending radius and tension loads of the RUNPO 5

\varnothing			
5,3 mm	16-40 mm	15 mm	270 Kg

Advantages of the RUNPO 5

only punctual contact

strand + pressing + RUNPOGLIDER + eyelet

$\leftarrow R$

50% less friction resistance

270 Kg total tension load

Almost breakproof
even with narrow radius

Advantages over fiberglass rod \varnothing 3 mm

- ▶ no wrinkles
- ▶ no glue
- ▶ thereby saves time

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.



60m + **30m**

SPECIAL OFFER

1 x Profi-Set fiberglass rod Ø 4,5 mm,
60 m incl. steel cage
▶ description [page 28](#)

1 x RUNPO 5, 30 m

INSTEAD OF € **425,⁹⁰**
ONLY € 333,-
plus tax
 RUNPOTEC item no. 11120

Item	Item no.	Rec. retail price	
	RUNPO 5 without box Ø 5,3 mm 2 x RUNPOGLIDER with swivel triple twisted special plastic tape outside Ø 5,3 mm, tension load: 270 kg		
	20 m	20240	94,90 €
	30 m	20241	109,90 €
	40 m	20242	124,90 €
	RUNPOTEC system-case with UNIVERSAL case insert	20613	47,00 €
	RUNPOFIX with hook – SET outside Ø 14 17 23 30 mm stainless steel PU = 4 RUNPOFIX	10159	37,90 €
 <p><small>Example. The protective cap protects the plug from damage.</small></p>	RUNPOFIX with hook – INDIVIDUALLY		
	Ø 14 mm	20628	12,90 €
	Ø 17 mm	20629	13,40 €
	Ø 23 mm	20630	13,90 €
	Ø 30 mm	20631	14,40 €

Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPO 5

 <p>RUNPO Z-Quick connection compatible with RUNPOGLIDER!</p>		Ø 4 – 6 mm	20272	24,00 €
		Ø 6 – 9 mm	20273	26,50 €
		Ø 9 – 15 mm	20274	30,50 €

Information



Cable pulling grip range see page 25





RUNPOSTICKS

Comfort (19 parts) / Standard (17 parts)




















**RUNPOCAM
COMPATIBLE**

Item	Ø	Length	Item no.	Rec. retail price
RUNPOSTICKS Comfort (19 parts) 10 x 1 meter RUNPOSTICKS, basalt rods with extreme bending radius, with stainless steel RUNPOTEC RTG Ø 6 mm thread, 5 x red/hard, 3 x black/medium, 2 x yellow/soft, 1 x RUNPOGLIDER, 1 x strong magnet, 1 x ball chain, 1 x eyelet with ring, 1 x fishing hook, 1 x connection thread, 1 x storage bag with shoulder strap for all the accessories. Contains additionally a special sliding hook and one shockproof LED-lamp	4,5 mm (yellow)	2 x 1 m	10020	123,00 €
	5,5 mm (black)	3 x 1 m		
	7,5 mm (red)	5 x 1 m		
RUNPOSTICKS Standard (17 parts) Contents same as RUNPOSTICKS Comfort (see above) without a special sliding hook and one shockproof LED-lamp.			10016	103,00 €

Item	Item no.	Rec. retail price
 <p>Stainless steel special sliding hook manages barriers up to 6.5 cm, many mounting possibilities for cable, excellent gliding behaviour for all surfaces RUNPOTEC RTG Ø 6 mm thread</p>	30239	17,50 €
 <p>Functionglider RUNPOTEC RTG Ø 6 mm thread</p>	20468	17,50 €
 <p>LED-Lamp very high luminosity, shockproof RUNPOTEC RTG Ø 6 mm thread</p>	20059	18,50 €
 <p>High-performance 320-lumen rechargeable LED lamp, micro USB charging socket for battery, IP-rating: IP67 2 x RUNPOTEC RTG Ø 6 mm thread (1 x vertical und 1 x horizontal)</p> <p>Detail: Micro-USB charging socket</p>	20485	39,90 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.

Item	Item no.	Rec. retail price
	<p>RUNPOSTICKS accessories set fishing hook, strong magnet, ball chain (steel), connection thread, eyelet with ring</p>	<p>10042 20,50 €</p>
 <p>RUNPOGLEITER DIE PATENTIERTE SPEZIALSPITZE</p> <p>Video about the RUNPOGLIDER </p>	<p>RUNPOGLIDER with swivel Ø 7 mm, tension load: > 270 kg RUNPOTEC RTG Ø 6 mm thread (only compatible with Runpotec products)</p>	<p>20238 29,00 €</p>
	<p>RUNPOSTICKS yellow (soft) Ø 4,5 mm, 2 x 1 m, basalt rods, stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	<p>10043 16,50 €</p>
	<p>RUNPOSTICKS black (medium) Ø 5,5 mm, 2 x 1 m, basalt rods stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	<p>10044 17,00 €</p>
	<p>RUNPOSTICKS red (hard) Ø 7,5 mm, 2 x 1 m, basalt rods stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	<p>10045 17,50 €</p>
	<p>Fiberglass rod Ø 3 mm set, 2 x 0,5 m stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	<p>20457 10,20 €</p>
	<p>Stainless fishing hook RUNPOTEC RTG Ø 6 mm thread</p>	<p>20261 5,70 €</p>
	<p>Stainless eyelet with ring RUNPOTEC RTG Ø 6 mm thread</p>	<p>30236 4,60 €</p>
	<p>Strong magnet, holds up to 2.5 kg stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	<p>20260 7,80 €</p>
	<p>Connection thread, stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	<p>30210 3,60 €</p>
	<p>Ball chain length 0.5 m stainless steel, steel chain RUNPOTEC RTG Ø 6 mm thread</p>	<p>20262 8,40 €</p>
	<p>Pull loop, stainless steel rope RUNPOTEC RTG Ø 6 mm thread Ø 1,5 mm Ø 2 mm</p>	<p>20428 5,90 € 20427 5,90 €</p>
 <p>Data sheet fish hook set </p>	<p>Fish hook Set PU = 4 stainless steel fishing hook RUNPOTEC RTG Ø 6 mm thread</p>	<p>20614 21,00 €</p>
	<p>Drag rope, 0,5 m with magnet and special head stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	<p>20455 14,40 €</p>
	<p>Storage bag with storage for all accessories and shoulder strap</p>	<p>30009 19,00 €</p>



RUNPO 1

Special plastic fish tape \varnothing 4 mm with



**RUNPOCAM
COMPATIBLE**



Ending	Beginning
	
Eyelet \varnothing 6 mm, RUNPOTEC RTG \varnothing 6 mm thread • screwed to strand •	RUNPOGLIDER with special eyelet \varnothing 6 mm • pressed onto strand •

Item	\varnothing	Length	Item no.	Rec. retail price
RUNPO 1	4 mm	5 m	30027	14,40 €
Special plastic fish tape \varnothing 4 mm		10 m	30028	15,40 €
1 x RUNPOGLIDER with special eyelet		15 m	30029	18,50 €
Ending: eyelet with RTG \varnothing 6 mm thread		20 m	30030	21,60 €
optimum deployment area:		25 m	30042	25,70 €
Tube \varnothing 16, 25 and 32 mm		30 m	30043	29,80 €

Recommended tube diameter, bending radius and tension loads of the RUNPO 1

\varnothing				
4 mm	16-32 mm	15 mm	Ending RTG \varnothing 6 mm thread	Beginning
			170 Kg	170 Kg

Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPO 1

		\varnothing 4 – 6 mm	20272	24,00 €
		\varnothing 6 – 9 mm	20273	26,50 €
		\varnothing 9 – 15 mm	20274	30,50 €

RUNPO Z-Quick connection compatible with RUNPOGLIDER!

	eyelet-set \varnothing 7 mm	20487	8,10 €
---	-------------------------------	-------	--------



RUNPO 1 ist nicht geeignet für den RT 2008!

1 x RUNPOGLIDER

Excellent bending and sliding behaviour, large eyelet with up to 7 x 2.5 mm² cable take-up, perfect workmanship, no impact edges and high traction load.

Also compatible for RUNPOCAM RC2!

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.

POWERREX

Fiberglass rod with **RUNPOGLIDER**
PATENTED FLEXIBLE SPEZIAL HEAD





**RUNPOCAM
COMPATIBLE**



NEW RUNPOGLIDER NOW WITH SWIVEL!

INCLUDED ACCESSORIES



Ending	Beginning
 Endingjoint, stainless steel, RUNPOTEC RTG Ø 6 mm thread	 RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread, screwed to strand



Achtung!
Stromleitend
Attention!
electric
conductive

Included accessories POWER REX / complete set





- 1 x **RUNPOGLIDER** with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread
- 1 x Fiberglass rod Ø 3 mm with 2 pressed stainless steel ending joints RTG Ø 6 mm thread
- 1 x Plastic housing
- 1 x Pulling grip
- 1 x Special glue 3 g
- 1 x Cable pulling grip 6 – 9 mm, with swivel, stainless steel, RUNPOTEC RTG Ø 6 mm thread
- 3 x Coupling joint Ø 6 mm, stainless steel
- 5 x Ending joint Ø 6 mm, stainless steel, RUNPOTEC RTG Ø 6 mm thread
- 2 x Eyelet Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread
















Item	Ø	Length	Item. no	Rec. retail price
POWER REX Complete set in a practical box	3 mm	20 m	10087	86,00 €
		30 m	10088	98,00 €
		40 m	10089	108,00 €
		50 m	10090	119,90 €

Item	Item no.	Rec. retail price	
	Spare fiberglass rod Ø 3 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread		
	20 m	20413	35,00 €
	30 m	20104	46,40 €
	40 m	20105	51,00 €
	50 m	20106	56,70 €

Recommended tube diameter, bending radius and tension loads of the POWER REX Ø 3 mm

Ø				
3 mm	16–50 mm	55 mm	450 Kg	120 Kg

  <p>Video about the RUNPOGLIDER</p>	RUNPOGLIDER with swivel Ø 7 mm, tension load: > 270 kg RUNPOTEC RTG Ø 6 mm thread (only compatible with Runpotec products)	20238	29,00 €
	RUNPOGLIDER with front thread incl. eyelet Ø 7 mm RUNPOTEC RTG Ø 6 mm thread	20460	29,00 €
	Magnet fishing-set 1,5 – 2,9 kg (tube-Ø 16 – 40 mm) 5 kg strong (tube-Ø 50 –100 mm)	20475 20476	19,60 € 39,70 €
	Flexible starting head Ø 7 mm stainless steel RUNPOTEC RTG Ø 6 mm thread	20116	6,50 €
	Flexible starting head Ø 10 mm stainless steel RUNPOTEC RTG Ø 6 mm thread	20303	6,80 €
	Flexible starting head Ø 13 mm stainless steel RUNPOTEC RTG Ø 6 mm thread	20119	7,00 €
	Repairing kit for fiberglass rod Ø 3 mm 1 x Special glue 3 g 4 x Ending joint Ø 6 mm, RUNPOTEC RTG Ø 6 mm thread 3 x Coupling joint Ø 6 mm 4 x Eyelet Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread	20408	19,60 €

Item	Item no.	Rec. retail price
  <p>RUNPOZ cable pulling grip with swivel stainless steel</p> <p>Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 15 mm</p> <p>RUNPO Z-Quick connection compatible with RUNPOGLIDER!</p>	<p>20272 20273 20274</p>	<p>24,00 € 26,50 € 30,50 €</p>
 <p>cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Ø 4 – 6 mm Ø 6 – 9 mm Ø 9 – 13 mm</p>	<p>20365 20366 20367</p>	<p>15,40 € 16,50 € 24,90 €</p>
 <p>cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> <p>Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm</p>	<p>20266 20267 20268 20269</p>	<p>34,90 € 35,95 € 37,10 € 38,85 €</p>
 <p>Ending joint-set for Ø 3 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 ending joints</p>	<p>20107</p>	<p>6,10 €</p>
 <p>Coupling joint-set for Ø 3 mm stainless steel PU = 3 coupling joints</p>	<p>20108</p>	<p>6,10 €</p>
 <p>Eyelet-set Ø 7 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread PU = 3 piece</p>	<p>20411</p>	<p>6,00 €</p>
 <p>Pull loop RUNPOTEC RTG Ø 6 mm thread Ø 1,5 mm stainless steel rope Ø 2 mm stainless steel rope</p>	<p>20428 20427</p>	<p>5,90 € 5,90 €</p>
 <p>Pulling grip for Ø 3 – 12 mm</p>	<p>30070</p>	<p>5,40 €</p>
 <p>Special glue 3 g</p>	<p>30050</p>	<p>7,10 €</p>
 <p>Cable lubricating compound Non inflammable</p> <p>SPRAY 400 ml FOAM SPRAY 400 ml GEL 250 ml GEL 1050 ml</p>	<p>20523 20522 30467 30064</p>	<p>7,80 € 6,80 € 4,20 € 8,45 €</p>

**NON-
INFLAMMABLE**

RT 2008 incl. RUNPOGLIDER spiral MET

VIDEO



RT 2008
Application



The problem solver for
low pipe cross section
Ø 16 – 32 mm



W-BOX | **Sortimo** COMPATIBLE



1. Induct







2. Fix



3. Pump


Item / complete set	Item no.	Rec. retail price
RUNPOTEC RT 2008 – mechanical cable pull in tool Flexible attachment: 1 x Ø 20, 1 x Ø 25, 1 x Ø 32, 1 x Ø 40, 1 x attachment neutral, 2 x plug in circuit-boards, 1 x beltclip, 1 x RUNPOTEC system case with RT 2008 case insert RUNPOGLEITER Spirale MET – 15 m	10000	259,00 €

Item	Item no.	Rec. retail price
	RUNPOTEC RT 2008 incl. clamping element	20004 158,60 €
	Set belt clip + plug in circuit-board	20333 7,20 €
	Flexible attachment Ø 20 mm	20020 7,60 €
	Flexible attachment Ø 25 mm	20025 7,60 €
	Flexible attachment Ø 32 mm	20032 7,60 €
	Flexible attachment Ø 40 mm	20040 7,60 €
	Attachment w/o connector	20010 7,00 €
	Inflexible Attachment 90° flush connector (also for pipe Ø 20 mm)	20253 14,90 €
	RUNPOTEC system case with RT 2008 case insert	20611 47,00 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018.
All illustrations are symbol photos. Typing and printing errors reserved.

RUNPOGLIDER SPIRAL MET

Steel fish tape Ø 4 mm with



Item	Ø	Length	Item no.	Rec. retail price
RUNPOGLIDER spiral MET (MET = Metal spiral) Tension load: 170 Kg optimum deployment area: Tube-Ø: 16, 25 and 32 mm	4 mm	5 m	30054	16,50 €
		10 m	30017	22,60 €
		15 m	30018	29,20 €
		20 m	30019	36,60 €
		25 m	30020	43,30 €
		30 m	30021	46,90 €
		Special lengths up to 50 m possible	30031	Price o. r.

Recommended tube diameter, bending radius and tension loads of the RUNPOGLIDER spiral MET

Ø				
4 mm	16-32 mm	25 mm	170 Kg	170 Kg

Accessories: RUNPO Z, Cable pulling grip with swivel, stainless steel, useful in combination with RUNPOGLIDER spiral MET

<p>RUNPO Z-Quick connection compatible with RUNPOGLIDER!</p>	Ø 4 - 6 mm	20272	24,00 €
	Ø 6 - 9 mm	20273	26,50 €
	Ø 9 - 15 mm	20274	30,50 €



RUNPOFIX

Cable pulling loop with protective cap

Protects plugs against damage

For all tube dimensions from Ø 20 mm and non-guided lines.

Example: cable pulling loop with protective cap and cable with plug



RUNPOFIX – pulling force transferred to the cable



RUNPOFIX – protective cap for the plug



RUNPOFIX – in 4 variants for different plug sizes.

RUNPOFIX with hook




Item	Protective caps inner Ø	Protective caps outer Ø	Item no.	Rec. retail price
RUNPOFIX with hook – SET stainless steel PU = 4 RUNPOFIX	12 15 20 27 mm	14 17 23 30 mm	10159	37,90 €
RUNPOFIX with hook – INDIVIDUALLY Cable pulling loop with protective cap stainless steel	12 mm	14 mm	20628	12,90 €
	15 mm	17 mm	20629	13,40 €
	20 mm	23 mm	20630	13,90 €
	27 mm	30 mm	20631	14,40 €

RUNPOFIX with RTG 6 mm thread




Item	Protective caps inner Ø	Protective caps outer Ø	Item no.	Rec. retail price
RUNPOFIX with RTG 6 thread – SET stainless steel RUNPOTEC RTG Ø 6 mm thread PU = 4 RUNPOFIX	12 15 20 27 mm	14 17 23 30 mm	10154	37,90 €
RUNPOFIX with RTG 6 thread stainless steel RUNPOTEC RTG Ø 6 mm thread	12 mm	14 mm	20624	12,90 €
	15 mm	17 mm	20625	13,40 €
	20 mm	23 mm	20626	13,90 €
	27 mm	30 mm	20627	14,40 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018.
All illustrations are symbol photos. Typing and printing errors reserved.




RUNPO Z

RUNPO Z cable pulling grip with swivel and an additional quick connection.
 Made of high quality stainless steel weave. High material quality with extended service lifetime! Tension load 200 Kg.
Connectable with RUNPO 5, RUNPO 1, POWER REX, RUNPOSTICKS, fiberglass rod Ø 4,5 mm and 6 mm.



①



②


Item	Weave length	Ø	Item no.	Rec. retail price
RUNPO Z cable pulling grip with swivel tension load: 200 kg stainless steel	280 mm	Ø 4 – 6 mm	20272	24,00 €
	310 mm	Ø 6 – 9 mm	20273	26,50 €
	460 mm	Ø 9 – 15 mm	20274	30,50 €





Cable pulling grip with RTG Ø 6 mm thread and swivel.
 Made of high quality stainless steel weave. High material quality with extended service lifetime!
Connectable with POWER REX, RUNPOSTICKS and fiberglass rod Ø 4,5 / 6 mm.
Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave length	Ø	Item no.	Rec. retail price
Cable pulling grip with swivel tension load: 120 kg stainless steel, RUNPOTEC RTG Ø 6 mm thread	200 mm	Ø 4 – 6 mm	20365	15,40 €
	220 mm	Ø 6 – 9 mm	20366	16,50 €
	320 mm	Ø 9 – 13 mm	20367	24,90 €



Cable pulling grip with loop and swivel.
 Made of high quality stainless steel weave. High material quality with extended service lifetime!
Connectable with POWER REX, RUNPOSTICKS and fiberglass rod Ø 4,5 / 6 mm.
Advantage swivel: Compensates the turnment of the cable in the tube.

Item	Weave length	Ø	Item no.	Rec. retail price
Cable pulling grip with loop and swivel loop length 100 mm, tension load: 200 kg stainless steel	270 mm	Ø 4 – 6 mm	30039	17,87 €
	290 mm	Ø 6 – 9 mm	30040	19,67 €
	390 mm	Ø 9 – 13 mm (thin weave)	30041	30,38 €



Cable pulling grip with loop and RTG Ø 6 mm thread incl. swivel.


Made of high quality stainless steel weave. High material quality with extended service lifetime!

Connectable with POWER REX, RUNPOSTICKS and Fiberglass rod Ø 4,5 mm, Ø 6 mm, Ø 7,5 mm, Ø 9 mm und Ø 11 mm.

Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave length	Ø	Item no.	Rec. retail price
Cable pulling grip with loop and thread incl. swivel	430 mm	Ø 9 – 15 mm	20266	34,90 €
RUNPOTEC RTG Ø 6 mm thread	480 mm	Ø 15 – 19 mm	20267	35,95 €
stainless steel	480 mm	Ø 19 – 25 mm	20268	37,10 €
	530 mm	Ø 25 – 31 mm	20269	38,85 €



Cable pulling grip with loop and swivel.

Made of high quality stainless steel weave. High material quality with extended service lifetime!

Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave length	Ø	Item no.	Rec. retail price
Cable pulling grip with loop and swivel	920 mm	Ø 30 – 40 mm	20637	51,00 €
stainless steel	1020 mm	Ø 40 – 50 mm	20638	54,00 €
	1120 mm	Ø 50 – 60 mm	20639	58,00 €
	1220 mm	Ø 60 – 70 mm	20640	66,00 €
	1320 mm	Ø 70 – 85 mm	20641	78,00 €
	1420 mm	Ø 85 – 100 mm	20642	92,00 €



Cable pulling grip with loop and RTG Ø 12 mm thread and RTG Ø 6 mm thread incl. swivel.

Made of high quality stainless steel weave. High material quality with extended service lifetime!

Connectable with RUNPOTEC RTG Ø 12 mm and RTG Ø 6 mm thread.

Advantage swivel: Cable can rotate in the tube and prevents unintentional screwing of the thread.



Item	Weave length	Ø	Item no.	Rec. retail price
Cable pulling grip with loop and thread incl. swivel	920 mm	Ø 30 – 40 mm	20436	53,50 €
RUNPOTEC RTG Ø 12 mm thread and	1020 mm	Ø 40 – 50 mm	20437	56,70 €
additional thread RTG Ø 6 mm	1120 mm	Ø 50 – 60 mm	20438	60,80 €
stainless steel	1220 mm	Ø 60 – 70 mm	20439	68,00 €
	1320 mm	Ø 70 – 85 mm	20440	80,30 €
	1420 mm	Ø 85 – 100 mm	20441	94,80 €

Accessories



RUNPO Z Adapter

RUNPOTEC RTG Ø 6 mm thread

RUNPO Z Adapter can connect all cable pulling grips with RTG Ø 6 mm to all RUNPOGLIDER eyelets

Item no.

20388

Rec. retail price

19,00 €

Cable examples with diameters

Cable pulling grip

Cable-symbolphoto	Cable Ø	Cable section	Cable identification	Ø	Item no.	
	5 mm	2 x 0,5 mm ²	loudspeaker	4-6 mm	20272	
	5,4 mm	-	phone	4-6 mm	20365	
					4-6 mm	30039
	7 mm	-	CAT5/6/7	6-9 mm	20273	
	7 mm	1 x 6 mm ²	NYM-J	6-9 mm	20366	
	8 mm	-	Coaxial	6-9 mm	30040	
	9 mm	3 x 1,5 mm ²	NYM-O			
	10 mm	3 x 2,5 mm ²	NYM	9-13 mm	20367	
	10 mm	1 x 10 mm ²	NYO	9-13 mm	30041	
	10 mm	1 x 16 mm ²	NYM-O	9-15 mm	20274	
	11 mm	7 x 1,5 mm ²	NYM-O	9-15 mm	20266	
	11 mm	5 x 2,5 mm ²	NYM			
	11 mm	5 x 1,5 mm ²	NYO			
	13 mm	3 x 2,5 mm ²	NYO			
	14 mm	1 x 35 mm ²	NYO			
	15 mm	12 x 1,5 mm ²	NYM-JZ			
	15 mm	7 x 2,5 mm ²	NYM			
	15 mm	3 x 6 mm ²	NYM-J			
	15 mm	-	CAT6 duplex			
	17 mm	16 x 1,5 mm ²	NYM-J	15-19 mm	20267	
	17 mm	5 x 6 mm ²	NYM-J			
	18 mm	4 x 10 mm ²	NYM-J			
	18 mm	1 x 95 mm ²	NYO			
	20 mm	10 x 2,5 mm ²	NYCY	19-25 mm	20268	
	21 mm	5 x 10 mm ²	NYO			
	22 mm	12 x 2,5 mm ²	NYCY			
	22 mm	4 x 16 mm ²	NYM-J			
	24 mm	7 x 6 mm ²	NYCY			
	25 mm	1 x 185 mm ²	NYO			
	28 mm	3 x 35 mm ²	NYCWY	25-31 mm	20269	
	29 mm	24 x 2,5 mm ²	NYCY			
	32 mm	1 x 300 mm ²	NYO	30-40 mm	20436	
	33 mm	40 x 2,5 mm ²	NYO			
	34 mm	5 x 35 mm ²	NYM-J			
	40 mm	3 x 95 mm ²	NYCWY			
		45 mm	3 x 120 mm ²	NYCWY	40-50 mm	20437
		47 mm	3 x 150 mm ²	NYCWY		
52 mm		5 x 95 mm ²	NYO	50-60 mm	20438	
54 mm		3 x 185 mm ²	NYCWY			
60 mm		3 x 240 mm ²	NYCWY			
63 mm		4 x 240 mm ²	NYO	60-70 mm	20439	

Fiberglass rod Ø 4,5 mm with wheeled steel cage incl. the new double-outlet system

Profi-Set

included accessories



Standard-Set

without accessories



**RUNPOCAM
COMPATIBLE**



Ending: Profi-Set and Standard-Set

Ending joint, stainless steel,
RUNPOTEC RTG Ø 6 mm thread



Beginning: Profi-Set and Standard-Set

RUNPOGLIDER with swivel Ø 7 mm,
RUNPOTEC RTG Ø 6 mm thread
• screwed to strand •



Ø	Length	Profi-Set	Item no.	Rec. retail price	Standard-Set	Item no.	Rec. retail price
4,5 mm	30 m	• double-outlet system	10052	218,00 €	• double-outlet system	10054	160,00 €
	40 m	• extractable standing feet	10055	242,00 €	• robust steel cage	10056	183,00 €
	50 m	• storage compartment	10057	264,00 €	• locking brake	10058	205,00 €
	60 m	• robust steel cage	10047	286,00 €		10048	227,00 €
	80 m	• locking brake	10050	332,00 €		10051	272,00 €

Included accessories - Profi-Set (RUNPOTEC RTG Ø 6 mm thread)

- 2 x ending joint
- 1 x coupling joint
- 1 x shackle
- 1 x special glue

- 1 x aluminium roller
- 1 x RUNPOGLIDER with front thread



The **Profi-Set** features extractable standing feet and storage compartment incl. accessories.



All steel cages are certainly equipped with a lateral locking brake and **the new double-outlet system** (quick outlet and automatic run-out brake) from RUNPOTEC!



Quick run with mounted rollers



automatic run-out brake

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.



60m

+



30m

SPECIAL OFFER

1 x Profi-Set fiberglass rod Ø 4,5 mm, 60 m incl. steel cage

1 x RUNPO 5, 30 m
▶ description page 14

INSTEAD OF € **425,90**




ONLY € **333,-**

plus tax












RUNPOTEC item no. 11120

Item	Item no.	Rec. retail price
	Spare fiberglass rod Ø 4,5 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread	
	30 m	20311 69,20 €
	40 m	20312 82,20 €
	50 m	20313 95,20 €
	60 m	20314 110,20 €
	80 m	20315 136,20 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 4,5 mm

\varnothing			
4,5 mm	30 – 80 mm	120 mm	1300 Kg

 <p style="font-size: 0.8em;">  Video about the RUNPOGLIDER  </p>	<p>RUNPOGLIDER with swivel Ø 7 mm, tension load: > 270 kg RUNPOTEC RTG Ø 6 mm thread (Only compatible with Runpotec products)</p>	20238	29,00 €
 <p style="text-align: right; font-size: 0.8em;">SYMBOL PICTURE</p>	<p>Flexible starting head stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20116 20303 20119	6,50 € 6,80 € 7,00 €
 <p style="font-size: 0.8em; background-color: red; color: white; padding: 2px;">Information</p> <p style="font-size: 0.8em;">Cable pulling grip range see page 25</p>	<p>Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20266 20267 20268 20269	34,90 € 35,95 € 37,10 € 38,85 €
	<p>Roller Ø 25 mm aluminium/stainless steel RUNPOTEC RTG Ø 6 mm thread</p>	20279	15,50 €
	<p>Shackle stainless steel, RUNPOTEC RTG Ø 6 mm thread</p>	20280	12,90 €

Item	Item no.	Rec. retail price
 <p>Repair manual www.runpotec.com</p> 	20250	19,00 €
	20322	9,40 €
	20323	11,90 €
	30208	4,10 €
	20251	20,30 €
	20428 20427	5,90 € 5,90 €
	30050	7,10 €
	30067	18,80 €
	30070	5,40 €
	20278	36,00 €
	20402	154,00 €
	20002	112,00 €

Information

The fiberglass rods Ø 4,5 mm, Ø 6 mm, the RUNPOSTICKS basalt rods and the entire accessories are compatible!

Fiberglass rod Ø 6 mm with wheeled steel cage incl. the new double-outlet system

Profi-Set

included accessories



Standard-Set



without accessories






Fiberglass rod Ø 4,5 mm




Ending: Profi-Set and Standard-Set	Beginning: Profi-Set and Standard-Set
<p>Ending joint, stainless steel, RUNPOTEC RTG Ø 6 mm thread</p> 	<p>RUNPOGLIDER with swivel Ø 7 mm, RUNPOTEC RTG Ø 6 mm thread</p> <ul style="list-style-type: none"> • screwed to strand • 

Ø	Length	Profi-Set	Item no.	Rec. retail price	Standard-Set	Item no.	Rec. retail price
6 mm	40 m	• double-outlet system	10059	270,00 €	• double-outlet system	10060	222,00 €
	50 m	• extractable standing feet	10061	293,00 €	• robust steel cage	10062	245,00 €
	60 m	• storage compartment	10063	320,00 €	• locking brake	10064	272,00 €
	80 m	• robust steel cage	10065	376,00 €		10066	328,00 €

Included accessories - Profi-Set (RUNPOTEC RTG Ø 6 mm thread)

2 x ending joint 1 x coupling joint 1 x shackle 1 x special glue	1 x aluminium roller 1 x RUNPOGLIDER with front thread	
---	---	--

The **Profi-Set** features extractable standing feet and storage compartment incl. accessories.



extractable standing feet

All steel cages are certainly equipped with a lateral locking brake and the **new double-outlet system** (quick outlet and automatic run-out brake) from RUNPOTEC!






Quick run with mounted rollers

























automatic run-out brake

Item	Item no.	Rec. retail price
	Spare fiberglass rod Ø 6 mm with ending couplings, RUNPOTEC RTG Ø 6 mm thread	
	40 m	20317 89,00 €
	50 m	20318 108,50 €
	60 m	20319 124,20 €
	80 m	20320 157,60 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 6 mm

Ø			
6 mm	40 – 100 mm	168 mm	2200 Kg

 <p>Video about the RUNPOGLIDER </p>	RUNPOGLIDER with front thread incl. eyelet Ø 7 mm RUNPOTEC RTG Ø 6 mm thread	20460	29,00 €
	Flexible starting head Ø 7 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	20116	6,50 €
	Flexible starting head Ø 10 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	20303	6,80 €
	Flexible starting head Ø 13 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	20119	7,00 €
 <p>Information  Cable pulling grip range see page 25</p>	Cable pulling grip with swivel stainless steel, RUNPOTEC RTG Ø 6 mm thread Ø 9 – 15 mm Ø 15 – 19 mm Ø 19 – 25 mm Ø 25 – 31 mm	20266 20267 20268 20269	34,90 € 35,95 € 37,10 € 38,85 €
	Roller Ø 25 mm, aluminium/stainless steel RUNPOTEC RTG Ø 6 mm thread	20279	15,50 €
	Shackle stainless steel, RUNPOTEC RTG Ø 6 mm thread	20280	12,90 €
	Eyelet Ø 8 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	30208	4,10 €
	Swivel joint for Ø 4,5 mm stainless steel, RUNPOTEC RTG Ø 6 mm thread	20251	20,30 €

Item	Item no.	Rec. retail price
 <p>Repair manual www.runpotec.com</p>	20252	34,00 €
	20316	10,50 €
	20321	11,90 €
	20428	5,90 €
	20427	5,90 €
	30050	7,10 €
	30067	18,80 €
	30070	5,40 €
	20278	36,00 €
	20403	195,00 €
	20300	143,20 €

Information

The fiberglass rods Ø 4,5 mm, Ø 6 mm, the RUNPOSTICKS basalt rods and the entire accessories are compatible!

cage-flexible leading head-set – RUNPOSTICKS 13 parts




Item	Item no.	Rec. retail price
cage-flexible leading head-set – RUNPOSTICKS 13 parts		
Included accessories of cage-flexible leading head-set with RUNPOTEC RTG Ø 6 mm thread: 2 x RUNPOSTICKS Ø 4,5 mm, 2 x RUNPOSTICKS Ø 5,5 mm, 2 x RUNPOSTICKS Ø 7,5 mm, 1 x RUNPOGLIDER, 1 x roller Ø 25 mm, 3 x coupling joint, 1 x blindcap, 1 x starting head Ø 20 mm	20442	85,50 €

Cage-flexible leading head-set: can be adapted on roller, shackle, starting head Ø 20 mm, Ø 30 mm




Description



The RUNPOSTICKS can each be extended by 1 m and adapted as **flexible leading head-set** on fiberglass rods Ø 7,5 / 9 and 11 mm to get **around narrow bends**. It is **additionally possible** to screw on accessories such as the roller or RUNPOGLIDER at the tip with compensation for angular movement.

Application example: Cage-flexible leading head-set




Fiberglass rod Ø 7,5 - 9 or 11 mm stops at to narrow radii from of the tube.



Solution with cage-flexible leading head-set

Taper off through the flexible RUNPOSTICKS Ø 4,5 mm (yellow), Ø 5,5 mm (black) or Ø 7,5 mm (red). Thereby it makes it possible to get over the last bend or radii.



Additional manual haul support possible.

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.

Fiberglass rod Ø 7,5 and 9 mm with wheeled steel cage incl. the new double-outlet system

INCLUDED NEW DOUBLE-OUTLET SYSTEM




automatic run-out brake



Quick run with mounted rollers

Additional option:
Cage - flexible leading head - set
see page 34



Adaptable leading heads





METERCOUNTER is standard included within all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm

VIDEO


Fiberglass rod
Ø 7,5 mm, 9 mm
and 11 mm






Ending	Beginning
	
Ending joint , stainless steel with RUNPOTEC RTG Ø 12 mm thread	Shackle , stainless steel with RUNPOTEC RTG Ø 12 mm thread • screwed to strand •











Ø	Cage	Length	Item no.	Rec. retail price
7,5 mm	wheeled Ø 720 mm	40 m	10076	382,00 €
		50 m	10077	400,00 €
		60 m	10078	417,00 €
		80 m	10079	452,00 €
		100 m	10080	483,00 €
		120 m	10091	512,00 €









Ø	Cage	Length	Item no.	Rec. retail price
9 mm	wheeled Ø 720 mm	40 m	10081	385,00 €
		50 m	10082	410,00 €
		60 m	10083	436,00 €
		80 m	10084	483,00 €
		100 m	10085	524,00 €
		120 m	10086	551,00 €

Item	Item no.	Rec. retail price	
	Spare fiberglass rod Ø 7,5 mm with ending couplings , RUNPOTEC RTG Ø 12 mm thread		
	40 m	20368	109,00 €
	50 m	20369	123,00 €
	60 m	20370	139,00 €
	80 m	20371	174,00 €
	100 m	20372	205,00 €
	120 m	20414	236,00 €
	Spare fiberglass rod Ø 9 mm with ending couplings , RUNPOTEC RTG Ø 12 mm thread	20373	122,00 €
	40 m	20374	144,00 €
	50 m	20375	167,00 €
	60 m	20376	208,00 €
	80 m	20377	260,00 €
	100 m	20378	294,00 €
	120 m		

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 7,5 mm/Ø 9 mm

Ø			
7,5 mm	50–120 mm	500 mm	3400 Kg
9 mm	60–200 mm	620 mm	4500 Kg

  <p>Coupling thread RTG Ø 6 mm for flexible leading head</p>	Roller Ø 50 mm aluminium / stainless steel RUNPOTEC RTG Ø 12 mm thread	20382	34,00 €
  <p>Coupling thread RTG Ø 6 mm for flexible leading head</p>	Shackle stainless steel RUNPOTEC RTG Ø 12 mm thread	20383	23,70 €
  <p>Coupling thread RTG Ø 6 mm for flexible leading head</p>	Starting head Ø 30 mm stainless steel RUNPOTEC RTG Ø 12 mm thread	20404	21,60 €
  <p>Coupling thread RTG Ø 6 mm for flexible leading head</p>	Starting head Ø 20 mm stainless steel RUNPOTEC RTG Ø 12 mm thread	20409	19,60 €
	Swivel joint stainless steel RUNPOTEC RTG Ø 12 mm thread	20387	29,90 €
	Metercounter for steel cage Ø 730 mm	20461	92,00 €

Item	Item no.	Rec. retail price
 <p>Repair manual www.runpotec.com</p>	<p>Complete repair kit 1 x 2K-special glue 24 ml 2 x ending joints, RTG Ø 12 mm 1 x coupling joint for Ø 7,5 mm for Ø 9 mm</p>	<p>20384 40,00 € 20385 44,00 €</p>
	<p>Ending joint stainless steel, RUNPOTEC RTG Ø 12 mm thread for Ø 7,5 mm for Ø 9 mm</p>	<p>20381 8,80 € 20379 8,80 €</p>
	<p>Coupling joint stainless steel for Ø 7,5 mm for Ø 9 mm</p>	<p>20380 11,90 € 20412 12,30 €</p>
	<p>Blind cap set RUNPOTEC RTG Ø 6 mm thread PU = 3 blind cap set</p>	<p>20443 4,90 €</p>
	<p>2 components special glue 24 ml</p>	<p>30067 18,80 €</p>
	<p>Wheeled steel cage incl. double outlet system and metercounter for Ø 7,5 mm and 9 mm galvanized / powder coated Ø 730 mm</p>	<p>20405 277,00 €</p>
 <div data-bbox="155 1506 354 1556" style="border: 1px solid red; padding: 2px; display: inline-block;"> <p>NON- INFLAMMABLE</p> </div>	<p>Cable lubricating compound Non inflammable</p> <p>SPRAY 400 ml FOAM SPRAY 400 ml GEL 250 ml GEL 1050 ml</p>	<p>20523 7,80 € 20522 6,80 € 30467 4,20 € 30064 8,45 €</p>
	<p>LIQUID lubricant 1000 ml</p>	<p>30063 6,89 €</p>


RUNPOCAM COMPATIBLE

The RUNPOCAM RC2 – Multifunction-inspection-camera is also compatible with fiberglass rod Ø 7,5 mm, Ø 9 mm, Ø 11 mm and Ø 15 mm.
This enables the coupling thread RTG Ø 12 mm to RTG Ø 6 mm thread.



Fiberglass rod Ø 11 mm with wheeled steel cage incl. the new double-outlet system

VIDEO



Fiberglass rod
Ø 7,5 mm, 9 mm
and 11 mm



INCLUDED NEW DOUBLE OUTLET SYSTEM




automatic **run-out brake**



Quick run with mounted rollers

Additional option:
Cage - flexible leading head - set
see page 34



Adaptable leading heads



METERCOUNTER is standard included within all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm

Ending



Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread

Beginning



Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread
• screwed to strand •




Ø	Cage	Length	Item no.	Rec. retail price
11 mm	wheeled Ø 1000 mm	100 m	10092	639,00 €
		120 m	10093	699,00 €
		150 m	10094	789,00 €
		200 m	10095	939,00 €
		250 m	10096	1099,00 €
		300 m	10097	1199,00 €

Item	Item no.	Rec. retail price
 Spare fiberglass Ø 11 mm with ending couplings RUNPOTEC RTG Ø 12 mm thread	100 m	20386 439,00 €
	120 m	20417 449,00 €
	150 m	20418 559,00 €
	200 m	20419 699,00 €
	250 m	20420 829,00 €
	300 m	20421 969,00 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.

Item		Item no.	Rec. retail price
	 Coupling thread RTG Ø 6 mm for flexible leading head	20382	34,00 €
	 Coupling thread RTG Ø 6 mm for flexible leading head	20383	23,70 €
	 Coupling thread RTG Ø 6 mm for flexible leading head	20404	21,60 €
	 Coupling thread RTG Ø 6 mm for flexible leading head	20409	19,60 €
		20387	29,90 €
	 Repair manual www.runpotec.com	20424	51,40 €
		20422	10,20 €
		20423	14,40 €
		20443	4,90 €
		30067	18,80 €
		20416	345,00 €
		20462	97,00 €

Empfohlener Rohrdurchmesser, Biegeradius und Zuglast für Glasfaserstab Ø 11 mm


Ø			
11 mm	80 – 250 mm	770 mm	6200 Kg

Information



Cable pulling grip range see page 25

Fiberglass rod Ø 15 mm with wheeled steel cage incl. the new double-outlet system



Additional option:
Cage - flexible leading head - set
see page 34

Adaptable leading heads

















METERCOUNTER is standard included within all cages
Ø 730 mm / Ø 1000 mm / Ø 1400 mm with
fiberglass rod Ø 7,5 mm / Ø 9 mm / Ø 11 mm / Ø 15 mm




Symbol picture

Ending		Beginning		
Ending joint, stainless steel with RUNPOTEC RTG Ø 12 mm thread		Shackle, stainless steel with RUNPOTEC RTG Ø 12 mm thread • screwed to strand •		
Ø	Cage	Length	Item no.	Rec. retail price
15 mm	wheeled Ø 1400 mm	150 m	10099	2201,00 €
		200 m	10100	2426,00 €
		250 m	10101	2673,00 €
		300 m	10102	2898,00 €
		350 m	10103	3145,00 €
		400 m	10104	3398,00 €
Item		Item no.	Rec. retail price	
		Spare fiberglass Ø 15 mm with ending couplings RUNPOTEC RTG Ø 12 mm thread		
		150 m	20491	890,00 €
		200 m	20492	1099,00 €
		250 m	20493	1335,00 €
		300 m	20494	1568,00 €
		350 m	20495	1798,00 €
		400 m	20496	2068,00 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018.
All illustrations are symbol photos. Typing and printing errors reserved.

Item		Item no.	Rec. retail price
	 Coupling thread RTG Ø 6 mm for flexible leading head	Roller Ø 50 mm aluminium / stainless steel RUNPOTEC RTG Ø 12 mm thread	20382 34,00 €
	 Coupling thread RTG Ø 6 mm for flexible leading head	Shackle stainless steel RUNPOTEC RTG Ø 12 mm thread	20383 23,70 €
	 Coupling thread RTG Ø 6 mm for flexible leading head	Starting head Ø 30 mm stainless steel RUNPOTEC RTG Ø 12 mm thread	20404 21,60 €
	 Coupling thread RTG Ø 6 mm for flexible leading head	Starting head Ø 20 mm stainless steel RUNPOTEC RTG Ø 12 mm thread	20409 19,60 €
		Swivel joint stainless steel RUNPOTEC RTG Ø 12 mm thread	20387 29,90 €
	 Repair manual www.runpotec.com	Complete repair kit for Ø 15 mm 1 x 2K-special glue 24 ml 2 x ending joints, RTG Ø 12 mm 1 x coupling joint	20489 149,00 €
		Ending joint für Ø 15 mm stainless steel RUNPOTEC RTG Ø 12 mm thread	20490 48,50 €
		Coupling joint for Ø 15 mm stainless steel	20498 49,00 €
		2 components special glue 24 ml	30067 18,80 €
		Wheeled steel cage incl. metercounter for Ø 15 mm galvanized/powder coated Ø 1400 mm	20497 1416,00 €

Recommended tube diameter, bending radius and tension loads for the Fiberglass rod Ø 15 mm


Ø			
15 mm	180 – 450 mm	1200 mm	14500 Kg

Information



Cable pulling grip range see page 25

CAPSTAN WINCH CW 800 E – for horizontal cable pulling





EXTRA STRONG
Does the tensile force from
8 to 10 people

Item	Item no.	Rec. retail price
capstan winch CW 800 E incl. steel trolley mounting rail and strap for horizontal cable pulling	10138	1990,00 €

Ideal for pulling one or several cables horizontally. Where in other cases several people are required for higher tensile loads, the Capstan winch CW 800 E by RUNPOTEC can be operated by one person to pull **either 800 kg or 400 kg**. The capstan winch can be fixed in place via the mounting holes, or attached to solid objects using the enclosed strap. The trolley mounting rail is another very convenient fastening option. A special coupling opening enables it to be attached to a car's trailer hitch.

It is also possible to mount the rail vertically or horizontally to enable the CW 800 E capstan winch to be suspended with ease and attached via the two fixing bolts.

Item	Item no.	Rec. retail price
 <p>Capstan winch CW 800 E without trolley incl. strap for horizontal cable pulling</p>	10148	1890,00 €
 <p>Steel trolley mounting rail</p>	10149	120,00 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.

The portable **RUNPOTEC capstan winch CW 800 E** can be fastened in various ways.




The housing can be screwed to the floor (7), or with a strap (11) and suitable accessories through the attachment eye (8) fixed to a solid object (e.g., tree). You can also fix the housing on the RUNPOTEC trolley (10) by means of locking bolts (6) on the rail. The trolley itself can be screwed down, hung directly on a trailer hitch (12) or fixed with a strap (11) through the attachment eye to a fixed object.

Application of the **RUNPOTEC capstan winch CW 800 E**



The cable to be pulled is connected, preferably with a **connection swirl with swivel**, with the pull rope.



The towing rope is guided past inside the rope guide pin (4). Wrap the towing rope at least 3 times around the capstan winch (2 or 3) and then lead out through the rope guide (5). Keep the towing rope tight, so that it does not get tangled up.



The operator stands next to the capstan winch with a sufficient safety distance and pulls with little effort at a 90° angle to the pulling direction on the pull rope. The effort should only be so strong until the feed rate is reached. **Very strong pulling does not increase the pulling power of the capstan winch!**

Polyester pulling rope incl. steel cage



Steel cage:
reel basket width 70 mm
reel basket-Ø 520 mm



Steel cage:
reel basket width 98 mm
reel basket-Ø 770 mm



Steel cage:
reel basket width 192 mm
reel basket-Ø 770 mm



Item	Rope Ø	Length	Reel basket Ø	Internal reel basket	Item no.	Rec. retail price
Polyester pulling rope incl. steel cage	8 mm	120 m	520 mm	70 mm	10169	319,00 €
	10 mm	120 m	520 mm	70 mm	10167	359,00 €
		200 m	770 mm	98 mm	10168	489,00 €
	12 mm	150 m	770 mm	98 mm	10120	509,00 €
		200 m	770 mm	98 mm	10121	569,00 €
		300 m	770 mm	192 mm	10122	689,00 €
		350 m	770 mm	192 mm	10123	769,00 €

The RUNPOTEC polyester pulling rope is ideal for the horizontal cable pull in conjunction with the RUNPOTEC capstan winch CW 800 E. RUNPOTEC recommends using the connection swirl with twist compensator for the horizontal cable pull. It reduces frictional resistance and protects the cable and feed system.

The steel cage enables the rope to be wound in/out in a controlled manner. It also ensures the rope is optimally stowed and ready for use.

SAFETY NOTICE:

Not suitable for the vertical cable pull, may not be used to bear/lift loads or people.

Item	Rope Ø	Length	Reel basket Ø	Drum high	Item no.	Rec. retail price
 Polyester pulling rope on drum	8 mm	120 m	230 mm	217 mm	20621	109,00 €
	10 mm	120 m	250 mm	300 mm	20619	149,00 €
		200 m	300 mm	300 mm	20620	219,00 €
	12 mm	150 m	300 mm	345 mm	20615	229,00 €
		200 m	350 mm	330 mm	20616	299,00 €
		300 m	400 mm	380 mm	20617	429,00 €
		350 m	400 mm	430 mm	20618	499,00 €

Accessories	Item no.	Rec. retail price
 connection swirl with swivel Ø 30 mm L 144 mm stainless steel tension load 1500 kg fork-Ø 12 mm	10176	169,00 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.

RUNPOMETER RM80

Laser distance meter – powerful laser up to 80 m







Item	Item no.	Rec. retail price
RUNPOMETER RM 80 – Laser distance meter <ul style="list-style-type: none"> ▶ measures up to 80 m distance ▶ incl. angle- and inclination display ▶ extensive calculation functions ▶ historical storage of 99 measurings ▶ measures from 90° corner ▶ incl. protective case with belt loop 	10108	109,00 €

Specifications

Measuring range	0,05 m – 80 m	IP rating	IP 54
MEASURING TOLERANCE	± 1,5 mm	Laser type	620 – 690 nm, < 1mW
Laser class	II	Dimensions (mm)	121 x 45 x 25
Measure range of tilt sensor	360°	Battery	AAA 2 x 1,5 V
Accuracy of tilt sensor	± 0,3 ° *	Battery life	up to 5000 measurings



* This is the typical value. Depending on the environment the deviation can rise slightly.

Measurement examples





Metal spiral with special eyelet, nylon fish tape







Ending		Beginning			
 <p>End cap • pressed onto strand •</p>		 <p>Special eyelet Ø 6 mm • pressed onto strand •</p>			
Item	Ø	Length	Item no.	Rec. retail price	
Metal spiral with special eyelet	4 mm	10 m	30010	11,90 €	
		15 m	30011	18,50 €	
		20 m	30012	22,80 €	
		25 m	30013	28,10 €	
		30 m	30014	33,40 €	



Ending		Beginning			
 <p>Eyelet Ø 6 mm • pressed onto strand •</p>		 <p>Starting spinner with eyelet head Ø 6 mm • pressed onto strand •</p>			
Item	Ø	Length	Item no.	Rec. retail price	
Nylonspirale	4 mm	5 m	20060	6,50 €	
		10 m	20061	7,60 €	
		15 m	20062	9,40 €	
		20 m	20063	10,70 €	
		25 m	20064	12,00 €	
		30 m	20065	13,30 €	

Recommended tube diameter, bending radius and tension loads for the Nylon fish tape

Ø				
4 mm	16 – 25 mm	25 mm	110 Kg	110 Kg

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018. All illustrations are symbol photos. Typing and printing errors reserved.

Page	Item no.	EAN Code	Rec. retail price
22	10000	9120045470017	259,00 €
14	10013	9120045472806	124,90 €
14	10014	9120045472813	139,90 €
16	10016	9120045473094	103,00 €
16	10020	9120045473100	123,00 €
17	10042	9120045473186	20,50 €
17	10043	9120045473179	16,50 €
17	10044	9120045473162	17,00 €
17	10045	9120045473155	17,50 €
28	10047	9120045473520	286,00 €
28	10048	9120045473537	227,00 €
28	10050	9120045473544	332,00 €
28	10051	9120045473551	272,00 €
28	10052	9120045473568	218,00 €
28	10054	9120045473575	160,00 €
28	10055	9120045473582	242,00 €
28	10056	9120045473599	183,00 €
28	10057	9120045473605	264,00 €
28	10058	9120045473612	205,00 €
31	10059	9120045473629	270,00 €
31	10060	9120045473636	222,00 €
31	10061	9120045473643	293,00 €
31	10062	9120045473650	245,00 €
31	10063	9120045473667	320,00 €
31	10064	9120045473674	272,00 €
31	10065	9120045473681	376,00 €
31	10066	9120045473704	328,00 €
35	10076	9120045473858	382,00 €
35	10077	9120045473865	400,00 €
35	10078	9120045473872	417,00 €
35	10079	9120045473889	452,00 €
35	10080	9120045473896	483,00 €
35	10081	9120045473902	385,00 €
35	10082	9120045473919	410,00 €
35	10083	9120045473926	436,00 €
35	10084	9120045473933	483,00 €
35	10085	9120045473940	524,00 €
35	10086	9120045473957	551,00 €
19	10087	9120045473964	86,00 €
19	10088	9120045473971	98,00 €
19	10089	9120045473988	108,00 €
19	10090	9120045473995	119,90 €
35	10091	9120045474428	512,00 €

Page	Item no.	EAN Code	Rec. retail price
38	10092	9120045474480	639,00 €
38	10093	9120045474497	699,00 €
38	10094	9120045474503	789,00 €
38	10095	9120045474510	939,00 €
38	10096	9120045474527	1.099,00 €
38	10097	9120045474534	1.199,00 €
40	10099	9120045474749	2.201,00 €
40	10100	9120045474756	2.426,00 €
40	10101	9120045474763	2.673,00 €
40	10102	9120045474770	2.898,00 €
40	10103	9120045474787	3.145,00 €
40	10104	9120045474794	3.398,00 €
45	10108	9120045474893	109,00 €
44	10120	9120045475364	509,00 €
44	10121	9120045475371	569,00 €
44	10122	9120045475388	689,00 €
44	10123	9120045475395	769,00 €
8	10134	9120045475647	178,00 €
8	10135	9120045475654	209,00 €
7	10136	9120045475616	199,00 €
6	10137	9120045475623	109,00 €
42	10138	9120045475630	1.990,00 €
10	10139	9120045475555	499,00 €
10	10140	9120045475562	539,00 €
10	10141	9120045475579	579,00 €
9	10142	9120045475609	750,00 €
42	10148	9120045475715	1.890,00 €
24	10154	9120045475777	37,90 €
24	10159	9120045475821	37,90 €
44	10167	9120045475906	359,00 €
44	10168	9120045475913	489,00 €
44	10169	9120045475920	319,00 €
44	10176	9120045475999	169,00 €
3	11112	9120045476125	209,00 €
15, 29	11120	9120045473353	333,00 €
2	11137	9120045475586	559,00 €
2	11138	9120045475593	539,00 €
30	20002	9120045473711	112,00 €
22	20003	9120045470093	8,00 €
22	20004	9120045472585	158,60 €
22	20006	9120045470116	15,00 €
22	20010	9120045470161	7,00 €
22	20020	9120045470253	7,60 €

Page	Item no.	EAN Code	Rec. retail price	Page	Item no.	EAN Code	Rec. retail price
22	20025	9120045470307	7,60 €	29	20312	9120045473445	82,20 €
22	20032	9120045470376	7,60 €	29	20313	9120045473452	95,20 €
22	20040	9120045470451	7,60 €	29	20314	9120045473469	110,20 €
16	20059	9120045473049	18,50 €	29	20315	9120045473476	136,20 €
46	20060	9120045472523	6,50 €	33	20316	9120045473261	10,50 €
46	20061	9120045472530	7,60 €	32	20317	9120045473483	89,00 €
46	20062	9120045472547	9,40 €	32	20318	9120045473490	108,50 €
46	20063	9120045472554	10,70 €	32	20319	9120045473506	124,20 €
46	20064	9120045472561	12,00 €	32	20320	9120045473513	157,60 €
46	20065	9120045472578	13,30 €	33	20321	9120045473414	11,90 €
20	20104	9120045474015	46,40 €	30	20322	9120045473254	9,40 €
20	20105	9120045474022	51,00 €	30	20323	9120045473421	11,90 €
20	20106	9120045474039	56,70 €	22	20333	9120045473780	7,20 €
21	20107	9120045474046	6,10 €	25	20365	9120045474114	15,40 €
21	20108	9120045474053	6,10 €	25	20366	9120045474121	16,50 €
20	20116	9120045474077	6,50 €	25	20367	9120045474138	24,90 €
20	20119	9120045474091	7,00 €	36	20368	9120045474145	109,00 €
41	20193	9120045471793	851,00 €	36	20369	9120045474152	123,00 €
22	20232	9120045471939	163,80 €	36	20370	9120045474169	139,00 €
17, 20	20238	9120045473209	29,00 €	36	20371	9120045474176	174,00 €
15	20240	9120045472820	94,90 €	36	20372	9120045474183	205,00 €
15	20241	9120045472837	109,90 €	36	20373	9120045474190	122,00 €
15	20242	9120045472844	124,90 €	36	20374	9120045474206	144,00 €
30	20250	9120045473384	19,00 €	36	20375	9120045474213	167,00 €
30	20251	9120045473391	20,30 €	36	20376	9120045474220	208,00 €
33	20252	9120045473407	34,00 €	36	20377	9120045474237	260,00 €
22	20253	9120045472868	14,90 €	36	20378	9120045474244	294,00 €
17	20260	9120045473032	7,80 €	37	20379	9120045474268	8,80 €
17	20261	9120045473018	5,70 €	37	20380	9120045474275	11,90 €
17	20262	9120045473001	8,40 €	37	20381	9120045474282	8,80 €
26	20266	9120045473728	34,90 €	36, 39	20382	9120045474299	34,00 €
26	20267	9120045473735	35,95 €	36, 39	20383	9120045474305	23,70 €
26	20268	9120045473742	37,10 €	37	20384	9120045474312	40,00 €
26	20269	9120045473759	38,85 €	37	20385	9120045474329	44,00 €
25	20272	9120045473292	24,00 €	38	20386	9120045474541	439,00 €
25	20273	9120045473308	26,50 €	36, 39	20387	9120045474336	29,90 €
25	20274	9120045473315	30,50 €	25	20388	9120045474343	19,00 €
30, 33	20278	9120045474350	36,00 €	30	20402	9120045474374	154,00 €
29, 32	20279	9120045473230	15,50 €	33	20403	9120045474367	195,00 €
29, 32	20280	9120045474800	12,90 €	36, 39	20404	9120045474398	21,60 €
33	20300	9120045473766	143,20 €	39	20405	9120045474404	277,00 €
29, 32	20303	9120045474084	6,80 €	20	20408	9120045474459	19,60 €
29	20311	9120045473438	69,20 €	36, 39	20409	9120045474411	19,60 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018.
All illustrations are symbol photos. Typing and printing errors reserved.

Page	Item no.	EAN Code	Rec. retail price
21	20411	9120045474107	6,00 €
37	20412	9120045474251	12,30 €
20	20413	9120045474008	35,00 €
36	20414	9120045474442	236,00 €
39	20416	9120045474473	345,00 €
38	20417	9120045474558	449,00 €
38	20418	9120045474565	559,00 €
38	20419	9120045474572	699,00 €
38	20420	9120045474589	829,00 €
38	20421	9120045474596	969,00 €
39	20422	9120045474602	10,20 €
39	20423	9120045474985	14,40 €
39	20424	9120045474626	51,40 €
17	20427	9120045474633	5,90 €
17	20428	9120045474640	5,90 €
25	20436	9120045474657	53,50 €
25	20437	9120045474664	56,70 €
25	20438	9120045474671	60,80 €
25	20439	9120045474688	68,00 €
25	20440	9120045474695	80,30 €
25	20441	9120045474701	94,80 €
34	20442	9120045474718	85,50 €
37, 39	20443	9120045474725	5,00 €
17	20455	9120045474831	14,40 €
17	20457	9120045474848	10,20 €
20, 29	20460	9120045474855	29,00 €
36	20461	9120045474879	94,80 €
39	20462	9120045474886	99,90 €
	20467	9120045475074	4,00 €
12	20468	9120045475081	17,50 €
20	20475	9120045475098	19,60 €
20	20476	9120045475104	39,70 €
12	20477	9120045475111	6,00 €
12	20481	9120045475180	59,50 €
12	20483	9120045475197	4,10 €
12	20484	9120045474930	8,10 €
12	20485	9120045474947	39,90 €
18	20487	9120045474954	8,10 €
12	20488	9120045474961	118,50 €
39	20489	9120045474978	149,00 €
39	20490	9120045474992	48,50 €
38	20491	9120045475005	890,00 €
38	20492	9120045475012	1.099,00 €

Page	Item no.	EAN Code	Rec. retail price
38	20493	9120045475029	1.335,00 €
38	20494	9120045475036	1.568,00 €
38	20495	9120045475043	1.798,00 €
38	20496	9120045475050	2.068,00 €
39	20497	9120045475067	1.416,00 €
39	20498	9120045475203	49,00 €
12	20509	9120045475241	6,70 €
13	20522	9120045475265	6,80 €
13	20523	9120045475272	7,80 €
12	20559	9120045476156	298,00 €
12	20560	9120045476149	259,00 €
12	20593	9120045476132	185,00 €
12	20606	9120045476088	19,00 €
12	20607	9120045476064	14,50 €
12	20608	9120045476019	25,00 €
8	20609	9120045475678	25,00 €
8	20610	9120045476095	27,00 €
22	20611	9120045476118	47,00 €
12	20612	9120045476026	47,00 €
15	20613	9120045476002	47,00 €
17	20614	9120045476101	21,00 €
44	20615	9120045475838	229,00 €
44	20616	9120045475845	299,00 €
44	20617	9120045475852	429,00 €
44	20618	9120045475869	499,00 €
44	20619	9120045475876	149,00 €
44	20620	9120045475883	219,00 €
44	20621	9120045475890	109,00 €
42	20622	9120045475722	120,00 €
8	20623	9120045475661	85,00 €
24	20624	9120045475739	12,90 €
24	20625	9120045475746	13,40 €
24	20626	9120045475753	13,90 €
24	20627	9120045475760	14,40 €
24	20628	9120045475784	12,90 €
24	20629	9120045475791	13,40 €
24	20630	9120045475807	13,90 €
24	20631	9120045475814	14,40 €
6,7	20632	9120045476071	8,70 €
26	20637	9120045475937	51,00 €
26	20638	9120045475944	54,00 €
26	20639	9120045475951	58,00 €
26	20640	9120045475968	66,00 €

Page	Item no.	EAN Code	Rec. retail price
26	20641	9120045475975	78,00 €
26	20642	9120045475982	92,00 €
17	30009	9120045473193	19,00 €
46	30010	9120045471977	11,90 €
46	30011	9120045471984	18,50 €
46	30012	9120045471991	22,80 €
46	30013	9120045472004	28,10 €
46	30014	9120045472011	33,40 €
23	30017	9120045472028	22,60 €
23	30018	9120045472035	29,20 €
23	30019	9120045472042	36,60 €
23	30020	9120045472059	43,30 €
23	30021	9120045472066	46,90 €
18	30027	9120045472073	14,40 €
18	30028	9120045472080	15,40 €
18	30029	9120045472097	18,50 €
18	30030	9120045472103	21,60 €
25	30039	9120045472158	17,87 €
25	30040	9120045472165	19,67 €
25	30041	9120045472172	30,38 €
18	30042	9120045472189	25,70 €
18	30043	9120045472196	29,80 €
21, 30	30050	9120045472240	7,10 €
23	30054	9120045474466	17,00 €
13	30063	9120045472301	6,89 €
13	30064	9120045472318	8,45 €
30, 33	30067	9120045472356	18,80 €
21, 30	30070	9120045472387	5,40 €
29	30208	9120045473025	4,10 €
17	30210	9120045473124	3,60 €
17	30236	9120045473056	4,60 €
16	30239	9120045472998	17,50 €
13	30467	9120045474862	4,20 €

All prices are ex-works Thalgau near Salzburg - plus statutory taxes and duties. All price information represents non-binding price recommendations. Prices as at 2018.
All illustrations are symbol photos. Typing and printing errors reserved.

Version: 04-2010

Area of applicability:

All deliveries and services of Runpotec GmbH, hereinafter referred to as Runpotec in abbreviated form, shall take place on the basis of the general terms and conditions of business at hand. Any deviating terms and conditions of business of the customer shall not become part of the contract, also in case that their validity is named as a condition for the conclusion of the business transaction.

II Offer and order:

1. All offers shall be subject to confirmation and non-binding.
2. The contract shall come into existence either by means of a written order confirmation or by delivery of the goods. In the latter case, the invoice shall also apply as the order confirmation.
3. The details concerning the services of Runpotec contained in price lists, in catalogues on the Internet and other advertising media do not contain any information which defines services as defined in § 922 Paragraph 2 of the Austrian General Civil Code (ABGB).
4. Amendments and additions to the contract, including the general terms and conditions of business, shall require written form to take legal effect. The same shall also apply in respect of deviation from the written form clause itself. Oral ancillary agreements shall not be effective.

III. Prices and payment terms

1. The prices named in catalogues, prospectuses, mailing letters, price lists and illustrations are non-binding and subject to confirmation. The prices are exclusive of value added tax and customs duties, as well as any shipping costs due.
2. As a rule, deliveries shall only be made with payment on delivery or prepayment. Bills of exchange and cheques shall not be considered as payment and shall only be accepted under notice of provisional receipt.
3. In case of payment delay, the Customer shall be obliged to pay default interest of 10% per annum.
4. The Customer shall pay a fee of up to € 20 for each warning to cover the expenses incurred. In addition, the reasonable costs of engaged credit collection agencies or lawyers shall be paid by the Customer.
5. The Customer shall not be entitled to set off with claims of any type, unless these are expressly recognised by Runpotec in writing or have been recognised by declaratory judgement by a court.

IV. Delivery

1. Delivery times shall be complied with as best as possible, but shall be non-binding. Delivery delays shall therefore not entitle the Customer to assert claims, regardless of under which legal title. Circumstances which are independent of and cannot be influenced by Runpotec, such as operational disruptions, interventions by the authorities, delays of subcontractors, labour conflicts etc. shall extend the delivery deadline by the duration of the hindrance and shall entitle Runpotec to rescind the contract, to the exclusion of damages claims, warranty claims and error appeal claims. This shall also apply if the events occur at a time in which Runpotec is already in default.
2. The dispatch or transportation shall take place at the expense and risk of the Customer. In the absence of specific instructions of the Customer, the delivery shall take place at our best discretion and without a guarantee concerning the choice of the best and cheapest shipping. Packaging material will not be accepted for return. The transfer of risk from Runpotec to the Customer will also take place on handover to the shipping company in respect of goods which are delivered free house. Insurance will only be concluded by means of written order by the contracting partner and this shall be at their expense.
3. Regardless of the place of delivery and/or performance and the covering of possible transportation costs, 5303 Thalgau, Austria is hereby agreed as the place of performance on the part of the Customer.
4. Any possible export and customs permits, currency permits or similar permits shall be obtained by the Customer at its own expense. The Customer shall be obliged to hold Runpotec free and harmless from all customs expenses. In case of other liability in respect of tax stipulations, the Customer shall be obliged to return all export and customs papers to Runpotec in the original. Runpotec shall not incur liability in respect of the permissibility of the export of the goods and their conformity with the legal and technical regulations of the importing country, and shall also not be responsible for the goods conforming to the state of technology in the importing country.
5. In case of delay in acceptance on the part of the Customer, Runpotec shall be entitled to either to request performance and the full fee or to rescind the contract and demand a cancellation fee of 50% of the value of the goods. A possible claim for damages which goes beyond this shall not be affected thereby.

VI. Retention of title

1. The goods shall remain the property of Runpotec until full payment of all claims. During the existence of the retention of title, the Customer shall not be entitled to sell, process or pledge the goods or to dispose of them in any other way.
2. The assertion of the retention of title shall not require rescission, shall not be deemed as rescinding the contract and shall not release the Customer from its obligations, in particular that of payment of the purchase price.

3. In order to inspect the goods which are subject to retention of title, the Customer shall grant access to its operations at all times. Should the Customer enter default concerning its payment obligations, should bankruptcy proceedings be opened against its assets or should it breach other contractual duties, Runpotec shall be entitled to demand surrender of the goods subject to retention of title, to collect these and to enter the premises of the Customer during this process.

In case of assertion of the retention of title, the Customer shall be obliged to pay any reduction of value in respect of the goods and to pay Runpotec a reasonable fee for their use.

VII. Guarantee and liability

1. Should the Customer be an entrepreneur, it shall be obliged to immediately make a complaint regarding defects in writing, at the latest within a week of handover, and in case of other lost of claims of any kind giving details of the defect in writing. Defect complaints shall not entitle the Customer to withhold the purchase price in part or in full.
2. The warranty period in relation to consumers shall be two years, and for entrepreneurs, six months.
3. The Customer shall provide Runpotec with the opportunity to check the defect. In case of a defect, Runpotec shall be entitled to defend a possible price reduction claim by means of improvement or a replacement delivery. Runpotec shall be entitled to deal with the defect itself or by a third party on site or to request return of the goods for the purpose of improvement. Dealing with the defect on the part of the customer by means of a third party company shall only be permitted if Runpotec does not deal with the defect within a reasonable deadline, despite a demand note.
4. Warranty claims shall therefore only exist if the device is used in accordance with the operating instructions and in compliance with all intended operating conditions, and the defect arises in normal use. The warranty does not cover the correction of defects which are due to external influences, operating error or use of the device together with other equipment or accessories which are not provided by Runpotec and whose compatibility with the device which forms the subject matter of the contract was not expressly approved in writing.
5. Damages claims for whatever legal reason, in particular due to delay, impossibility, positive breach of obligation, fault at the time of conclusion of the contract, consequential damage caused by defects and error appeal arising out of a defective delivery or service shall be excluded, unless these are caused by intent or gross negligence on the part of Runpotec. In any case, damages claims of the Customer shall be limited to the simple net value of the goods. Liability for lost profit or consequential loss of the Customer of whatever type shall be excluded. The Customer shall provide proof of the presence of fault and causation.
6. The assignment of warranty and damages claims shall not be permitted.
7. The Customer hereby expressly waives the assertion of damages claims for property damage under the title of the Austrian Product Liability Act (Produkthaftungsgesetz) which it suffers within the framework of its company. Should the Customer sell the device to other companies, the Customer shall be obliged to bind its contractual partners and any further commercial contractual partners to this waiver. To the extent that the Customer omits to do this, the Customer shall be obliged to indemnify and hold harmless Runpotec. Should the Customer incur liability due to the Austrian Product Liability Act (Produkthaftungsgesetz), it shall waive any recourse in relation to Runpotec.

In case of the presence of the requirements of § 933 b of the Austrian General Civil Code (ABGB), the Customer shall be entitled to obtain recourse within two months in relation to Runpotec, however only if such an assertion takes place before a court within three years of delivery.

VIII Place of jurisdiction and applicable law:

1. Austrian law shall apply between the contracting parties to the exclusion of the UN Convention on the International Sale of Goods.
2. The general terms and conditions of business shall only apply in relation to consumers to the extent that mandatory provisions of the Austrian Consumer Protection Act (Konsumentenschutzgesetz) do not prevent this.
3. The competent court for 5303 Thalgau, Austria is hereby exclusively agreed as the place of jurisdiction for all legal disputes concerning the concluded contract. However, Runpotec shall also be entitled to bring lawsuits at other courts for which a statutory place of jurisdiction of the Customer is present.

IX General:

1. Runpotec shall be entitled to save and process data of the contracting partner in accordance with the Austrian Data Protection Act (Datenschutzgesetz) within the framework of the business dealings.
2. Should any individual points of these terms and conditions of business or the negotiated contract be ineffective, this shall not affect the validity of the remaining provisions. In place of the ineffective provision, a clause which comes closest to its sense and purpose shall be deemed to be agreed.



RUNPOTEC
STRONGEST CABLE PULLING

For industry and professional craft

Fiberglass rod

Ø 4,5 mm – Ø 15 mm

with steel cage

incl. double-outlet-system



NEW

RUNPOFIX

Cable pulling loop with protective cap
Protects plugs against damage



RUNPOFIX –
pulling force transferred to the cable

RUNPOFIX –
protective cap for the plug

RUNPOTEC GMBH

Irlachstrasse 31
5303 Thalgau / Austria

Fon: +43-6235-20335
Fax: +43-6235-20335-35

office@runpotec.com
www.runpotec.com

Ваш поставщик:

ООО "КОМПАНИЯ ОПТУЛС"

Москва, ул.Иловайская, д.3

Тел.: +7 (495) 646-00-96

sale@opttools.ru

www.opttools.ru