






ROTHENBERGER UK **PRODUCT** BROCHURE **2026**





Tested by Professionals

At ROTHENBERGER UK we have a strong and growing community of ambassadors. By actively engaging with end-users, our ambassadors create valuable feedback loops. Their expertise ensures that professionals in the field gain a comprehensive understanding of tool functionalities, promoting optimal usage and problem-solving on social media. This collaborative effort not only enhances user proficiency but also strengthens the community of professionals who rely on ROTHENBERGER tools, creating a dynamic exchange of knowledge and experience in the field.





Become a part of the ROTHENBERGER Bonus Program!

Buy ROTHENBERGER products, collect bonus points and receive great rewards. We are constantly expanding the portfolio of participating products and there is always a new surprise for you in the rewards too, with new rewards being regularly planned.



100
BONUS
POINTS

50
BONUS
POINTS

25
BONUS
POINTS

10
BONUS
POINTS

5
BONUS
POINTS



ROTHENBERGER UK Service Centre

ROTHENBERGER's UK Service Centre has a dedicated team of experts and cutting-edge facilities. The UK Service Center ensures quick repairs and maintenance for lots of ROTHENBERGER products, solidifying the brand's reputation for reliability and customer satisfaction.



01 ONLINE FORM

The first thing you need to do is fill out our online enquiry form. This is the most efficient way to get all the information to the service centre.

Submitted forms will be processed faster than email enquiries.

02 CONTACT

Wait for a member of our service centre to contact you.

The next steps include accepting repair quotations or arranging collection from you if your tool is under warranty.

03 SERVICE & REPAIR

Once your tool arrives with us our dedicated team will begin work.

**SCAN THE
QR CODE
TO GET STARTED**



IMPORTANT - Service enquiries received via email will be asked to fill out the enquiry form.

For any other enquires please contact us via email at serviceaftersales@rothenberger.co.uk

6 **Cutting Tools**

14 **Soldering**

24 **Press**

27 **Workbenches**

28 **Hand Tools**

36 **Drilling**

40 **Expanders and Extractors**

41 **Bending**

44 **Threading**

49 **Testing**

56 **Storage**

58 **LED torches**

59 **Freezing**

61 **Flushing**

6 **Drain Cleaning**

67 **Inspection**

68 **A/C & Refrigeration**

NEW

ROTHENBERGER
pipetool technologies at work

PRO-CUT

Copper Tube Cutters

15
mm

22
mm

28
mm

1/2"

3/4"

1"

Available in Metric and Imperial

Made in the UK

Close-to-Wall Cutting

Allows cutting with as little as 17mm clearance from a wall, making it ideal for tight installations.

Enhanced Grip & Control

Rubberised grip areas improve handling, especially in wet or oily working conditions.

Manufactured to high quality standards, ensuring reliability and consistent performance.

Long-Lasting Cutting Wheel

High-quality tool steel cutting wheel manufactured to 0.1mm accuracy delivers durability and consistent performance.

Smooth Cutting Action

Precision-engineered rollers and cutting mechanism reduce effort and deliver smooth rotation.



For more information and other great products visit rothenberger.com

 **MADE IN**
 **BRITAIN**

Minimum 17mm clearance from wall



Long lasting tool steel cutting wheel



Rubberised grips



Wide rollers for accurate cutting



Heavy duty, full metal construction



Made in the UK



PRO-CUT

Copper Tube Cutters
For easy and reliable cutting of copper tubes
15-28mm or 1/2" to 1"



Product Name	Size	MOQ	Group	No.
PRO-CUT 15MM	15MM (1/2" Irish)	1	C	1500005092
PRO-CUT 22MM	22MM	1	C	1500005093
PRO-CUT 28MM	28MM	1	C	1500005094
PRO-CUT 3/4" IRISH	3/4"	1	C	1500005095
PRO-CUT 1" IRISH	1"	1	C	1500005096
PRO-CUT TWIN PACK	15MM + 22MM	1	C	1000005177
PRO-CUT TWIN PACK	1/2" + 3/4" (IRISH)	1	C	1000005178
2 PACK REPLACEMENT BLADES	Fits all PRO-CUT's	1	C	88809M
REPLACEMENT BLADES	Fits all PRO-CUT's	10	C	1000001109

CSST PIPE CUTTER

Specially designed tube cutter for accurate
and clean cutting of Corrugated Stainless
Steel Tubing (CSST) 6-42mm 5/8"-15/8".



Product Name	Size	MOQ	Group	Part No.
CSST PIPE CUTTER	6-42MM	1	C	1747
CSST PIPE CUTTER WHEELS	PACK OF 5	1	C	1000002077

TUBE CUTTERS

Prepare pipe connections, easily
and effortlessly cut copper, brass,
aluminium, plastic and thinwalled
steel pipes.



Product Name	Size	MOQ	Group	Part No.
NO.35 TUBE CUTTER	6-35MM	4	C	70027
NO.42 TUBE CUTTER	6-42MM	4	C	70029
SPARE CUTTER WHEELS		5	C	735000516

MINIMAX/MINICUT 2000

Cut pipe with diameters between 6 and
22mm in confined spaces.



Product Name	Size	MOQ	Group	Part No.
MINICUT 2000 TUBE CUTTER	3-22MM	4	C	70105
MINIMAX TUBE CUTTER	3-28MM	4	C	70015
SPARE CUTTER WHEEL		1	C	716000516

MINICUT

Designed for cutting pipes in confined
spaces, the RÖTHENBERGER Minicut
No.1 Pro Tube Cutter features a very
small working area.



Product Name	Size	MOQ	Group	Part No.
MINICUT NO.1 PRO TUBE CUTTER	3-16MM	1	C	70401
MINICUT NO.2 PRO TUBE CUTTER	3-22MM	1	C	70402
SPARE CUTTER WHEELS		5	C	735000516

AUTOMATIC COPPER PIPE CUTTER

Cuts copper, brass, aluminium, thin-walled steel, and sound-insulated
pipes or tubes. There are two sizes of these cutters available: one
optimised for cutting pipes and one designed for cutting tubes. An
integrated ratchet telescopic guide enables quick adjustment with
automatic retraction whilst the monoblock construction ensures it is
sturdy and stable with an integrated deburrer.



Product Name	Size	MOQ	Group	Part No.
AUTOMATIC COPPER PIPE CUTTER	6-67MM	1	C	70030
AUTOMATIC COPPER TUBE CUTTER	50-127MM	1	C	70142
SPARE CUTTER WHEELS		5	C	735000516

NO.50 TUBE CUTTER

Designed for cutting copper, brass, aluminium, and thinwalled steel pipes with diameters between 12mm and 50mm.



Product Name	Size	MOQ	Group	Part No.
NO.50 TUBE CUTTER	12-50MM	1	C	70065
SPARE CUTTER WHEELS FOR COPPER		5	C	735000516
SPARE CUTTER WHEELS FOR INOX		5	C	70056

NO.30 PRO TUBE CUTTER

Cuts pipe with diameters 3-30mm. Two-in-one tool which includes a foldable internal deburrer.



Product Name	Size	MOQ	Group	Part No.
NO.30 PRO TUBE CUTTER	3-30MM	1	C	71019
SPARE CUTTER WHEELS FOR COPPER		5	C	735000516
SPARE CUTTER WHEELS FOR MSR		5	C	735010516

ROTRAC

Designed for cutting copper, brass, aluminium, and thin-walled steel pipes, the ROTHENBERGER ROTRAC Tube Cutter can be used to prepare pipe connections.



Product Name	Size	MOQ	Group	Part No.
ROTRAC 28	3-28MM	1	C	1000005135
ROTRAC 42	3-42MM	1	C	1000005137
SPARE CUTTER WHEELS		5	C	70007
SPARE AXEL		1	C	1200006086
SPARE CUTTER WHEELS FOR COPPER	PACK OF 3	1	C	070007D
SPARE CUTTER WHEELS FOR INOX	PACK OF 3	1	C	070007J

ROTRAC 28 PLUS CHROME

Designed for cutting copper, brass, aluminium, and thin-walled steel pipes. A limited-edition chrome pipe cutter. It can be used to cut pipes with diameters between 3 and 28mm to prepare pipe connections. The stable and long-lasting cast housing ensures longevity with a screw spindle that protects against dirt and jamming.



Product Name	Size	MOQ	Group	Part No.
ROTRAC 28 PLUS CHROME	3MM (1/8") - 28MM (1.1/8")	1	C	1000000046
SPARE CUTTER WHEELS		5	C	70007

SUPER STEEL PIPE CUTTERS



Product Name	Size	MOQ	Group	Part No.
SUPER 1.1/4" STEEL	1/8"-1.1/4"	1	C	70040
SUPER 2" STEEL	1/8"-2"	1	C	70045
SUPER 1.1/4" INOX	1/8"-1.1/4"	1	C	70086
SUPER 2" INOX	1/4"-2"	1	C	70087
CUTTER WHEELS FOR SUPER 1.1/4" STEEL		1	C	701013500
CUTTER WHEELS FOR SUPER 1.1/4" INOX		1	C	70088
CUTTER WHEELS FOR SUPER 2" INOX		1	C	70089

ENORM STEEL PIPE CUTTER

Cuts steel pipes with diameters of 60-115mm. It features a high-alloy steel tempered cutting wheel, ensuring longevity, as well as wide guide rollers that safely guide the cutting wheel during use.



Product Name	Size	MOQ	Group	Part No.
ENORM 4" STEEL PIPE CUTTER	2.1/4"-4"	1	C	70060
CUTTER WHEELS FOR ENORM 4"		1	C	70061

AUTOMATIC INOX CUTTER

Equipped with twelve ball bearings, the Automatic INOX Pipe Cutter quickly and easily cuts stainless steel pipes with diameters between 6mm and 60mm. It also includes a ratchet telescopic guide which enables quick adjustment.



Product Name	Size	MOQ	Group	Part No.
AUTOMATIC INOX PIPE CUTTER	6-60MM	1	C	70340
CUTTER WHEEL	6-60MM	1	C	70341

INOX TUBE CUTTERS

A two-in-one tool, the INOX Stainless Steel Tube Cutter can cut stainless steel and thin-walled steel pipes to prepare pipe joints. Also includes a foldable internal deburrer.



Product Name	Size	MOQ	Group	Part No.
NO.30 INOX TUBE CUTTER	3-30MM	1	C	71085
NO.35 INOX TUBE CUTTER	6-35MM	1	C	70055
NO.42 INOX TUBE CUTTER	6-42MM	1	C	70070
SPARE CUTTER WHEELS FOR INOX		5	C	70056

MSR TUBE CUTTER

Easily and effortlessly cuts pipe to prepare connections. Two-in-one tube cutter that includes a retractable internal deburrer. Spare cutter wheel in the handle. Lightweight and robust magnesium body. Easy-to-turn knob for quickly adjusting the working area. Saves material by cutting near to flares.



Product Name	Size	MOQ	Group	No.
NO.35 MSR TUBE CUTTER	6-35MM	1	C	70108
NO.42 MSR TUBE CUTTER	6-42MM	1	C	70109
SPARE CUTTER WHEEL		5	C	735010516

PLASTICUT PRO

The Plasticut Pro range of cutters are designed for plastic pipe, which makes cutting in tight or difficult areas easy with their rotary design. All models cut multiple pipe sizes due to their hinged design.



Product Name	Size	MOQ	Group	No.
PLASTICUT PRO	15MM - 22MM	1	D	1000003041
PLASTICUT PRO	32MM (1 1/4") - 40MM (1 1/2")	1	D	1000003042
PLASTICUT PRO	32MM, 40MM & 50MM	1	D	1000003105
PLASTICUT PRO, TWIN PACK	15-22MM & 32-40MM	1	D	1000003039
PLASTICUT PRO REPLACEMENT BLADES FOR ALL MODELS	PACK OF 3	1	D	1000003053

ROCUT 26TC Plastic Pipe Cutter 0-26mm

ROCUT 26 can cut into various types of plastic seamlessly leaving a smooth finish. The instant release mechanism is designed to cut most types of plastic without deforming or squashing the wall of the pipe. PE, PB, PEX, and PVC can all be cut with this intricate cutter.



Product Name	Size	MOQ	Group	No.
ROCUT 26TC PLASTIC PIPE CUTTER	0-26MM	1	C	52005
SPARE BLADE		1	C	1000004800

ROCUT 26 MSR, 0-26mm

The ROCUT 26 MSR offers a precise and efficient solution for cutting multilayer composite and plastic pipes with a working range of 0-26 mm (0-1 inch). With this tool, you can cut pipes precisely and effortlessly. The robust design ensures a long service life and reliable performance.



Product Name	Size	MOQ	Group	No.
ROCUT 26 MSR, 0-26mm	0-26MM	1	C	1000004324
REPLACEMENT BLADE		1	C	1000004800

ROCUT 28 PEX Plastic Pipe Cutter 0-28mm

Direct cut shear suitable for accurate, right angle cuts in a range of plastic pipes including barrier pipe. The ergonomic handle design offers the user increased comfort during use and the broad cutter guide holds the pipe square whilst the V shaped blade cuts cleanly through the pipe, minimising pipe deformation.



Product Name	Size	MOQ	Group	No.
ROCUT 28 PEX PLASTIC PIPE CUTTER	0-28MM	1	C	52003R

ROCUT 42TC PLASTIC PIPE CUTTER

0-42MM

Instant release mechanism designed to cut almost every type of plastic without deforming or squashing the wall – ideal for professional use on all multi-layer pipes.



Product Name	Size	MOQ	Group	Part No.
ROCUT 42TC PLASTIC PIPE CUTTER	0-42MM	1	C	52000
SPARE BLADE FOR ROCUT 42TC		1	C	52042

ROCUT 50TC PLASTIC PIPE CUTTER

0-50MM

Delivering clean and straight cuts on all common plastic pipes, the ROTHENBERGER Rocut 50TC Plastic Pipe Cutter can be used on tubes with diameters up to 50mm. Its stainless-steel blade with a V-edge ensures precise right-angled cutting without deformation, whilst a meshed cutting curve means minimum effort is required to cut pipes.



Product Name	Size	MOQ	Group	Part No.
ROCUT 50TC PLASTIC PIPE CUTTER	0-50MM	1	C	52010
SPARE BLADE FOR ROCUT 50TC		1	C	52011

ROCUT 63 PLASTIC PIPE CUTTER

0-63MM

Suitable for cutting all common plastic pipes with diameters up to 63mm, the ROTHENBERGER Rocut 63TC Plastic Pipe Cutter's stainless-steel blade with a V-edge delivers clean, straight, right-angled cuts without deforming the pipes. The meshed cutting curve means minimal effort is required to slice pipes.



Product Name	Size	MOQ	Group	Part No.
ROCUT 63 PLASTIC PIPE CUTTER	0-63MM	1	C	52030
SPARE BLADE FOR ROCUT 63TC		1	C	52031

ROCUT 75TC PLASTIC PIPE CUTTER

0-75MM

The ultimate in plastic pipe shears. Extended ergonomic rubber coated handles, combined with a positive ratchet action cuts a variety of plastic and multi-layer pipe including PE, PB and PEX up to a diameter of 75mm.



Product Name	Size	MOQ	Group	Part No.
ROCUT 75TC PLASTIC PIPE CUTTER	0-75MM	1	C	52015
SPARE BLADE FOR ROCUT 75TC		1	C	52016

ROCUT PLASTIC PIPE CUTTER

Ratchet action cutters provide a fast, clean square cut in all types of plastic pipe including MDPE, PE, PP, HEP20, waste pipe and PEX.



Product Name	Size	MOQ	Group	Part No.
ROCUT 32 PLASTIC PIPE CUTTER	0-32MM	1	C	055090E
ROCUT 42 PLASTIC PIPE CUTTER	0-42MM	1	C	055091E
SPARE BLADE FOR ROCUT 32		1	C	50032
SPARE BLADE FOR ROCUT 42		1	C	50042

ROCUT 38 PLASTIC PIPE CUTTER

Direct cut (non-ratchet) for a fast and easy square cut in all types of plastic pipe including MDPE, PE, PP, HEP20 and PEX.



Product Name	Size	MOQ	Group	Part No.
ROCUT 38 PLASTIC PIPE CUTTER	0-38MM	1	C	55089R

AUTOMATIC PLASTIC PIPE CUTTER

Fast precision cutting of all thick wall plastic tubing. With a spring-loaded action for fast adjustment. Will also cut copper tube with alternative wheel. Includes spare wheel in handle and deburrer.



Product Name		MOQ	Group	Part No.
AUTOMATIC PLASTIC PIPE CUTTER PL1	6-67MM	1	C	70031
AUTOMATIC PLASTIC PIPE CUTTER PL2	50-125MM	1	C	70032
AUTOMATIC PLASTIC PIPE CUTTER PL3	110-168MM	1	C	70033
CUTTER WHEEL FOR AUTOMATIC PLASTIC PIPE CUTTER PL1, PLASTIC		1	C	70028
CUTTER WHEEL FOR AUTOMATIC PLASTIC PIPE CUTTER PL2, PLASTIC		1	B	55054
CUTTER WHEEL FOR AUTOMATIC PLASTIC PIPE CUTTER PL3, PLASTIC		1	B	55074
CUTTER WHEEL FOR AUTOMATIC PLASTIC PIPE CUTTER PL1, COPPER		5	C	735000516
CUTTER WHEEL FOR AUTOMATIC PLASTIC PIPE CUTTER PL2 & PL3, COPPER		1	C	70057
CUTTER WHEEL FOR PL1, INOX		5	C	70056

ROCUT 42 TWIN CUT

Combines two cutting modes: One-cut function for smaller pipe diameters (0-22mm) making cutting faster as little calibration is required, and for larger, more robust pipe (22-42mm), the shears automatically switch to a powerful ratchet mode. PTFE coated blade reduces force needed for a straight cut, non-slip handles provide good grip, a symmetric reset lever offers comfortable resetting for left and right-handers, and a two stage pipe holder (for pipes 0-22mm and 22-42mm) reduces cutting effort and deformation.



With the one cut function pipes can be cut 80% faster. You also save time since little calibration is needed.



Innovative mechanism

Two stage pipe holder

For pipes 0–20 and 20–42 mm.
Less cutting effort, less deformation.

Product Name	Size	MOQ	Group	Part No.
ROCUT 42 TWIN CUT PLASTIC PIPE CUTTER	0-42MM	1	C	1000003011
ROCUT 42 TWIN CUT PLASTIC PIPE CUTTER SPARE BLADE		1	C	1000003104

ROCUT 110 & 160 PLASTIC PIPE CUTTER AND CHAMFERING TOOL

A three-in-one tool system for cutting, chamfering, and deburring plastic pipes in one step. They can also be used to cut pipes without chamfering as the cutter blade shaft may be mounted with a 180° offset. Additionally, the Rothenberger 55020 Rocut 110 Plastic Pipe Cutting & Chamfering Tool offers a continuously adjustable pipe clamping pressure.



Product Name	Size	MOQ	Group	Part No.
ROCUT 110 PLASTIC PIPE CUTTER	110MM	1	B	55020
ROCUT 110 PAIR OF PLASTIC INSERT ADAPTORS	50MM	1	B	55025
ROCUT 110 PAIR OF PLASTIC INSERT ADAPTORS	56MM	1	B	55024
ROCUT 110 PAIR OF PLASTIC INSERT ADAPTORS	63MM	1	B	55023
ROCUT 110 PAIR OF PLASTIC INSERT ADAPTORS	75MM	1	B	55022
ROCUT 110 PAIR OF PLASTIC INSERT ADAPTORS	80MM	1	B	55047
ROCUT 110 PAIR OF PLASTIC INSERT ADAPTORS	90MM	1	B	55021
ROCUT 160 PLASTIC PIPE CUTTER	160MM	1	B	55030
ROCUT 160 PAIR OF PLASTIC INSERT ADAPTORS	140MM	1	B	55031
ROCUT 160 PAIR OF PLASTIC INSERT ADAPTORS	125MM	1	B	55032
ROCUT 160 PAIR OF PLASTIC INSERT ADAPTORS	110MM	1	B	55033
ROCUT REPLACEMENT BLADE (STANDARD)		1	B	55029
ROCUT REPLACEMENT BLADE (THICK WALL PIPE)		1	B	55019
REAMER FOR ROCUT 110 OR 160		1	B	55018

PIPE SAW SPARE BLADES

Used for cutting various pipe profiles. Made of metal and stainless steel in conjunction with electric saws. Available for 2", 4" & 6" pipes.



Product Name	Size	MOQ	Group	Part No.
PIPE SAW SPARE BLADE	FOR 2" PIPES (8 TPI) HSS	5	A	50260
PIPE SAW SPARE BLADE	FOR 4" PIPES (8 TPI) HSS	5	A	50261
PIPE SAW SPARE BLADE	FOR 6" PIPES (6/8 TPI) HSS	5	A	50263
HSSE BLADES	FOR STAINLESS STEEL (2", 14 TPI)	5	A	50264
HSSE BLADES	FOR STAINLESS STEEL (4", 8 TPI)	5	A	50265
HSSE BLADES	FOR STAINLESS STEEL (4", 6 TPI)	5	A	50266
THREADING SPRAY (SYNTHETIC - SOLUBLE)	200ML	24	D	65018
FLEX METAL RECIPROCATING SAW BLADE	150MM 14TPI - 5 PACK	1	D	1500004834
FLEX METAL RECIPROCATING SAW BLADE	150MM 24TPI - 5 PACK	1	D	1500004835
FLEX WOOD/METAL RECIPROCATING SAW BLADE	228MM 10TPI - 5 PACK	1	D	1500004836

DIAMOND BLADES

Fast-cutting, high-quality diamond blade. For use on a variety of building materials.



Product Name	Size	MOQ	Group	Part No.
PORCELAIN TILE BLADE	115 X 1.4 MM	1		1500005103
MULTI PURPOSE TURBO DIAMOND BLADE	115 X 2.0 MM	1		1500004829
MULTI PURPOSE TURBO DIAMOND BLADE	230 X 2.4 MM	1		1500004832
BUILDING MATERIAL DIAMOND BLADE	115 X 2.2 MM	1		1500004830

PIPECUT MINI

Powered by CAS battery technology, the Pipecut Mini effortlessly cuts through most types of pipe and material up to 110mm, and durable steel up to a diameter of 42mm. Also, with the addition of the convertible guide rail accessory, the device can be used as a circular, plunge or cross cutting saw.



Additional high quality, fire-resistant bag

For absorbing shavings

Extra contact surface with ball bearing

For rotating and for cutting pipes over Ø 42 and up to 110mm

Additional notch

For cutting threaded bolts

Powerful 18 V battery

Up to 140 cuts with just one battery charge (18 V / 4.0 Ah, C-steel Ø 42mm)

Three new high quality saw blades

For a precise cutting performance

Product Name	MOQ	Group	Part No.
PIPECUT MINI BARE TOOL	1	B	1000003374
PIPECUT MINI & ACCESSORIES	1	B	1000003420
PIPECUT MINI, ACCESSORIES & GUIDE RAIL	1	B	1000003424
PIPECUT MINI DURACUT UNI - UNIVERSAL SAW BLADE	1	B	1500003621
PIPECUT MINI DURACUT ST - STEEL SAW BLADE	1	B	1500003673
PIPECUT MINI DURACUT X - STAINLESS STEEL SAW BLADE	1	B	1500003674
PIPECUT MINI CROSS CUT GUIDE RAIL	1	B	1500003694

PLASTIC PIPE CHAMFERING TOOLS

Produces a 15° chamfer on plastic pipes up to 160mm diameter. Fully adjustable to suit pipe gauge and diameter to gauge PN10.



Product Name	Size	MOQ	Group	Part No.
PIPE CHAMFERING TOOL SIZE 1	16-110MM	1	B	55050
PIPE CHAMFERING TOOL SIZE 2	32-160MM	1	B	55051
REPLACEMENT BLADE FOR SIZE 1 & 2		1	B	55058

ADJUSTABLE HACKSAW

Adjustable Hacksaw suitable for sawing a variety of different materials.



Product Name	MOQ	Group	Part No.
ADJUSTABLE HACKSAW 12"	1	C	71206
BI-METAL HACKSAW BLADE (12" X 18 TPI)	10	C	1500001565
BI-METAL HACKSAW BLADE (12" X 18 TPI) 2 pack	1	C	1000005600
BI-METAL HACKSAW BLADE (12" X 24 TPI)	10	C	71213
BI-METAL HACKSAW BLADE (12" X 24 TPI) 2 pack	1	C	1000005599
BI-METAL HACKSAW BLADE (12" X 32 TPI)	10	C	1500001566
BI-METAL HACKSAW BLADE (12" X 32 TPI) 2 pack	1	C	1000005601

ROCALIBER

The all new ROCALIBER, with supportive T-Shape handle and versatile application. It's dual mode feature simultaneously calibrates and deburrs multilayer pipe for the perfect preparation.



Product Name	Pack Size	MOQ	Group	Part No.
ROCALIBER S - 16X2MM, 20X2MM, 26X3MM, 25X2.5MM, 32X3MM	Single	1	A	1000004482
ROCALIBER S - 16X2MM, 20X2MM, 26X3MM, 25X2.5MM, 32X3MM	Pack of 10	1	A	1000004624
ROCALIBER L - 40X3.5MM, 50X4MM, 63X4.5MM	Single	1	A	1000004583
ROCALIBER L - 40X3.5MM, 50X4MM, 63X4.5MM	Pack of 10	1	A	1000004623

INTERNAL EXTERNAL REAMER 4-36MM

Accurate 3 blade head is ideal for internal and external deburring of copper, aluminium and soft steel tubing.



Product Name	Size	MOQ	Group	Part No.
INTERNAL EXTERNAL REAMER	4-36MM	1	A	11006

DEBURRER ADAPTOR

Adaptor for the use of the internal and external deburring with portable screwdriver or drill.



Product Name	Size	MOQ	Group	Part No.
DEBURRER ADAPTOR I	FOR 1500000237	1	C	11044
DEBURRER ADAPTOR II	FOR 1500000236	1	C	11045

DIECAST RETRACTABLE TRIMMING KNIFE

Die-Cast Retractable Knife complete with fitted blade.



Product Name	MOQ	Group	Part No.
DIECAST RETRACTABLE TRIMMING KNIFE	1	C	88876
PACK OF 10 REPLACEMENT BLADES	1	C	88877

PENCIL DEBURRER WITH CLIP

Handy pencil size deburrer with pocket clip. Can be used one-handed on steel, copper and aluminium.



Product Name	MOQ	Group	Part No.
GRATFIX HSS DEBURRER WITH NO.1 BLADE	1	C	21655
REPLACEMENT BLADE FOR 21655	10	C	21652
PENCIL DEBURRER WITH CLIP	1	C	21660

JUNIOR HACKSAW



Product Name	Size	MOQ	Group	Part No.
JUNIOR HACKSAW		1	C	80035
JUNIOR HACKSAW BLADES	PACK OF 10	1	C	80036

MANUAL TUBE DEBURRERS

Suitable for quick and easy removal of all internal and external burrs on stainless steel copper, aluminium, plastics and steel.



Product Name	Size	MOQ	Group	Part No.
MANUAL TUBE DEBURRER	6-35MM	1	C	1500000237
MANUAL TUBE DEBURRER	10-54MM	1	C	1500000236

SUPERFIRE PRO™

Professional Blow Torch

ROTHENBERGER
pipetool technologies at work

Featuring 8 Interchangeable Burner Tips



Cyclone Flame

Intense and efficient short flame that wraps around the pipe.

Trigger Lock

Continuous flame. Lock the trigger for a continuous flame and flexible handling.

Trigger On/Off

Preservation of gas. Releasing the trigger will shut off gas flow.

8 Interchangeable Burners

One torch for multiple applications. Twist 'N' Lock technology allows for quick and easy changing of burners.

Flame Adjustment

Adjust the flame intensity depending on your needs.

1" THREAD

For use with ROTHENBERGER gas cylinders.

Cool Tip Burner *

Remains cold to the touch. Decreasing the chance of accident or injury.



For more information and other great products visit rothenberger.com

8 interchangeable burner heads



Ergonomic trigger system



Cool Tip Burner *



Pin Point Burner



Cyclone Flame Burner



Flat Flame Burner



SUPERFIRE PRO™

INTERCHANGEABLE BURNER TIPS

Take your torch to the next level with our range of eight interchangeable burner tips, each designed for specific tasks. Featuring a Twist 'N' Lock mechanism for quick burner changes and inbuilt filter jets to control gas flow and flame performance. Whether you need precision with our Pin Point Burner or efficient heat output with our range of Cyclone Burners, the **SUPERFIRE PRO™** has you covered. Redefining what a torch system can achieve. Empowering professionals and DIYers alike to tackle any job with confidence and efficiency.



Product Name	Burner Tips Included	MOQ	Group	Part No.
SUPERFIRE PRO™	Standard Cyclone and Cool Tip*	1	C	1500004973
SUPERFIRE PRO™ BARE TOOL	None	1	C	1500004974

Burner Tip	MOQ	Group	Part No.
PIN POINT BURNER	1	D	1500004977
REGULAR FLAME BURNER	1	D	1500004983
STANDARD CYCLONE BURNER	1	D	1500004978
HOT AIR BURNER	1	D	1500004979
SOFT FLAME BURNER	1	D	1500004980
COOL TIP BURNER*	1	D	1500004981
HIGH OUTPUT CYCLONE BURNER	1	D	1500004984
FLAT FLAME BURNER	1	D	1500004982

* IMPORTANT: To maintain minimum tip temperature, the Cool Tip Burner should be operated at full adjustment.

SUPERFIRE PRO™

The next generation blow torch, from ROTHENBERGER UK. Designed with over 140 years of expertise and knowledge. We've meticulously engineered every detail to ensure uncompromising performance.

From eight innovative interchangeable burner tips, to a precision flame adjuster. This torch system offers unparalleled versatility and performance.

Equipped with the renowned Cyclone Flame Burner from the SUPERFIRE 2, along with an upgraded Cool Tip Burner*, included as standard. The SUPERFIRE PRO™ has everything you need straight out of the box.



Take your torch to the next level with our range of eight interchangeable burner tips, each designed for specific tasks. Featuring a Twist 'N' Lock mechanism for quick burner changes. Whether you need precision with our Pin Point Burner or efficient heat output with our range of Cyclone Burners, the SUPERFIRE PRO™ has you covered.

Redefining what a torch system can achieve. Empowering professionals and DIYers alike to tackle any job with confidence and efficiency.



Product Name	Burner Tips Included	MOQ	Group	Part No.
SUPERFIRE PRO™	Standard Cyclone and Cool Tip*	1	C	1500004973
SUPERFIRE PRO™ BARE TOOL	None	1	C	1500004974

* IMPORTANT: To maintain minimum tip temperature, the Cool Tip Burner should be operated at full

QUICKFIRE PRO™

The next generation blow torch, from ROTHENBERGER UK.

Designed with over 140 years of expertise and knowledge. We've meticulously engineered every detail to ensure uncompromising performance.

The QUICKFIRE PRO™ is designed for those looking for a streamlined professional quality torch. Equipped with an upgraded Cool Tip Burner*, featuring cyclone flame technology that wraps around the pipe for increased efficiency.


While the QUICKFIRE PRO™ does not offer interchangeable burner tips like the SUPERFIRE PRO™, it excels in providing a straightforward, efficient experience. Perfect for users who value simplicity and effectiveness without compromising on quality.



Torch	Burner Tips Included	MOQ	Group	Part No.
QUICKFIRE PRO™	Non-interchangeable COOL TIP	1	C	1500004975

SUPERFIRE™ 2 TORCH

Super Fire 2 Torch is a market-leading soldering and brazing torch. Fast and effective, the Rothenberger Super Fire 2 Torch delivers a concentrated high-heat, anti-flare, adjustable flame with a powerful turbine flame pattern. The instant piezo ignition ensures the SUPERFIRE 2 Torch will light safely and quickly, including when it is used upside down. Additionally, when fitted with an optional cool tip and filter jet (sold separately), the torch nozzle will remain cool when the SUPERFIRE 2 is on full power.



Hands free lock button

Cool Tip

When fitted with the optional Cool Tip and filter jet (35662) the torch nozzle remains cool when on full power

Adjustable flame control


Fits all cylinders with 1" US thread and other cylinders* with adaptor options
Only use Rothenberger gas, using other gas may affect the torch performance and your warranty



Product Name	MOQ	Group	Part No.
SUPERFIRE 2 TORCH ONLY	1	C	35644X
SUPERFIRE 2 TORCH SET C/W PROPANE GAS CYLINDER	1	C	35668E
SUPERFIRE 2 TORCH SET C/W MAPP GAS CYLINDER	1	C	35669E

QUICKFIRE TORCH ONLY

Reliable instant piezo ignition soldering and brazing torch with guaranteed anti-flare operation. The Quick Fire delivers a fixed constant flame and can be used with either the disposable Propane or MAPP® gas cylinders



Product Name	MOQ	Group	Part No.
QUICKFIRE TORCH ONLY	1	C	35645M
QUICKFIRE TORCH SET C/W PROPANE GAS CYLINDER	1	C	35666E
QUICKFIRE TORCH SET C/W MAPP GAS CYLINDER	1	C	35667E

PROPANE DISPOSABLE GAS CYLINDER

Containing industrial-grade gas within a tough, impact-resistant disposable steel cylinder.



Product Name	MOQ	Group	Part No.
PROPANE DISPOSABLE GAS CYLINDER	12	C	35535

Gas Cartridge Vent Key

Removes gas pressure relief valve from both Propane and MAPP gas cartridges rendering them safe for disposal or recycling with similar metallic packaging such as steel cans etc.



Product Name	MOQ	Group	Part No.
GAS CARTRIDGE VENT KEY	1	C	35537R

ADAPTOR FOR MINIGAS 100, MULTIGAS 300 & TAYMAR PROPANE/BUTANE MIX

A range of adaptors to fit gas cylinders to fit QUICK FIRE and SUPERFIRE 2 gas torches.



MAPP DISPOSABLE GAS CYLINDER

Designed to shorten work times, MAPP delivers high-performance burning characteristics and an increased flame temperature (up to 2400°C).



Product Name	MOQ	Group	Part No.
MAPP DISPOSABLE GAS CYLINDER	12	C	35536R

GAS CYLINDER SUPPORT STAND

Holds Propane and MAPP gas cylinders to prevent them toppling over when set down



Product Name	MOQ	Group	Part No.
GAS CYLINDER SUPPORT STAND	1	C	35461

ADAPTOR FOR MINIGAS 100, MULTIGAS 300 & TAYMAR PROPANE/BUTANE MIX

Product Name	MINIGAS 100	MINIGAS 300	TAYMAR PROPANE/BUTANE MIX	PRIMUS 2000	CALOR 340	MOQ	Group	Part No.
ADAPTOR MINIGAS / TAYMAR	.	.	.			1	D	35648X
ADAPTOR PRIMUS / CALOR				.	.	1	C	35652E
LARGE REFILLABLE PROPANE CYLINDER (PUSH ON)						1	C	35653E
LARGE REFILLABLE PROPANE CYLINDER (THREADED)						1	C	35647



TURBINE FLAME BURNER FOR SUPERFIRE 2


Modelled to craft the hottest flame that the SUPERFIRE 2 can generate for tasks such as brazing and silver soldering.



Product Name	MOQ	Group	Part No.
TURBINE FLAME BURNER	1	C	35661E
SWIRL FLAME BURNER & JET	1	C	35662E

SUPERFIRE 2 ACCESSORIES

Replacement tube is suited to the SUPERFIRE 2 torch.



Product Name	MOQ	Group	Part No.
REPLACEMENT BURN TUBE FOR SUPER FIRE 2	1	C	35659E
HEAT DEFLECTOR GUARD	1	C	31043E
REPAIR KIT FOR QUICK/SUPER FIRE 2 TORCH	1	A	99998M

COOKS TORCH

Handy piezo ignition cooks torch suitable for a variety of cooking and catering tasks. High heat turbo flame, childproof safety lock and stable safety stand make the torch ideal for both domestic and professional kitchens. Easy refilling with Butane/Propane gas aerosol (No.35840)



Product Name	Size	MOQ	Group	Part No.
COOKS TORCH		1	D	37702M
BUTANE/PROPANE GAS	100ML/56G	1	C	35840

MULTIGAS

Multigas Propane/Butane mixed gas cartridges is available to suit many of the soldering and heating products on the market.



Product Name	Size	MOQ	Group	Part No.
MULTIGAS 100 BUTANE/PROPANE	300ML/175G	36	C	80055
MULTIGAS 200 BUTANE	440ML/227G	24	C	80056
MULTIGAS 300 BUTANE/PROPANE	600ML	24	C	80057
ROFILL SUPER	100ML/56G	1	C	35840

ALLGAS MOBILE PRO SET

Ideal mobile soldering and welding torch for plumbers, HVAC fitters, refrigeration engineers and automotive workshops. Fine adjustment gas regulators ensure efficient flame control and minimise gas use. Built in flashback arresters for increased operator safety. Set is supplied with goggles, nozzles, valve spanners, spark lighter and flints (gas sold separately).



Product Name	MOQ	Group	Part No.
ALLGAS MOBILE PRO SET	1	D	1000000529
ALLGAS MOBILE PRO REGULATOR	1	D	1000000620

ROXY KIT 120L BRAZING/WELDING KIT

Compact and portable kit provides most of the features of Oxy-Acetylene for light welding, brazing, lead burning and precision engineering applications. Roxy Kit 120L Including 5 nozzles, 1 x 110 bar oxygen cylinder, 1 x Maxigas cylinder, hoses, regulators, in-line flashback arrester and accessories.



Product Name	MOQ	Group	Part No.
ROXY KIT 120L BRAZING/WELDING KIT	1	D	35740R
OXYGEN CYLINDER 110BAR (FOR ROXY KIT 120L)	1	C	35750
MAXIGAS 400 CYLINDER (ACETYLENE/LPG MIX)	1	C	035570-A

ROXY KIT ACCESSORIES



Product Name	Size	MOQ	Group	Part No.
ROXY KIT MULTIGAS REGULATOR		1	C	1300003161
OXYGEN REGULATOR ROXY 120L		1	C	1000000629
NEEDLE POINT FINE NOZZLE	0.4MM	1	C	35695
NEEDLE POINT FINE NOZZLE	0.5MM	1	C	35696
NEEDLE POINT FINE NOZZLE	0.6MM	1	C	35697
NEEDLE POINT FINE NOZZLE	0.7MM	1	C	35713
BRASS POINT NOZZLE	0.7-0.9MM	1	C	263005800
ROXY KIT BRASS POINT NOZZLE	1.0-1.2MM	1	C	263005700
MICRO TIP ASSORTMENT	SET - MICRO: 0.3, 0.5, 0.7 MM & BRASS: 1.2, 1.5, 2.0	1	C	35420

TRIGGER TORCH

Instant on/off piezo ignition torch complete with 1.5m heavy duty hose. Durable stainless steel burn tube delivers a swirl flame pattern giving a hotter more efficient flame pattern ideal for most soldering operations.



Product Name	MOQ	Group	Part No.
TRIGGER TORCH C/W HOSE & HOLSTER	1	A	34120R

SWIVEL PRO TWIN BURNER TORCH

Twin stainless steel torch burners give added strength and increased maximum working temperature.



Product Name	MOQ	Group	Part No.
SWIVEL PRO TWIN BURNER TORCH	1	C	35012
SWIVEL PRO PIEZO BURNER TORCH	1	C	35016

ROFIRE 4 SOLDERING TORCH

Handy, lightweight soft soldering torch which can be used with MULTIGAS 300 or other mixed gas cartridges with a European 7 / 16" screw thread. It is fitted with a stainless steel burner tip which houses a pre-heat element that enables the torch to be used in any position without flaring, even upside down. Precise flame adjustment is achieved using a fine regulating valve control and the torch body is constructed from tough plastic and includes a protective collar which increases stability on the cartridge when in use.

Product Name	MOQ	Group	Part No.
ROFIRE 4 SOLDERING TORCH	1	D	1500002921
ROFIRE 4 SOLDERING TORCH SET C/W MULTIGAS 300 CYLINDER	1	D	1000002359

ROFIRE 4 PIEZO SOLDERING TORCH

With all the features and benefits of the ROFIRE 4, the ROFIRE 4 Piezo is fitted with a high performance piezo ignition unit, reliable for up to 30,000 ignitions. The addition of an ergonomic soft-grip handle with built-in thumb-turn regulating valve gives the user great control and the pre-heat feature allows the torch to be used in any position, even upside down, making the ROFIRE 4 Piezo ideal for a whole range of DIY and professional tasks.

Product Name	MOQ	Group	Part No.
ROFIRE 4 PIEZO SOLDERING TORCH	1	D	1500002922
ROFIRE 4 PIEZO SOLDERING TORCH SET C/W MULTIGAS 300	1	D	1000002360

ROFLAME 4 PIEZO SOFT SOLDERING TORCH

Ideal soft soldering torch designed for a variety of DIY tasks including soft soldering up to 22mm, paint stripping, small brazing work and other heating applications including professional catering. With all the features and benefits of the ROFIRE 4 Piezo the ROFLAME 4 Piezo is designed to be run on the smaller SUPERGAS 200c Butane cartridge or other pierceable type cartridges.

Product Name	MOQ	Group	Part No.
ROFLAME 4 PIEZO SOFT SOLDERING TORCH	1	D	1000002358
C200 SUPERGAS BUTANE CARTRIDGE 190G	36	C	1500000924

ROFIRE GLOBAL TORCH

Professional soldering torch with automatic piezo ignition. Works with 1" US thread Propane and MAPP® gas cylinders and is an ideal second or stand-by torch.



Product Name	MOQ	Group	Part No.
ROFIRE GLOBAL TORCH	1	C	35770M

UNIVERSAL TORCH EXTENSION HOSE 1.5M

The 1.5m (59") fibre reinforced extension hose is fitted with standard CGA 600 brass torch connections suitable for torches and gas cylinders with 1" US thread



Product Name	MOQ	Group	Part No.
UNIVERSAL TORCH EXTENSION HOSE 1.5M	1	A	35649R



CONTRACTORS ROOFING TORCH SET

Contractors Roofing Torch Set Stabilized flame with high volume heat output. Includes 600mm neck tube, 57mm burner, safety stand and 5m propane hose.



Product Name	MOQ	Group	Part No.
CONTRACTORS ROOFING TORCH SET	1	A	030954E

ROTHERM 2000 ELECTRIC SOFT SOLDERING UNIT

Fast, safe flame-free soldering for copper tube and capillary fittings. Powerful 2000W capacity for use from 6 to 54mmØ in any location. Supplied complete with Soldering Tongs, Flat Electrodes, 4 metre Cable, 2 metre Mains Cable. Rotherm 2000 240 Volts.



Product Name	MOQ	Group	Part No.
ROTHERM 2000 ELECTRIC SOFT SOLDERING UNIT 240V	1	B	36700
ROTHERM 2000 FLAT ELECTRODES C/W HOLDER (1 X PAIR)	1	B	36711
ROTHERM 2000 FLAT ELECTRODES ONLY (1 PAIR)	1	B	36721
ROTHERM 2000 ROD ELECTRODES C/W HOLDER (1 X PAIR)	1	B	36710
ROTHERM 2000 ROD ELECTRODES ONLY (1 PAIR)	1	B	36720
ROTHERM 2000 STEEL CARRYING CASE	1	B	36715

LEAD-FREE HARD SOLDER ROD

Copper based hard solder ideal for copper to copper joints without the need for flux.



Product Name	GRADE	Size	MOQ	Group	Part No.
LEAD-FREE HARD SOLDER ROD	S94	1KG	1	A	40094
LEAD-FREE HARD SOLDER ROD	S2	1KG	1	A	40202
LEAD-FREE HARD SOLDER ROD	S5	1KG	1	A	40502
LP5 BRAZING FLUX		150G	1	A	40500

FLUX BRUSHES
PACK OF 3

This set of three flux brushes if for use when applying flux. Specifically shaped for applying flux and glue onto joints and threads.



PROFESSIONAL
CARBON FIBRE SOLDER MAT

Thermocarb high temperature soldering mat designed to protect surfaces from deflected heat surrounding a soldering operation. Contains no asbestos or ceramic material.



Product Name	MOQ	Group	Part No.
FLUX BRUSHES (PACK OF 3)	1	D	80004

Product Name	MOQ	Group	Part No.
CARBON FIBRE SOLDER MAT 25 x 25cm	1	D	67024

ACCESSORIES



No. 32081



No. 032201E

Product Name	MOQ	Group	Part No.
HIGH PRESSURE PROPANE REGULATOR (Eire) 0-4bar	1	C	32081
HIGH PRESSURE PROPANE REGULATOR (UK) 7/8" 0-4bar	1	C	242290416
2.5MTR PROPANE HOSE, 3/8" LH CONNECTION	1	C	032201E

PLUMBERS SOLDERING MAT

Designed to protect surfaces from deflected heat up to 1000°C when carrying out soldering tasks. This new improved version has increased heat protection with the added Ecomab™ high temperature paper infill.



Product Name	Size	MOQ	Group	Part No.
PLUMBERS SOLDERING MAT	20 X 26CM	1	D	67022

SUPERMAT SOLDERING MAT

High Temperature Soldering Super Mat gives protection up to 1260°C when carrying out soldering or other similar tasks. It has a wipe clean silicone backing feature to ensure the cleanliness of the product for best results.



Product Name	Size	MOQ	Group	Part No.
SUPERMAT SOLDERING MAT	30 X 20CM	1	D	67023

INTERNAL CLEANING BRUSH FOR COPPER TUBE

For Fast and Effective Cleaning of Copper Tube and Fittings



Product Name	Size	MOQ	Group	Part No.
INTERNAL CLEANING BRUSH FOR COPPER TUBE	12MM	1	C	1000004630
INTERNAL CLEANING BRUSH FOR COPPER TUBE	15MM	1	C	1000004632
INTERNAL CLEANING BRUSH FOR COPPER TUBE	22MM	1	C	1000004635
INTERNAL CLEANING BRUSH FOR COPPER TUBE	28MM	1	C	1000004636
INTERNAL CLEANING BRUSH FOR COPPER TUBE	35MM	1	C	854188

MINI STRIPS

Ideal for preparing and deburring pipes, tubing and fittings. These strips last longer than the average bundle of steel wool. Is waterproof and will not clog. Double sided use for double the life span of normal. Easily roughs up and removes burrs from copper and plastic pipe.



Product Name	Size	MOQ	Group	Part No.
MINI STRIPS X 10	MEDIUM GRADE, 180 GRIT	1	C	130000
MINI STRIPS X 10	FINE GRADE, 400 GRIT	1	C	130001
MAXI STRIP 5M ROLL	MEDIUM GRADE, 180 GRIT	1	C	130002
MAXI STRIP 5M ROLL	FINE GRADE, 400 GRIT	1	C	130003

MINI PADS

Textured 'non-metal' cleaning/finishing pads. Non-woven nylon fibres impregnated with aluminium oxide abrasive particles make these pads ideal for polishing and cleaning all metal surfaces. Also can be used for blending and preparing wood surfaces, rust removal and scrubbing. Will not break up, rust or splinter.



Product Name	Size	MOQ	Group	Part No.
MINI PADS X 5 (MEDIUM GRADE,	50 X 250MM	1	C	130011

ROVLIES CLEANING PADS

Completely metal free for reduced risk of corrosion. Can be used wet or dry and not affected by solvents



Product Name	MOQ	Group	Part No.
ROVLIES CLEANING PADS (PACK OF 10)	1	C	45268

STEEL WOOL

British made, medium grade steel wool ideal for cleaning copper pipe fittings, paint removal and a whole range of preparation and cleaning tasks.



Product Name	Size	MOQ	Group	Part No.
STEEL WOOL	PACK OF 3	1	C	130004
STEEL WOOL	450G BUNDLE	1	C	130005

TURBO-PREP

Designed for professional plumbers and DIY users seeking fast, efficient copper pipe preparation. The set includes a 15mm TURBO-PREP, a 22mm TURBO-PREP, and a quick-release 3/8" socket to 1/4" hex adapter, making it fully compatible with standard electric drills and impact drivers and can even be used manually or on a 3/8" Ratchet.



Product Name	MOQ	Group	Part No.
TURBO-PREP 15 & 22mm with Adaptor	1	D	1500005668
TURBO-PREP 28mm COMING SOON	1	D	1500005728
TURBO-PREP 1/2" & 3/4" with Adaptor COMING SOON	1	D	1500005727
TURBO-PREP 15mm / 1/2" Replacement Brush COMING SOON	1	D	1500005671
TURBO-PREP 22mm Replacement Brush	1	D	1500005672
TURBO-PREP 28mm Replacement Brush	1	D	1500005730
TURBO-PREP 3/4" Replacement Brush COMING SOON	1	D	1500005729
TURBO-PREP Replacement Adaptor	1	D	1500005670

NEW

ROTHENBERGER
pipetool technologies at work

TURBO-PREP

Copper Tube Cleaners

15
mm

22
mm

28
mm

1/2"

3/4"

Prepares copper tubes for soldering

Connect to Drill or Impact Driver

For efficient preparation of copper tubes the TURBO-PREP can be used with a drill or impact driver. Alternatively it can be used handheld.

3/8" Socket

Standard socket size allows use with the quick release adaptor or provides flexibility if required.

Replaceable Brushes

For long lasting performance.

Durable Tool Grade steel

High-quality tool steel delivers durability and consistent performance.

Quick Release Adaptor

3/8" socket to 1/4" hex adaptor for use with drills and impact drivers.



For more information and other great products visit rothenberger.com


Use With a Drill or Impact Driver



Quickly Prepares The Pipe for Soldering



Replaceable Brushes



Can Also Be Used by Hand



15 and 22 mm in one set



Highly Efficient Cleaning



NEW

ROTHENBERGER
pipetool technologies at work

ROMAX NANO

The world's lightest 32 kN press machine

Switches between 19 and 32kn, meaning the NANO can use our lightest ever 'iJaws', up to 35mm.

Whilst being able to press up to 54mm, using standard (ROMAX 4000) jaws.*

* In Metal

LED ring

Machine status display and workspace lighting.

Hybrid press machine

Automatic, intelligent adjustment of pressing force to the inserted NANO iJAW or standard press jaw with 32 kN.



For more information and other great products visit rothenberger.com



NANO iJAW press jaw

Size- and weight-optimized with RFID technology for real-time communication between machine and press jaw.

2-in-1 press jaw fixture

Suitable for the NANO iJAW and standard press jaws.

Smart Connectivity

App tracking of pressing force, press cycles, semi-automated job reports and press statistics.

eRotationDrive

Enables variable pressing forces, including continuous measurement, and reduces the overall weight of the machine to just 2.3 kg.



LED light indicator ring




2-in-1 press jaw holder



Smallest and lightest 32kN machine



Smart and light iJaws



Rubberised grips



Connects to the App



ROMAX COMPACT III

ROMAX COMPACT III is ideally suited for system-compliant pressing of fittings up to 35mm (metal) or 40mm (plastic), even in constrained positions. The ROMAX COMPACT III presses fittings with a piston force of 19 kN and has a press cycle of 3 seconds. Constant pressing force over the complete pressing cycle is guaranteed by Constant Force Technology.



CONNECTED WITH THE ROTHENBERGER APP

Via the ROTHENBERGER app, tool and smartphone can be connected, providing the user real-time access to relevant machine and press data. Additionally, the app allows for easy and quick on-site creation of press protocols with smart logic, as well as reading the current maintenance status of the tool.

Product Name	Profile	Size	MOQ	Group	Part No.
ROMAX COMPACT III SET AMPShare*	M	15, 22, 28MM	1	A	1000004333
ROMAX COMPACT III SET AMPShare*	SV	15, 22, 28MM	1	A	1000004278
ROMAX COMPACT III SET AMPShare*	U	16, 20, 25MM	1	A	1000004285
ROMAX COMPACT III SET AMPShare*	TH	16, 20, 26MM	1	A	1000004424
ROMAX COMPACT III SET AMPShare*	>B< MaxiPro	1/4" - 1.1/8"	1	A	1000004289
ROMAX COMPACT III BASIC SET + 1X2AH BATTERY AMPShare*			1	A	1000004271

ROMAX NANO

The ROMAX NANO CAS offers a working range of up to 110 mm (system-dependent) thanks to the eRotationDrive technology and the 2in1 jaw holder, which is suitable for both NANO iJAWS and standard jaws.



CONNECTED WITH THE ROTHENBERGER APP

Via the ROTHENBERGER app, tool and smartphone can be connected, providing the user real-time access to relevant machine and press data. Additionally, the app allows for easy and quick on-site creation of press protocols with smart logic, as well as reading the current maintenance status of the tool.

Product Name	Profile	Size	MOQ	Group	AMPShare Part No.	CAS Part No.
ROMAX NANO SET	M	15, 22, 28MM	1	A	1000005493	1000005045
ROMAX NANO SET	SV	15, 22, 28MM	1	A	1000005495	1000005047
ROMAX NANO SET	U	16, 20, 25MM	1	A	1000005499	1000005051
ROMAX NANO SET	TH	16, 20, 26MM	1	A	1000005497	1000005049
ROMAX NANO SET	>B< MaxiPro	1/4" - 1.1/8"	1	A	1000005623	1000005054
ROMAX NANO BARE TOOL IN ROCASE 4212			1	A		1000004824
ROMAX NANO BASIC SET + 1X2AH BATTERY			1	A	1000005491	1000005043

ROMAX 4000

Electro-hydraulic battery powered press machine for pressing of fittings up to 110 mm (Plastic) with 32 - 34kN force. The machine offers a three second press cycle, and weighs only 3.6kg. It can press from 12mm to 110mm (system dependent), and is powered by the powerful 18v 4.0Ah Li-Ion CAS interchangeable battery platform.



Product Name	Profile	Size	MOQ	Group	Part No.
ROMAX 4000 SET AMPShare*	M	15, 22, 28MM	1	A	1000004721
ROMAX 4000 SET AMPShare*	SV	15, 22, 28MM	1	A	1000004719
ROMAX 4000 SET AMPShare*	U	16, 20, 25MM	1	A	1000005057
ROMAX 4000 SET AMPShare*	TH	16, 20, 26MM	1	A	1000004730
ROMAX 4000 SET AMPShare*	>B< MaxiPro	1/4" - 1.1/8"	1	A	1000005058
ROMAX 4000 MACHINE, BASIC SET + 1X4AH BATTERY AMPShare*			1	A	1000004718



CAS battery platform equivalent listed at the back of the brochure

PRESS JAWS

				
		Compatible Machine	Compact III	4000 / NANO
		Jaw Name	COMPACT	Standard
M	M12	015151X		015101X
	M15	015152X		015102X
	M18	015153X		015103X
	M22	015154X		015104X
	M28	015155X		015105X
	M35	1000002267		015106X
SV	SV14	015269X		015219X
	SV15	015262X		015212X
	SV16	015260X		015220X
	SV18	015263X		015213X
	SV22	015264X		015214X
	SV28	015265X		015215X
TH	TH14	015395X		015321X
	TH16	015385X		015322X
	TH18	015398X		015323X
	TH20	015389X		015324X
	TH25	015399X		015325X
	TH26	015391X		015326X
U	U14	015351X		015311X
	U16	015352X		015312X
	U18	015353X		015313X
	U20	015354X		015314X
	U25	015355X		015315X
	U32	015357X		015317X
>B< MAXI PRO	1/4"	1000001749		1000001889
	3/8"	1000001750		1000001890
	1/2"	1000001751		1000001891
	5/8"	1000001752		1000001892
	3/4"	1000001753		1000001893
	7/8"	1000001754		1000001894
	1"	1000001755		1000001895
	1 1/8"	1000001756		1000001896
	1 3/8"	—		1000002943
	>B< 1/4"-1 1/8" SET	1000001989		1000002207
				1000004945

PRESS COLLARS

			
		Compatible Machine	4000 / NANO
		Jaw Name	Press Collar
M	M42 (Requires Actuator)	1000001391	
	M54 (Requires Actuator)	1000001392	
	M42 + 54 Set With Actuator	1000001500	
SV	SV42 (Requires Actuator)	1000001393	
	SV54 (Requires Actuator)	1000001394	
	SV42 + 54 Set With Actuator	1000001501	

FITTING COMPATIBILITY

For a wide and comprehensive range of fittings and compatible jaws. Scan the QR for our full compatibility matrix.

PRESS RINGS

				
		Compatible Machine	Universal	Compact III
		Jaw Name	Press Ring	Compact Actuator
M	M15 (Requires Actuator)	1000003881		1000003590
	M22 (Requires Actuator)	1000003883		1000003589
	M28 (Requires Actuator)	1000003884		
	M35 (Requires Actuator)	1000003885		
	SV15 (Requires Actuator)	1000003874		
	SV22 (Requires Actuator)	1000003877		
SV	SV28 (Requires Actuator)	1000003878		
	SV35 (Requires Actuator)	1000003879		
	SV15, 22, 28 & 35 (Requires Actuator)	1000004349		
TH	TH16 (Requires Actuator)	1000003928		
	TH20 (Requires Actuator)	1000003931		
	TH25 (Requires Actuator)	1000003932		
U	U16 (Requires Actuator)	1000003937		
	U20 (Requires Actuator)	1000003939		
	U25 (Requires Actuator)	1000003940		
>B< MAXI PRO	U16, 20, 25, & 32 (Requires Actuator)	1000003976		
	1/4" (Requires Actuator)	1000003610		
	3/8" (Requires Actuator)	1000003611		
	1/2" (Requires Actuator)	1000003612		
	5/8" (Requires Actuator)	1000003613		
	3/4" (Requires Actuator)	1000003614		
	7/8" (Requires Actuator)	1000003615		
	1" (Requires Actuator)	1000003616		
	1 1/8" (Requires Actuator)	1000003617		

Press Ring Sets Complete with Actuator		Part No.
For Compact III		
Press ring Compact Set M, 15, 22, 28mm With ROCASE		1000005055
Press ring Compact Set M, 15, 22mm		1000004857
Press ring Compact Set >B< MaxiPro, 1/4 - 1.1/8" With ROCASE		1000003536
Press ring Compact Set >B< MaxiPro, 1/4 - 5/8" With ROCASE		1000003624
For ROMAX 4000 & NANO		
Press ring Standard Set M, 15, 22, 28mm With ROCASE		1000005056
Press ring Standard Set M, 15, 22mm		1000005184
Press ring Standard Set >B< MaxiPro, 1/4 - 1.1/8" With ROCASE		1000003532
Press ring Standard Set >B< MaxiPro, 1/4 - 5/8" With ROCASE		1000003625



COLLARS



RINGS



JAWS



COMPATIBILITY
TABLE

AMPSHare BATTERIES



Product Name	Size	MOQ	Group	Part No.
RO BP18/2ah Battery, AMPSHare*	2.0 Ah	1		1000003859
RO BP18/4ah Battery, AMPSHare*	4.0 Ah	1		1000003860
RO BP18/4ah Battery ProCORE, AMPSHare*	4.0 Ah	1		1000003863
RO BP18/8ah Battery ProCORE, AMPSHare*	8.0 Ah	1		1000003864
RO BC18 CHARGER, 230V, AMPSHare*		1		1000003866



CAS battery platform equivalent listed at the back of the brochure

TRIPOD STAND WITH 6" VICE

The tripod uni workbench with built-in 6-inch quick release chain vice, and benefits from a lever-action to tighten and release the chain. The ability to fold the ROTHENBERGER tripod makes it compatible for transportable use on the construction site.



Product Name	MOQ	Group	Part No.
TRIPOD STAND WITH 6" VICE	1	C	70752

TRIPOD STAND

The professional pipe-fitters work stand. With wide angle folding legs for exceptional stability, complete with ceiling brace, bending holes for 3/8", 1/2" and 3/4" steel pipes and a durable aluminium top plate.



Product Name	Size	MOQ	Group	Part No.
TRIPOD STAND		1	C	70751

FITTERS WORK BENCH

Sturdy, lightweight and easily transportable folding tubular frame, solid beechwood top. Dimensions: 1200x550x30mm. Overall bench height: 800mm Weight: 30kg



Product Name	Size	MOQ	Group	Part No.
FITTERS WORK BENCH	1200 X 550 X 30MM	1	A	070690X

HINGED YOKE, CHAIN AND QUICK RELEASE CHAIN VICES



Product Name	Size	MOQ	Group	Part No.
HINGED YOKE VICE	1/8"-2"	1	C	70710
HINGED YOKE VICE	1/8"-3"	1	C	70712
HINGED YOKE VICE	1/8"-4"	1	C	70711
QUICK RELEASE CHAIN VICE	2.1/2"	1	C	70713
QUICK RELEASE CHAIN VICE	4"	1	C	70714
QUICK RELEASE CHAIN VICE	6"	1	C	404060000
BOTTOM SCREW CHAIN VICE	2.1/2"	1	C	400010000
BOTTOM SCREW CHAIN VICE	4"	1	C	400020000
BOTTOM SCREW CHAIN VICE	6"	1	C	400030000

ROGRIP M WATER PUMP PLIERS

This new generation range of professional water pump pliers have been designed to deliver up to 30% more grip, compared to previous models, with the 10" pliers having a working capacity of 2".

The ROGRIP M range is available in both 7" & 10" and both sizes are available with either the single colour standard soft-grip handles, or the new 2 colour version.



Product Name	Size	MOQ	Group	Part No.
ROGRIP M WATER PUMP PLIERS STANDARD GRIP	7"	1	C	1000002697
ROGRIP M WATER PUMP PLIERS 2 COLOUR GRIP	7"	1	C	1000002698
ROGRIP M WATER PUMP PLIERS STANDARD GRIP	10"	1	C	1000002699
ROGRIP M WATER PUMP PLIERS 2 COLOUR GRIP	10"	1	C	1000002700

ROGRIP F WATER PUMP PLIERS

With all the features of the ROGRIP M pliers the ROGRIP F range has the added benefits of the push button Safety Lock System which allows 50% faster adjustment and prevents unintentional opening or closing when in use.

The ROGRIP F range is available with standard single colour grips or the wider 2 colour grips which offer increased comfort and better power transmission.



Product Name	Size	MOQ	Group	Part No.
ROGRIP F WATER PUMP PLIERS STANDARD GRIP	7"	1	C	1000002701
ROGRIP F WATER PUMP PLIERS 2 COLOUR GRIP	7"	1	C	1000002702
ROGRIP F WATER PUMP PLIERS STANDARD GRIP	10"	1	C	1000002704
ROGRIP F WATER PUMP PLIERS 2 COLOUR GRIP	10"	1	C	1000002705

ROFAST PLIER WRENCH 10"

The ROFAST 10"-2K pliers wrench can be used in many ways, whether for gripping, holding, bending or as an open-end wrench set from 0-52mm. Plan-shaped jaws for gentle opening or tightening of high-quality screw connections. Gripping capacity increased by + 20% due to curve shape design as well as knob for quick size adjustment. Always a secure and firm grip with the 2K handles.



Product Name	Size	MOQ	Group	Part No.
ROFAST PLIERS SPANNER 10"- 2K	10"	1	C	1000003390
ROFAST pliers wrench 7"- 1K with caps	7"	1	C	1000004325
ROFAST pliers wrench 7"- 2K with caps	7"	1	C	1000004710
Rofast pliers wrench 10" 1K with caps	10"	1	C	1000004802
ROFAST PLIERS WRENCH 10" 2K WITH CAPS	10"	1	C	1000004810
PROTECT. CAPS ROFAST PLIERS WRENCH 7" 3X	7"	1	C	1000004811
PROTECT. CAPS ROFAST PLIERS WRENCH 10" 3X	10"	1	C	1000004812

SPK WATER PUMP PLIERS

Suitable for use in hard-to-reach areas, the ROTHENBERGER SPK Water Pump Pliers are long, slim pliers with self-clamping jaws that provide a non-slip grip even on smooth pipes. Additionally, anti-slip plastic handles provide high grip safety when working with water and oil.



Product Name	Size	MOQ	Group	Part No.
SPK WATER PUMP PLIERS	7"	1	C	70521R
SPK WATER PUMP PLIERS	10"	1	C	70522R
SPK WATER PUMP PLIERS	12"	1	C	70523R

ALUMINIUM PIPE WRENCHES

Features similar to Heavy Duty Pipe Wrenches but 40% lighter due to aluminium alloy handle construction.



Product Name	Size	MOQ	Group	Part No.
ALUMINIUM PIPE WRENCH	10"	1	C	70159
ALUMINIUM PIPE WRENCH	14"	1	C	70160
ALUMINIUM PIPE WRENCH	18"	1	C	70161
ALUMINIUM PIPE WRENCH	24"	1	C	70162
ALUMINIUM PIPE WRENCH	36"	1	C	70163
ALUMINIUM PIPE WRENCH	48"	1	C	70168
ALUMINIUM PIPE WRENCH	60"	1	C	70169

SANIGRIP WASTE PLIERS 10"

With 4 position jaw adjustment up to 62mm capacity. Ideal for waste traps and waste backnuts.



Product Name	Size	MOQ	Group	Part No.
SANIGRIP WASTE PLIERS	10"	1	C	70415

OFFSET ALUMINIUM PIPE WRENCHES

A 90°, self-clamping, one-handed corner pipe wrench with replaceable jaws.



Product Name	Size	MOQ	Group	Part No.
OFFSET ALUMINIUM PIPE WRENCH	14"	1	C	70115
OFFSET ALUMINIUM PIPE WRENCH	18"	1	C	70116

MACHINE GROOVED PLIERS

Induction hardened jaws ensure longevity. The machine grooved edge offers a tight fit in every opening position. Additionally, rubberised handles and clamping protection improve user-friendliness.



Product Name	Size	MOQ	Group	Part No.
MACHINE GROOVED PLIERS	9.1/2"	1	C	70591R
MACHINE GROOVED PLIERS	12"	1	C	70592R

HEAVY DUTY PIPE WRENCHES

High strength one piece construction, with large capacity jaws and induction hardened teeth. (Replaceable hook and heel jaws available).



Product Name	Size	MOQ	Group	Part No.
HEAVY DUTY PIPE WRENCH	8"	1	C	70150
HEAVY DUTY PIPE WRENCH	10"	1	C	70151
HEAVY DUTY PIPE WRENCH	12"	1	C	70152
HEAVY DUTY PIPE WRENCH	14"	1	C	70153
HEAVY DUTY PIPE WRENCH	18"	1	C	70154
HEAVY DUTY PIPE WRENCH	24"	1	C	70155
HEAVY DUTY PIPE WRENCH	36"	1	C	70156
HEAVY DUTY PIPE WRENCH	48"	1	C	70157
HEAVY DUTY PIPE WRENCH	60"	1	C	70158

STILLSON PIPE WRENCHES

Classic stillson design in forged and tempered steel. Unbreakable housing and shaft with induction hardened tee



Product Name	Size	MOQ	Group	Part No.
STILLSON PIPE WRENCH	8"	1	C	70350
STILLSON PIPE WRENCH	10"	1	C	70351
STILLSON PIPE WRENCH	12"	1	C	70352
STILLSON PIPE WRENCH	14"	1	C	70353
STILLSON PIPE WRENCH	18"	1	C	70354
STILLSON PIPE WRENCH	24"	1	C	70355
STILLSON PIPE WRENCH	36"	1	C	70356

HAWK PIPE WRENCHES

Heavy duty, automatic clamping action on pipe where the grip is tighter as the force increases.



Product Name	Size	MOQ	Group	Part No.
HAWK PIPE WRENCH	10"	1	C	70168R
HAWK PIPE WRENCH	14"	1	C	70169R

ADJUSTABLE WIDE JAW WRENCHES

Hot forged from chrome vanadium steel to industrial standard specifications. This wrench has a smooth, accurate size adjustment. Nonslip ergonomic soft grip handles deliver a positive grip during use. They are supplied with removable soft-grip jaw protectors which prevent damaging chrome or polished surfaces



Product Name	Size	MOQ	Group	Part No.
ADJUSTABLE WIDE JAW WRENCH	4"	1	D	70465R
ADJUSTABLE WIDE JAW WRENCH (C/W SOFT JAW PROTECTORS)	6"	1	D	70459
ADJUSTABLE WIDE JAW WRENCH (C/W SOFT JAW PROTECTORS)	8"	1	D	70460R
ADJUSTABLE WIDE JAW WRENCH (C/W SOFT JAW PROTECTORS)	10"	1	D	70461
REPLACEMENT JAW PROTECTORS (PAIR)	FOR 6" ADJUSTABLE WIDE JAW WRENCH	1	D	19766
REPLACEMENT JAW PROTECTORS (PAIR)	FOR 8" ADJUSTABLE WIDE JAW WRENCH	1	D	19767
REPLACEMENT JAW PROTECTORS (PAIR)	FOR 10" ADJUSTABLE WIDE JAW WRENCH	1	D	19768

STRAP WRENCHES

High strength aluminium alloy construction with replaceable nylon strap for positive grip without marking surfaces.



Product Name	Size	MOQ	Group	Part No.
STRAP WRENCH	1/8"-3"	1	C	70240
STRAP WRENCH	1/8"-8"	1	C	70241

EASYGRIP STRAP WRENCH

Automatic strap wrench with quick release ratchet grips pipe tightly in V block without distortion to the pipe.



Product Name	Size	MOQ	Group	Part No.
EASYGRIP STRAP WRENCH	20-160MM	1	C	55075

TONGUE CHAIN WRENCHES

Designed for the most demanding jobs.



Product Name	Size	MOQ	Group	Part No.
HEAVY DUTY TONGUE CHAIN WRENCH	1.1/2"	1	C	70242
HEAVY DUTY TONGUE CHAIN WRENCH	2.1/2"	1	C	70243
HEAVY DUTY TONGUE CHAIN WRENCH	4"	1	C	70244
HEAVY DUTY TONGUE CHAIN WRENCH	6"	1	C	70245
HEAVY DUTY TONGUE CHAIN WRENCH	8"	1	C	70246
HEAVY DUTY TONGUE CHAIN WRENCH	12"	1	C	70247

REVERSIBLE CHAIN WRENCH

High strength positive grip for tightening and loosening without removal of chain.



Product Name	Size	MOQ	Group	Part No.
REVERSIBLE CHAIN WRENCH	4"	1	C	70235

ADJUSTABLE WRENCHES IN CHROME VANADIUM

Chrome vanadium steel with chrome plated finish. Positive location and precision manufactured for ease of use and long working life.



Product Name	Size	MOQ	Group	Part No.
ADJUSTABLE WRENCH IN CHROME VANADIUM	6"	1	C	70441
ADJUSTABLE WRENCH IN CHROME VANADIUM	8"	1	C	70442
ADJUSTABLE WRENCH IN CHROME VANADIUM	10"	1	C	70443
ADJUSTABLE WRENCH IN CHROME VANADIUM	12"	1	C	70444
ADJUSTABLE WRENCH IN CHROME VANADIUM	15"	1	C	70445

ELECTRICAL PLIERS RANGE

All new range of professional electrical pliers and wire cutters which have been certified to EN/IEC 60900 and tested to 1000v. These precision pliers are manufactured from oil hardened tool steel and have forged steel jaws. A titanium coating protects against corrosion, increasing the life of the tool. All pliers are supplied with 2 colour soft-grip, non-slip insulated handles with built-in tool lanyard hooks. Wave profile blade provides anti-slip on wire. Cutting range for soft wire 6mm Ø.

ELECTRICAL COMBINATION PLIERS (180MM)



Product Name	MOQ	Group	Part No.
ELECTRICAL COMBINATION PLIERS	1	C	1500003163

ELECTRICAL SIDE CUTTER (SMALL, 160MM)



Product Name	MOQ	Group	Part No.
ELECTRICAL SIDE CUTTER	1	C	1500003164

ELECTRICAL POWER EDGE WIRE CUTTER (LARGE, 200MM)



Product Name	MOQ	Group	Part No.
ELECTRICAL POWER EDGE WIRE CUTTER	1	C	1500003166

MULTI INSULATION ELECTRICAL WIRE STRIPPERS (180MM)



Product Name	MOQ	Group	Part No.
MULTI INSULATION ELECTRICAL WIRE STRIPPERS	1	C	1500003167

ELECTRICAL LONG NOSE PLIERS (200MM)



Product Name	MOQ	Group	Part No.
ELECTRICAL LONG NOSE PLIERS	1	C	1500003168

ERGONOMIC ELECTRICAL LONG NOSED PLIERS (200MM)



Product Name	MOQ	Group	Part No.
ERGONOMIC ELECTRICAL LONG NOSED PLIERS	1	C	1500003169



E-DETECTOR (90-1000V)

Contactless voltage detector that clips onto the handle of all the ROTHENBERGER electrical pliers via the lanyard hooks. Simply switch the unit on and a clear, white LED will light up, illuminating the workspace. Move the handle of the plier towards the area to be tested and if a live current of between 90-1,000v is detected, two red LED's will illuminate.

NOTE: The E-Detector is ideal for visual testing, but for verification of a live-circuit a 2 pole voltage tester (in accordance with EN6 1243-3) should be used.



Product Name	MOQ	Group	Part No.
E-DETECTOR (90-1000V)	1	D	1500003374

OLIVE SPLITTERS

No more costly damage to pipes. The ROTHENBERGER 15mm Olive Splitter's high-leverage design makes for easy operation and minimal exertion. More reliable and accurate than a hacksaw or olive puller. The pliers multiply your hand force by 15 resulting in less cutting effort and with a reliable return-spring handle action.

Featuring high-quality steel cutting blades, hardened and tempered to HRC 45 for a long-lasting and reliable sharp edge. Zinc-plated handles with soft plastic grips make for added comfort and ease of use. A must-have time and money saving tool.



Fast, Reliable
Damage free

Made to last
With a robust construction and rust-proof

Easy to use
Remove a compression olive, ring of ferrule without damaging the pipe.

Multiplies hand force
15 times more force for less cutting effort

Product Name	Size	MOQ	Group	Part No.
OLIVE SPLITTER	15MM	1	D	1500004657
OLIVE SPLITTER	22MM	1	D	1500004658

MONOBLOCK TAP SPANNER SET

Designed solely for use on tap monoblocks, with a brushed chrome finish.



Product Name	MOQ	Group	Part No.
MONOBLOCK TAP SPANNER SET	1	C	80000

TAP BACKNUT SPANNER

Fits most 1/2" & 3/4" backnuts. Made from zinc plated steel with holes for a tommy bar.



Product Name	Size	MOQ	Group	Part No.
TAP BACKNUT SPANNER	1/2" & 3/4"	1	C	80001R

**CRANKED RING
IMMERSION HEATER
SPANNER**

A solid one piece construction ensures this cranked ring immersion heater spanner is strong and durable.



Product Name	Size	MOQ	Group	Part No.
IMMERSION HEATER SPANNER	3.3/8"	1	C	80101M

**BOX IMMERSION HEATER
SPANNER**

A solid one piece construction ensures this box immersion heater spanner is strong and durable, with room for a tommy bar.



Product Name	Size	MOQ	Group	Part No.
BOX IMMERSION HEATER SPANNER	3.3/8"	1	C	80735

**GAS METER
BOX KEY**

Chrome-finished gas meter key.



Product Name	MOQ	Group	Part No.
GAS METER BOX KEY CHROME FINISH	1	D	67072

RADIATOR SPANNERS

Designed with grooves in one end for internal lug valves and the other end as an air vent key.



Product Name	Size	MOQ	Group	Part No.
RADIATOR SPANNER NO.1	1/2"	1	C	80102
RADIATOR SPANNER NO.2	12MM	1	C	80105

**HEAVY DUTY MANHOLE
KEYS**



Product Name	Size	MOQ	Group	Part No.
T PATTERN MANHOLE KEY		1	D	67027
D PATTERN MANHOLE KEY		1	D	67028
D PATTERN MANHOLE KEY EXTENDED	520MM	1	D	67080

**RADIATOR CLOCK TYPE
BRASS AIR BLEED KEY**



Product Name	Size	MOQ	Group	Part No.
RADIATOR AIR BLEED KEY	PACK OF 2	1	C	80107

**COMPRESSION NUT
SPANNER**

Compression nut spanner is designed to fit 15-22mm compression nuts.



Product Name	Size	MOQ	Group	Part No.
COMPRESSION NUT SPANNER	15 & 22MM	1	C	80005

**BRASS MULTI-PURPOSE 4
WAY KEY**

A key for electric meter boxes, drain off valves and lock shield radiator valves. Solid brass construction.



Product Name	MOQ	Group	Part No.
BRASS MULTI-PURPOSE 4 WAY KEY	1	C	80002

**CROWFOOT PATTERN
BASIN WRENCH**


Cast steel machined crowfoot pattern wrench to fit most taps.



Product Name	Size	MOQ	Group	Part No.
CROWFOOT BASIN WRENCH	1/2"-3/4"	1	C	80162

**UNIVERSAL
STOP COCK KEYS**

These stop cock keys have a long handle for reaching through tight spaces, and a solid construction.



Product Name	Size	MOQ	Group	Part No.
UNIVERSAL 4-IN-1 STOP COCK KEY	36"	1	D	67057
UNIVERSAL 4-IN-1 STOP COCK KEY	42"	1	D	67058
UNIVERSAL 5-IN-1 STOP COCK KEY	34"	1	D	67040
UNIVERSAL 5-IN-1 STOP COCK KEY	42"	1	D	67047

TELESCOPIC SPRING LOADED BASIN WRENCH (32MM)

The Telescopic Basin Wrench has a telescopic spring loaded action, with a self locating hook and 4 length adjustments.



Product Name	Size	MOQ	Group	Part No.
TELESCOPIC SPRING LOADED BASIN WRENCH	32MM	1	C	70225

STANDARD SPRING LOADED BASIN WRENCH (32MM)

With self-locking hook for any sizes 3/8" to 1 1/4.



Product Name	Size	MOQ	Group	Part No.
STANDARD BASIN WRENCH	32MM	1	C	1090100

SLIMLINE JAW BASIN WRENCH

A basin nut wrench suitable for tightening and loosening screw-nuts with diameters between 10 and 32mm in confined spaces.



Product Name	Size	MOQ	Group	Part No.
SLIMLINE JAW BASIN WRENCH	32MM	1	C	70228

UNI-SPANNER SET WITH RATCHET HANDLE

Can be used to install and remove heating nipples, tank connections, and short tap extensions. A special stepped key design prevents canting of nipples and screw connections. This kit is versatile and can be used for many applications

(Cam, international hexagonal, and 12-edged driver; size 3/8",1/2", 3/4", 1" and other intermediate sizes).



Product Name	MOQ	Group	Part No.
UNI-SPANNER SET WITH RATCHET HANDLE	1	C	73297

TAPE MEASURE

Metric and imperial graduations with tough black ABS casing.



Product Name	Size	MOQ	Group	Part No.
TAPE MEASURE	5M	1	C	88819E

BUNGEE CORDS

Pack of 2 elasticated colour coded bungee cords.



Product Name	Size	MOQ	Group	Part No.
BUNGEE CORDS 48"	PACK OF 2	1	C	88873
BUNGEE CORDS 60"	PACK OF 2	1	C	88874

PLUMB TUB

Fits 10-12-15-22mm pipe. Holds 1.4 litres of water and locks firmly around pipes.



Product Name	Size	MOQ	Group	Part No.
PLUMB TUB	1.4L	1	D	1500004299

VDE INSULATED SCREWDRIVER SET

7 pce VDE Insulated Screwdriver Set (1000v rated) comprising:
2.5 x 75mm Slotted
4.0 x 100mm Slotted
5.5 x 125mm Slotted
6.5 x 150mm Slotted
No.1 Phillips x 80mm (PH1)
No.2 Phillips x 80mm (PH2)
3.0 x 140mm Mains Tester



Product Name	MOQ	Group	Part No.
VDE INSULATED SCREWDRIVER SET (7 PIECE)	1	C	323126

EUROLINE SCREWDRIVER SET 6 PIECE (WITH POZIDRIVE)

6 pce Euroline Screwdriver Set comprising:
5.5 x 125mm Slotted
6.5 x 150mm Slotted
3.5 x 75mm Electricians
4.0 x 100mm Electricians
No.1 Pozidrive x 100mm (PZ1)
No.2 Pozidrive x 125mm (PZ2)



Product Name	MOQ	Group	Part No.
EUROLINE SCREWDRIVER SET 6 PIECE (POZIDRIVE)	1	C	73571

EUROLINE SCREWDRIVER SET 6 PIECE
(WITH PHILLIPS)

6 pce Euroline Screwdriver Set comprising:
5.5 x 125mm Slotted
6.5 x 150mm Slotted
3.5 x 75mm Electricians
4.0 x 100mm Electricians
No.1 Phillips x 100mm (PH1)
No.2 Phillips x 125mm (PH2)



Product Name	MOQ	Group	Part No.
EUROLINE SCREWDRIVER SET 6 PIECE (PHILLIPS)	1	C	73570

LONG REACH SCREWDRIVER SET

Set of 2 Long reach screwdrivers ideal for boiler panel screws. Chrome vanadium 300mm steel blades with dual grip colour coded handles.



Product Name	MOQ	Group	Part No.
LONG REACH SCREWDRIVERS (SET OF 2)	1	C	80006

MAINS TESTER
SCREWDRIVER

Pocket sized neon mains tester for clear and safe indication of mains power.



Product Name	MOQ	Group	Part No.
MAINS TESTER SCREWDRIVER	1	C	80018

STANDARD MASONRY DRILL BITS

Fully tempered and hardened with long-life carbide tips.



Product Name	Size	MOQ	Group	Part No.
STANDARD MASONRY DRILL	5.0MM X 150MM	1	C	88846
STANDARD MASONRY DRILL	5.5MM X 150MM	1	C	88847
STANDARD MASONRY DRILL	6.5MM X 150MM	1	C	88848
STANDARD MASONRY DRILL	7.0MM X 150MM	1	C	173206UK
STANDARD MASONRY DRILL	6.5MM X 400MM	1	C	88852

SDS DRILL BITS

Fully tempered and hardened with long-life carbide tips.
With SDS+ connection.



MEDIUM - 210MM

SHORT - 160MM

Product Name	MOQ	Grp.	Part No.
SDS BIT 5.5 X 160 MM	1	C	1500004805
SDS BIT 6 X 160 MM	1	C	1500004255
SDS BIT 6.5 X 160 MM	1	C	1500004806
SDS BIT 7 X 160 MM	1	C	1500004807
SDS BIT 8 X 160 MM	1	C	1500004808
SDS BIT 10 X 160 MM	1	C	1500004809

Product Name	MOQ	Grp.	Part No.
SDS BIT 6 X 210 MM	1	C	1500004810
SDS BIT 6.5 X 210 MM	1	C	1500004811
SDS BIT 7 X 210 MM	1	C	1500004812
SDS BIT 8 X 210 MM	1	C	1500004813
SDS BIT 10 X 210 MM	1	C	1500004814
SDS BIT 12 X 210 MM	1	C	1500004815
SDS BIT 14 X 210 MM	1	C	1500004816
SDS BIT 16 X 210 MM	1	C	1500004817

LONG - 460MM

Product Name	MOQ	Grp.	Part No.
SDS BIT 12 X 460 MM	1	C	1500004840
SDS BIT 14 X 460 MM	1	C	1500004841
SDS BIT 18 X 460 MM	1	C	1500004842
SDS BIT 25 X 460 MM	1	C	1500004843

FLAT WOOD BIT

Fast, clean cutting high speed flat wood bits suitable for use with high speed electric drills.



Product Name	Size	MOQ	Group	Part No.
FLAT WOOD BIT	10MM	1	C	88825
FLAT WOOD BIT	16MM	1	C	88827
FLAT WOOD BIT	19MM	1	C	88828
FLAT WOOD BIT	22MM	1	C	88829
FLAT WOOD BIT	25MM	1	C	88830M


SDS-PLUS CHISEL



Product Name	Size	MOQ	Group	Part No.
SDS-PLUS CHISEL	20 X 250 MM	1	C	1500004818

SHEET METAL UNIDRILL HSSE

Ideal for centring, spot drilling, re-boring, and deburring sheet metal.



STEPPED UNIDRILLS

Ideal for centring, spot drilling, re-boring, and deburring sheet metal.




Product Name	Size	MOQ	Group	Part No.
SHEET METAL UNIDRILL HSSE, SIZE 2	5-20MM	1	C	21542
SHEET METAL UNIDRILL HSSE, SIZE 3	16-30.5MM	1	C	21543
SHEET METAL UNIDRILL HSSE, SIZE 4	24-40MM	1	C	21544

Product Name	Size	MOQ	Group	Part No.
STEPPED UNIDRILL, SIZE 0, 19 STEPS	4-12MM	1	C	21305
STEPPED UNIDRILL, SIZE 1, 9 STEPS	4-20MM	1	C	21306
STEPPED UNIDRILL, SIZE 2, 14 STEPS	4-30MM	1	C	21307
STEPPED UNIDRILL, SIZE 3, 12 STEPS	6-38MM	1	C	21308
STEPPED UNIDRILL, SIZE 4, 8 STEPS	6-26.75MM	1	C	21309
STEPPED UNIDRILL, SIZE 5, 13 STEPS	4-39MM	1	C	21310

PROFESSIONAL HOLE SAW SET
19, 22, 29, 38, 44, 57MM

Professional Holecut Saw Set complete with Saws for 19-22-29-38-44-57mm, Arbor No.A1, Arbor No.A2



Product Name	Size	MOQ	Group	Part No.
PLUMBERS HOLE SAW KIT	19, 22, 29, 38, 44, 57MM	1	C	114202R
ARBOR NO.1/A1 (HEX SHANK)	FOR 14-30MM HOLE SAWS	1	C	1500004857
ARBOR NO.1/A1 (SDS SHANK)	FOR 14-30MM HOLE SAWS	1	C	1500004738
ARBOR NO.1/A1 EXTENSION ROD	300MM	1	C	1500005104
ARBOR NO.2/A2 (HEX SHANK)	FOR 32-152MM HOLE SAWS	1	C	1500004858
ARBOR NO.2/A2 (SDS SHANK)	FOR 32-152MM HOLE SAWS	1	C	1500004739
ARBOR NO.2/A2 EXTENSION ROD	300MM	1	C	1500004740
REPLACEMENT PILOT DRILL	6.35X75MM	1	C	1500004859

INDIVIDUAL HOLE CUTTERS

Product Name	Size	MOQ	Group	Part No.
HSS BI-METAL HOLE CUT SAW	16MM, 5/8"	1	C	114016
HSS BI-METAL HOLE CUT SAW	20MM	1	C	1500004864
HSS BI-METAL HOLE CUT SAW	21MM, 13/16"	1	C	114021
HSS BI-METAL HOLE CUT SAW	22MM	1	C	1500004844
HSS BI-METAL HOLE CUT SAW	24MM, 15/16"	1	C	114024
HSS BI-METAL HOLE CUT SAW	25MM	1	C	1500004845
HSS BI-METAL HOLE CUT SAW	27MM, 11/16"	1	C	114027
HSS BI-METAL HOLE CUT SAW	29MM	1	C	1500004820
HSS BI-METAL HOLE CUT SAW	30MM, 13/16"	1	C	114030
HSS BI-METAL HOLE CUT SAW	32MM	1	C	1500004846
HSS BI-METAL HOLE CUT SAW	35MM	1	C	1500004865
HSS BI-METAL HOLE CUT SAW	37MM, 1.7/16"	1	C	114037
HSS BI-METAL HOLE CUT SAW	38MM	1	C	1500004847
HSS BI-METAL HOLE CUT SAW	40MM	1	C	1500004821
HSS BI-METAL HOLE CUT SAW	41MM, 1.5/8"	1	C	114041
HSS BI-METAL HOLE CUT SAW	43MM, 1.11/16"	1	C	114043
HSS BI-METAL HOLE CUT SAW	44MM	1	C	1500004848
HSS BI-METAL HOLE CUT SAW	46MM, 1.13/16"	1	C	114046
HSS BI-METAL HOLE CUT SAW	48MM, 1.7/8"	1	C	114048
HSS BI-METAL HOLE CUT SAW	51MM	1	C	1500004849
HSS BI-METAL HOLE CUT SAW	54MM	1	C	1500004850
HSS BI-METAL HOLE CUT SAW	57MM	1	C	1500004822
HSS BI-METAL HOLE CUT SAW	60MM	1	C	1500004851
HSS BI-METAL HOLE CUT SAW	64MM	1	C	1500004852
HSS BI-METAL HOLE CUT SAW	65MM, 2.9/16"	1	C	114065
HSS BI-METAL HOLE CUT SAW	67MM, 2.5/8"	1	C	114067
HSS BI-METAL HOLE CUT SAW	70MM	1	C	1500004853
HSS BI-METAL HOLE CUT SAW	76MM	1	C	1500004854
HSS BI-METAL HOLE CUT SAW	102MM	1	C	1500004855
HSS BI-METAL HOLE CUT SAW	114MM	1	C	1500004856
HSS BI-METAL HOLE CUT SAW	127MM	1	C	1500004866
HSS BI-METAL HOLE CUT SAW	152MM	1	C	1500004737

SELF COOLING DIAMOND
TILE DRILL BITS

Filled with a lubricating wax. During drilling the leading edge of the wax melts and self cools the diamonds.



Product Name	Size	MOQ	Group	Part No.
SELF COOLING DIAMOND TILE SET	6, 7, 10MM	1	D	89099
SELF COOLING DIAMOND TILE BIT	6 X 70 MM	1	D	89096
SELF COOLING DIAMOND TILE BIT	7 X 70 MM	1	D	89097
SELF COOLING DIAMOND TILE BIT	8 X 70 MM	1	D	1500004823
SELF COOLING DIAMOND TILE BIT	10 X 80 MM	1	D	89098
SELF COOLING DIAMOND TILE BIT	13 X 80 MM	1	D	1500004825
DIAMOND TILE BIT	16 X 80 MM	1	D	1500004826
DIAMOND TILE BIT	25 X 80 MM	1	D	89087

DIAMOND TILE DRILL
BITS

The perfect solution for drilling all types of tile including: porcelain, granite, marble, ceramic, slate, quarry etc.



Product Name	Size	MOQ	Group	Part No.
DIAMOND TILE DRILL BIT	5MM	1	D	89080
DIAMOND TILE DRILL BIT	6MM	1	D	89081
DIAMOND TILE DRILL BIT	7MM	1	D	89082
DIAMOND TILE DRILL BIT	8MM	1	D	89083
DIAMOND TILE DRILL BIT	10MM	1	D	89084
DIAMOND TILE DRILL BIT	12MM	1	D	89085
DIAMOND TILE DRILL BIT	20MM	1	D	89086
DIAMOND TILE DRILL BIT	25MM	1	D	89087

DRY DIAMOND CORE DRILL SET
42, 52, 65, 117, 127MM

Set incorporates the most commonly used plumbing and general building sizes, ideal for hand basin waste overflows, shower and bath waste pipe, tumble dryer vents and boiler flues. Set Comprises:
 42-52-65-117-127mm cores
 3 Jaw Chuck Adaptor
 3 Jaw 200mm Extension
 SDS Chuck Adaptor
 SDS 200mm Extension
 A-Taper Guide Rod
 Drift Key Lockable Aluminium Tool Case

1/2" Thread Connection

1/2" BSP female thread accepts all makes of dry core accessories.

Dust Removal

Developed for the UK


Diamond segment bond developed exclusively for UK building materials.



Product Name	Size	MOQ	Group	Part No.
DRY DIAMOND CORE DRILL SET	42, 52, 65, 117, 127MM	1	A	89020


DRY DIAMOND CORE DRILLS

Can be used with any standard or rotary SDS electric drill. All core bits have a 1/2" BSP female thread and a full 7mm diamond segment height.



Product Name	Size	MOQ	Group	Part No.
DRY DIAMOND CORE DRILL	22MM x 300MM	1	D	89000
DRY DIAMOND CORE DRILL	28MM x 300MM	1	D	89001R
DRY DIAMOND CORE DRILL	38MM x 150MM	1	D	89003R
DRY DIAMOND CORE DRILL	42MM x 150MM	1	D	89002
DRY DIAMOND CORE DRILL	52MM x 150MM	1	D	89004R
DRY DIAMOND CORE DRILL	65MM x 150MM	1	D	89005R
DRY DIAMOND CORE DRILL	78MM x 150MM	1	D	89006R
DRY DIAMOND CORE DRILL	107MM x 150MM	1	D	89007R
DRY DIAMOND CORE DRILL	117MM x 150MM	1	D	89008
DRY DIAMOND CORE DRILL	127MM x 150MM	1	D	89009
DRY DIAMOND CORE DRILL	152MM x 150MM	1	D	89010

DRY DIAMOND CORE DRILL SET
SPARE PARTS



A STANDARD 13MM
3-JAW CHUCK ADAPTOR

Replacement part for the diamond core drill set. Benefits from high-quality manufacture for long-term reliability.



Product Name	MOQ	Group	Part No.
STANDARD 13MM 3-JAW CHUCK ADAPTOR	1	D	89012

B SDS+ CHUCK ADAPTOR
CORES 32-158MM



Product Name	MOQ	Group	Part No.
SDS+ CHUCK ADAPTOR	1	D	89014

C CENTERING ROD
FOR CORE DRILLS

Replacement part for the diamond core drill set.



Product Name	MOQ	Group	Part No.
CENTERING ROD FOR CORE DRILLS	1	D	89015

D DRY DRILLING EXTENSION
ROD HEX

Replacement part for the diamond core drill set, benefiting from high-quality manufacture for long-term reliability



Product Name	MOQ	Group	Part No.
DRY DRILLING EXTENSION ROD 250MM (STANDARD)	1	D	89017

E A-TAPER MASONRY
PILOT DRILL (10 X 200MM)

Replacement part for the diamond core drill set.



Product Name	Size	MOQ	Group	Part No.
A-TAPER MASONRY PILOT DRILL	10 X 200MM	1	D	89021

F DRY DRILLING EXTENSION
ROD SDS

Replacement part for the diamond core drill set, benefiting from high-quality manufacture for long-term reliability.



Product Name	MOQ	Group	Part No.
DRY DRILLING EXTENSION ROD 250MM (SDS)	1	D	89019

G SDS FITTING FOR
CORE DRILLS

Replacement part for the diamond core drill set.



Product Name	MOQ	Group	Part No.
SDS FITTING FOR CORE DRILLS	1	D	89016

H DRY DRILLING EXTENSION
ROD

Used for extending the drilling depth of dry diamond cores.
Connects to hexagonal and SDS Plus dry diamond core adaptors. Made from premium grade steel and plated for high strength. 1/2" FEMALE TO 1/2" MALE



Product Name	MOQ	Group	Part No.
DRY DRILLING EXTENSION ROD 250MM	1	D	1500004741

ROLOCK EXPANDER POWER TORQUE

For efficient, fitting-free installation of pipes in sanitary heating, gas, refrigeration and air-conditioning systems.



TUBE EXPANDER HEAD



ROLOCK EXPANDER HEAD



Product Name	Size	Cu	Al	Fe	INOX	Flare Depth	MOQ	Group	Part No.
ROLOCK EXPANDER POWER TORQUE TOOL							1	A	12400
ROLOCK EXPANDER POWER TORQUE SET	15-22-28mm						1	A	12527
ROLOCK EXPANDER POWER TORQUE SET	3/8-1/2-5/8-3/4-7/8-1.1/8"						1	A	12518
ROLOCK EXPANDER HEAD	15MM	1.2	1.2	1.2	1.0	15.5	1	A	12415
ROLOCK EXPANDER HEAD	22MM	1.2	1.5	1.5	1.0	20.5	1	A	12422
ROLOCK EXPANDER HEAD	28MM	1.5	1.5	1.5		18.5	1	A	12428
TUBE EXPANDER HEAD	8MM	1.0	1.0	1.0	1.0	6.0	1	A	11008
TUBE EXPANDER HEAD	10MM	1.0	1.0	1.0	1.0	10.0	1	A	11010
TUBE EXPANDER HEAD	12MM	1.2	1.2	1.2	1.0	12.6	1	A	11012
TUBE EXPANDER HEAD	15MM	1.2	1.2	1.2	1.0	12.6	1	A	11015
TUBE EXPANDER HEAD	22MM	1.2	1.5	1.5	1.0	20.5	1	A	11022
TUBE EXPANDER HEAD	28 MM	1.5	1.5	1.5		18.5	1	A	11028
TUBE EXPANDER HEAD	(1.3/8" O.D, 35 MM)	1.5				19.5	1	A	11035
TUBE EXPANDER HEAD	42MM	1.5				19.5	1	A	11042
TUBE EXPANDER HEAD	3/8" O.D.	1.0	1.0	1.0	1.0	7.4	1	A	11052
TUBE EXPANDER HEAD	1/2" O.D.	1.2	1.2	1.2	1.0	7.4	1	A	11053
TUBE EXPANDER HEAD	5/8" O.D.	1.2	1.2	1.2	1.0	14.0	1	A	11054
TUBE EXPANDER HEAD	3/4" O.D.	1.2	1.2	1.2	1.0	18.1	1	A	11055
TUBE EXPANDER HEAD	7/8" O.D.	1.2	1.2	1.2	1.0	18.0	1	A	11056
TUBE EXPANDER HEAD	1.1/8" O.D.	1.6	1.6	1.6		17.0	1	A	11058
TUBE EXPANDER HEAD	1.5/8" O.D.	1.6				17.5	1	A	11062

TUBE EXPANDER TOOL

For precision capillary joints in larger size copper tube.



Product Name	Size	MOQ	Group	Part No.
TUBE EXPANDER TOOL MODEL A1	35-108MM	1	B	11087
TUBE EXPANDER TOOL MODEL A1	1.3/8"-2.5/8"	1	B	11078
RATCHET HANDLE		1	B	27181

TUBE EXTRACTOR

Precision capillary tee forming tool for the production of end feed solder joints in copper tube in almost any position without fittings. Joints conform to most UK, and international standards when used with lead free hard solders. All sets are complete with a steel case.



Product Name	Size	MOQ	Group	Part No.
TUBE EXTRACTOR SET	15, 22, 28MM	1	A	22127
TUBE EXTRACTOR SET	1/2", 5/8", 7/8", 1.1/8" O.D.	1	A	22124
TUBE EXTRACTOR HEAD	10MM	1	A	22010
TUBE EXTRACTOR HEAD	12MM	1	A	22012
TUBE EXTRACTOR HEAD	15MM	1	A	22015
TUBE EXTRACTOR HEAD	22MM	1	A	22022
TUBE EXTRACTOR HEAD	28MM	1	A	22028
TUBE EXTRACTOR HEAD	35MM	1	A	22035
TUBE EXTRACTOR HEAD	42MM	1	A	22042
TUBE EXTRACTOR HEAD	3/8" O.D.	1	A	22060
TUBE EXTRACTOR HEAD	1/2" O.D.	1	A	22061
TUBE EXTRACTOR HEAD	5/8" O.D.	1	A	22016
TUBE EXTRACTOR HEAD	7/8" O.D.	1	A	22063
TUBE EXTRACTOR HEAD	1.5/8" O.D.	1	A	22068

ROBEND 4000 E

Ideal for those working in the plumbing, refrigeration, and air conditioning sectors, the ROTHENBERGER Robend 4000 E Cordless Pipe Bender can bend copper, stainless steel, carbon steel, and multi-layer composite pipes up to 180°. Patented ROLUB technology delivers better gliding of the bending shoe ensuring deformation and ripple free bending.

Curved ROLUB Bending shoe

Bending without deformation or ripples due to less friction



Powerful 18V battery

For up to 60 bends (28 mm x 1.5 mm copper pipe)



Lever for forward and fast backward gear

For faster working



Forged aluminium segments

Stable bending segments with bending angle scale

TRIPOD INCLUDED*

Product Name	Size	MOQ	Group	Part No.
ROBEND 4000 E BASE MACHINE (WITHOUT BATTERY & CHARGER) AMPShare*		1	B	1000004190
ROBEND 4000 E SET, C/W BATTERY, CHARGER & 15-22-28MM BENDING SET AMPShare*		1	B	1000004194
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	15mm	1	B	25615
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	22mm	1	B	25622
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	28mm	1	B	25628
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	35mm	1	B	1000001563
PLASTIC GUIDE SHOE	15MM	1	B	1300006642
PLASTIC GUIDE SHOE	22MM	1	B	762032100
PLASTIC GUIDE SHOE	28MM	1	B	1200003871
PLASTIC GUIDE SHOE	35MM	1	B	1200003870
TRIPOD EXTENSION POLE		1	B	1000005331



CAS battery platform equivalent listed at the back of the brochure

ROBEND 4000

Ideal for those working in the plumbing, refrigeration, and air conditioning sectors, the Rothenberger Robend 4000 E Cordless Pipe Bender can bend copper, stainless steel, carbon steel, and multi-layer composite pipes up to 180°. Patented ROLUB technology delivers better gliding of the bending shoe ensuring deformation and ripple free bending.



Product Name	Size	MOQ	Group	Part No.
ROBEND 4000 ELECTRIC TUBE BENDER 110V		1	B	1000001555
ROBEND 4000 ELECTRIC TUBE BENDER 240V		1	B	1000001550
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	12MM	1	B	25612
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	15MM MPS-S	1	B	25615
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	16MM	1	B	25616
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	18MM	1	B	25618
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	20MM	1	B	25620
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	22MM MPS-S	1	B	25622
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	28MM MPS-S	1	B	25628
ROBEND 4000 ADDITIONAL FORMER & GUIDE SET	32MM	1	B	25666

MICROBENDER

Compact precision pipe bender for micro-bore bending up to 180°.



Product Name	Size	MOQ	Group	Part No.
MICROBENDER (PLUMBING)	6, 8, 10MM	1	C	25150
MICROBENDER (REFRIGERATION)	1/4", 5/16", 3/8" O.D.	1	C	25151

UNIVERSAL TUBE BENDER

Installers in the plumbing, heating and air conditioning sector can use the Standard Bender for bending copper, aluminium and precision steel pipes up to 180°.



Product Name	Size	MOQ	Group	Part No.
UNIVERSAL TUBE BENDER	6MM, 1/4" O.D.	1	C	25130
UNIVERSAL TUBE BENDER	8MM, 5/16" O.D.	1	C	25131
UNIVERSAL TUBE BENDER	10MM, 3/8" O.D.	1	C	25132
UNIVERSAL TUBE BENDER	12MM, 1/2" O.D.	1	C	25133

MULTIBENDER

This portable pipe bender is perfect for bending copper or light grade stainless steel pipe. Every bender is supplied with the matching appropriate guides.



Product Name	Size	MOQ	Group	Part No.
MULTIBENDER	15MM & 22MM	1	D	80280
MULTIBENDER	1/2", 5/8", 3/4" & 7/8" O. D.	1	A	90614
MULTIBENDER	1/2", 3/4"	1	C	80164
MULTIBENDER REPLACEMENT FORMER	15MM, 1/2" IRISH	1	C	80182
MULTIBENDER REPLACEMENT FORMER	22MM, 3/4" IRISH	1	C	80232
MULTIBENDER REPLACEMENT FORMERS	1/2", 5/8" O.D.	1	C	90615
MULTIBENDER REPLACEMENT FORMERS	3/4", 7/8" O.D.	1	C	90616
MULTIBENDER REPLACEMENT GUIDES	15MM, 1/2" IRISH	1	C	80175
MULTIBENDER REPLACEMENT GUIDES	22MM	1	C	80178
MULTIBENDER REPLACEMENT GUIDES	1/2" O.D.	1	C	81015M
MULTIBENDER REPLACEMENT GUIDES	3/4" IRISH	1	C	80292
MULTIBENDER REPLACEMENT GUIDES	5/8" O.D.	1	C	90617
MULTIBENDER REPLACEMENT GUIDES	3/4" O.D.	1	C	90618
MULTIBENDER REPLACEMENT GUIDES	7/8" O.D.	1	C	90619
MULTIBENDER TUBE STOP HOOK		1	C	80330
MULTIBENDER STOP HOOK BOLT		1	C	80344
REPLACEMENT ROLLER		1	C	80355
REPLACEMENT ROLLER BOLT		1	C	80357
ZIPPED BENDER/TOOL BAG	36"	1	D	88833R

MAXIBENDER

Ratchet action tube bender for precision 90° bends in soft rolled copper.



Product Name	Size	MOQ	Group	Part No.
MAXIBENDER SET	3/8", 1/2", 5/8", 3/4", 7/8" O.D.	1	A	023022X
MAXIBENDER SET PL32	16, 20, 26, 32MM	1	A	766111016
MAXIBENDER SET PL32	16, 20, 25, 32MM	1	A	766110416

INTERNAL BENDING SPRINGS

High-grade springs for bending copper tube.



Product Name	Size	MOQ	Group	Part No.
INTERNAL BENDING SPRINGS	15MM	1	C	80022
INTERNAL BENDING SPRINGS	22MM	1	C	80023

ROBULL HYDRAULIC BENDER

Heavy-duty, compact hydraulic bender with 15-tonne pressure ram and automatic piston return. All bender sets are fully equipped and complete with heavy-duty carrying case (Tripod stand optional).



Product Name	Size	MOQ	Group	Part No.
ROBULL HYDRAULIC BENDER SET	3/8"-2"	1	B	057961X
ROBULL ELECTRO-HYDRAULIC BENDER SET 230V	3/8"-2"	1	B	057972X

ROBULL ACCESSORIES

Product Name	Size	MOQ	Group	Part No.
ROBULL TRIPOD STAND		1	B	58182
ROBULL REPLACEMENT FORMER	3/8"	1	B	57985
ROBULL REPLACEMENT FORMER	1/2"	1	B	57986
ROBULL REPLACEMENT FORMER	3/4"	1	B	57987
ROBULL REPLACEMENT FORMER	1"	1	B	57988
ROBULL REPLACEMENT FORMER	1.1/4"	1	B	57989
ROBULL REPLACEMENT FORMER	1.1/2"	1	B	57990
ROBULL REPLACEMENT FORMER	2"	1	B	57991
ROBULL HYDRAULIC OIL	1LTR	1	B	58185
REPLACEMENT SEAL KIT		1	B	777015200

ROBEND H & W PLUS TUBE BENDER

Individual precision tight radius 180° benders for soft copper and many other tube materials including thin wall stainless steel.



Product Name	Size	MOQ	Group	Part No.
ROBEND H & W PLUS TUBE BENDER	8MM	1	A	24508
ROBEND H & W PLUS TUBE BENDER	10MM	1	A	24510
ROBEND H & W PLUS TUBE BENDER	12MM	1	A	24512
ROBEND H & W PLUS TUBE BENDER	15MM	1	A	24515
ROBEND H & W PLUS TUBE BENDER	22MM, 7/8" O.D.	1	A	24522
ROBEND H & W PLUS TUBE BENDER	3/8" O.D.	1	A	24551
ROBEND H & W PLUS TUBE BENDER	1/2" O.D.	1	A	24552
ROBEND H & W PLUS TUBE BENDER	5/8" O.D.	1	A	24516
ROBEND H & W PLUS TUBE BENDER	3/4" O.D.	1	A	24519
ROBEND H & W SPARE HANDLE	10-15MM, 3/8"-1/2"	1	A	25076
ROBEND H & W SPARE HANDLE	22MM, 7/8"-1/2"	1	A	25078

HAND BENDER

Compact high quality one handed ratchet tube bender, ideal for producing 90° bends in micro-bore copper and aluminium. Size range 5-6-8-9-10-12mm, 1/4"-5/16"-3/8" and 1/2". Combined sets available to suit plumbing, air conditioning, automobile and hydraulic industries.



Product Name	Size	MOQ	Group	Part No.
HAND BENDER ONLY IN CASE		1	A	24010
HAND BENDER SET & FORMERS	6, 8, 10, 12 MM	1	A	24132
HAND BENDER SET & FORMERS	5, 6, 8, 10MM	1	A	24131
HAND BENDER SET & FORMERS	1/4", 5/16", 3/8"	1	A	766200416
HAND BENDER SET & FORMERS	1/4", 5/16", 3/8", 1/2"	1	A	24134
BENDING FORMER	5MM, 3/16" O.D.	1	A	24001
BENDING FORMER	6MM, 1/4" O.D.	1	A	R2403200
BENDING FORMER	8MM, 5/16" O.D.	1	A	R2403300
BENDING FORMER	10MM, 3/8" O.D.	1	A	R2403500
BENDING FORMER	12MM, 1/2" O.D.	1	A	24007

SUPERTRONIC 2000 E BASIC DEVICE WITH PIPE CLAMP

Supertronic 2000 E Cordless Pipe c is a portable electric pipe threader that can be used to create R1/4"-2" pipe threads according to EN 10226 on steel pipes (DIN EN 10255 M-H). Delivering a high, constant power transmission at full load.

Tool-less Speed-Lock die head mounting

Off-set die head mounting

Threading possible even close to walls



Powerful 18V battery

For cutting up to 8 threads (2" BSPT) with only one battery load (Li-Power 18V /4.0 Ah)

Easy switching from forward to an even faster reverse

DuraEasyCut


Optimized geometry for reduced effort of up to 20% for person and machine

Product Name	Size	MOQ	Group	Part No.
SUPERTRONIC 2000 E BASIC DEVICE WITH PIPE CLAMP AMPShare*		1	A	1000004184
SUPERTRONIC 2000 E (4.0Ah 18V BATTERY, CHARGER & BSPT DIES) AMPShare*	1/2"-3/4"-1"-1.1/4"-1.1/2"-2"	1	A	1000004187
RO BP18/8ah Battery ProCORE, AMP	8.0 Ah	1	A	1000003864

CAS battery platform equivalent available upon request*

SUPERTRONIC 2000 POWER THREADER

High performance power threading with versatile applications without a separate pipe vice. 15-25 rpm threading with 60 rpm geared reverse. All sets fully equipped with pipe clamp within a robust carrying case.



Product Name	Size	MOQ	Group	Part No.
SUPERTRONIC 2000 POWER THREADER SET	1/2"-2" 110V	1	A	71258
SUPERTRONIC 2000 POWER THREADER SET	1/2"-2" 240V	1	A	71256
AUTO ADAPTOR FOR SUPERTRONIC 2000		1	A	862009000

SUPER CUT HAND RATCHET
THREADER SETS

Advanced design ratchet stocks and high-specification die heads and dies allow for easy threading in tight spaces. All sets fully equipped within a robust carrying case.



Product Name	Size	MOQ	Group	Part No.
SUPER CUT HAND RATCHET THREADER SET	1/2"-1" BSPT	1	C	070780X
SUPER CUT HAND RATCHET THREADER SET	1/2"-1.1/4" BSPT	1	C	600220616
SUPER CUT HAND RATCHET THREADER SET	1/2"-2" BSPT	1	C	070892X
SUPER CUT HAND RATCHET THREADER SET	1/2"-1.1/4" NPT	1	C	070901X
SUPER CUT HAND RATCHET THREADER SET	1/2"-2" NPT	1	C	070905X
SUPER CUT CONDUIT THREADER SET	16-32MM	1	C	6002M0000

DURA EXATEC CUT DIE HEAD & DIES
FOR SUPER CUT

Product Name	Size	MOQ	Group	Part No.
DURA EXATEC CUT DIE HEAD	16MM CONDUIT	1	C	6000M1600
DURA EXATEC CUT DIE HEAD	20MM CONDUIT	1	C	6000M2016
DURA EXATEC CUT DIE HEAD	25MM CONDUIT	1	C	6000M2516
DURA EXATEC CUT DIE HEAD	32MM CONDUIT	1	C	6000M3216
DURA EXATEC CUT DIE HEAD	1/4" BSPT	1	C	070821X
DURA EXATEC CUT DIE HEAD	3/8" BSPT	1	C	070822X
DURA EXATEC CUT DIE HEAD	1/2" BSPT	1	C	070823X
DURA EXATEC CUT DIE HEAD	3/4" BSPT	1	C	070824X
DURA EXATEC CUT DIE HEAD	1" BSPT	1	C	070825X
DURA EXATEC CUT DIE HEAD	1.1/4" BSPT	1	C	070826X
DURA EXATEC CUT DIE HEAD	1.1/2" BSPT	1	C	070842X
DURA EXATEC CUT DIE HEAD	2" BSPT	1	C	070843X
DURA EXATEC CUT DIE HEAD	3/8" NPT	1	C	070908X
DURA EXATEC CUT DIE HEAD	1/2" NPT	1	C	070912X
DURA EXATEC CUT DIE HEAD	3/4" NPT	1	C	070913X
DURA EXATEC CUT DIE HEAD	1" NPT	1	C	070914X
DURA EXATEC CUT DIE HEAD	1.1/4" NPT	1	C	070915X
DURA EXATEC CUT DIE HEAD	1.1/2" NPT	1	C	070849X
DURA EXATEC CUT DIE HEAD	2" NPT	1	C	070850X



Product Name	Size	MOQ	Group	Part No.
SUPERCUT DIE ONLY	1/4" BSPT	1	C	070831X
SUPERCUT DIE ONLY	3/8" BSPT	1	C	070832X
SUPERCUT DIE ONLY	1/2" BSPT	1	C	070833X
SUPERCUT DIE ONLY	3/4" BSPT	1	C	070834X
SUPERCUT DIE ONLY	1" BSPT	1	C	070835X
SUPERCUT DIE ONLY	1.1/4" BSPT	1	C	070836X
SUPERCUT DIE ONLY	1.1/2" BSPT	1	C	070869X
SUPERCUT DIE ONLY	2" BSPT	1	C	070870X

SUPERCUT ACCESSORIES



Product Name	Size	MOQ	Group	Part No.
RATCHET HANDLE FOR SUPERCUT	1/8"-2"	1	C	070840X
RATCHET HANDLE FOR SUPERCUT	1/8"-2"	1	C	71272
MONOBLOCK ADAPTOR FOR RATCHET HANDLE	1/2"-1.1/4"	1	C	600011500
AUTO ADAPTOR FOR SUPERTRONIC 2000		1	A	862009000
DIE HEAD ADAPTOR FOR SUPERTRONIC 2000		1	A	862002500

THREADING MACHINE
CUTTER WHEELS

Replacement steel pipe cutter wheel suitable for Supertronic & Panda Machines.



Product Name	MOQ	Group	Part No.
SUPERTRONIC CUTTER WHEEL (FOR STEEL AND STAINLESS STEEL)	1	B	70074

ADJUSTABLE PIPE
SUPPORT

An easily dis-mountable and height-adjustable pipe supporting column. Can be easily and safely brought into the required working position.



Product Name	MOQ	Group	Part No.
PIPE SUPPORT FOR ALL THREADING MACHINES	1	B	56047

PIPE THREADING OILER

Traditional hand oiler for pumping threading oil directly onto the work. Can be used with all hand held portable threaders, power driven threaders and free-standing threading machines.



Product Name	MOQ	Group	Part No.
PIPE THREADING OILER	1	B	70753

RO-GROOVER

For use with most popular threading machines or tripod stand mounted for use with Supertronic hand-held threaders. Requires appropriate adaptor base plate for use with threading machine



Product Name	MOQ	Group	Part No.
RO-GROOVER 6" C/W DRIVE SHAFT, DEPTH GAUGE & RATCHET LEVER	1	B	887200016
RO-GROOVER 6" ADAPTOR PLATE & DRIVE ADAPTOR	1	B	56514
RO GROOVER 1-12" ELECTRO-HYDRAULIC GROOVER 240V	1	B	1500001352
RO GROOVER 1-12" ELECTRO-HYDRAULIC GROOVER 110V	1	B	1500001353
CONNECTING SHAFT	1	B	887202000

TRANSPORTER FRAME
FOR SUPERTRONIC 3SE
& 4SE

Heavy Duty Transporter Frame ideal for effortlessly covering large distances on the construction site.



Product Name	MOQ	Group	Part No.
TRANSPORTER FRAME (SUPERTRONIC 3SE & 4SE)	1	B	57050

SAFETY FOOT SWITCH

Comes with a protective hood that protects against falling parts up to 20kg from a height of 1 metre. Suitable for Panda & Supertronic Threading Machines.



Product Name	MOQ	Group	Part No.
FOOT SWITCH FOR SUPERTRONIC	1	B	56335

THREADING OIL

Cutting oil to produce thread connections or cut metal.



Product Name	Size	MOQ	Group	Part No.
SPRAY (MINERAL-NON-SOLUBLE)	600ML	12	D	65008
SPRAY (SYNTHETIC-SOLUBLE)	600ML	12	D	65013
OIL (MINERAL-NON-SOLUBLE)	5 LITRES	4	D	65010
OIL (SYNTHETIC-SOLUBLE)	5 LITRES	4	D	65015



Product Name	MOQ	Group	Part No.
RO-GROOVER 6" C/W DRIVE SHAFT, DEPTH GAUGE & RATCHET LEVER	1	B	887200016
RO-GROOVER 6" ADAPTOR PLATE & DRIVE ADAPTOR	1	B	56514
RO GROOVER 1-12" ELECTRO-HYDRAULIC GROOVER 240V	1	B	1500001352
RO GROOVER 1-12" ELECTRO-HYDRAULIC GROOVER 110V	1	B	1500001353
CONNECTING SHAFT	1	B	887202000

ROPOWER 50R PIPE THREADER

ROPOWER 50R PIPE THREADER IS A COMPACT AND POWERFUL PIPE CUTTING, REAMING, AND THREADING MACHINE WITH PUMPED OILING AND EASY-CHANGE DIE HEADS AND DIES. IT DELIVERS FAST AND RELIABLE THREAD CUTTING, CUT TO LENGTH, NIPPLE CUTTING, DEBURRING, AND ROLL GROOVING. FEATURING A TYPE-R CUTTING HEAD (AUTOMATIC WITH INTEGRATED OIL SUPPLY), THE SINGLE-SPEED ROTHENBERGER ROPOWER 50R PIPE THREADER IS SUPPLIED WITH TWO JAW SETS ½" - ¾" AND 1" - 2". FINALLY, THIS LOW-MAINTENANCE PIPE CUTTER AND THREADER'S LIGHTWEIGHT, MOBILE TRANSPORT BASE, WHICH CAN ALSO SERVE AS A WORK TABLE, ENABLES EASY TRANSPORTATION ACROSS AND BETWEEN WORK SITES. IDEAL FOR MOBILE WORK ON CONSTRUCTION SITES.



Modular system concept

Dual-sided tool guide sled

Precise guiding of the die head

Finely controlled propulsion

Tool / guide sled propulsion via turnstile

Optimal lubrication & cooling

Sturdy oil pump with high flow power and adjustable fluid quantities, filter system and integrated oil feed

Easy to clean

Large shavings collection tray made of plastic

Product Name	Voltage	MOQ	Group	Part No.
ROPOWER 50R PIPE THREADER & TROLLEY	110V	1	B	56045
WHEELED TRANSPORTER TROLLEY FOR ROPOWER 50R		1	B	56051

SUPERTRONIC 3SE PIPE THREADER

Delivering complete tube preparation and finishing, the ROTHENBERGER Supertonic 3SE Pipe Threader is suitable for fast and reliable threading, cutting to length, nipple cutting, deburring, and grooving. It offers universal die head mounting (standard or automatic), precise die head guidance, as well as low-wear and accurate slide guidance and fast axial alignment of the pipe. Further to this, the impact hammer chuck eliminates pipe slippage. Delivers burr-free operation.



Product Name	Voltage	MOQ	Group	Part No.
SUPERTRONIC 3SE PIPE THREADER 1/2"-3"	110V	1	B	56253
SUPERTRONIC 3SE PIPE THREADER 1/2"-3"	230V	1	B	56250

SUPERTRONIC 4SE AUTO PIPE THREADER

Compact powerful pipe cutting reaming and threading machine with pumped oiling, easy-change die heads and dies and low maintenance requirements. Dual Speed (22/50 rpm), 1/2"-4" BSPT, automatic oil feed, complete with two automatic die heads and three sets of dies, pipe cutter and reamer, set of 4 legs



Product Name	Voltage	MOQ	Group	Part No.
SUPERTRONIC 4SE AUTO PIPE THREADER 4"	110V	1	B	56475
SUPERTRONIC 4SE AUTO PIPE THREADER 4"	240V	1	B	56465

SUPERTRONIC THREADING MACHINE
DIE HEADS AND DIES

For Supertronic machines and Asada,
Piset and Panda machines.



Die Head Type
Old | New

HEAD TYPE		MACHINE				DIE HEAD		DIES		
DIE HEAD TYPE	THREAD TYPE	50R	4S / 4SE	3S / 3SE	2S / 2SE	PART NUMBER	HEAD CAPACITY	DIE SIZE	PART NUMBER (SS)	PART NUMBER (HSS)
Manual	BSPT	●	●	●	●	56153	¼" - ⅜"	¼" - ⅜"	56001	56135
			●	●	●	56156	½" - 2"	½" - ¾" (½" - 2")	56002 56003	N/A
			●	●	●			1" - 1½"	56005	N/A
			●	●	●			1½" - 2"	56004 56007	N/A
			●	●		56104	2" - 3"	2" - 3"	56006	56121
			●			56032	3½" - 4"	3½" - 4"	56008	56122
	NPT	●	●	●	●	56118	¼" - ⅜"	¼" - ⅜"	56110	N/A
		●	●	●	●	56156	½" - 2"	½" - ¾"	56111	56180
		●	●	●	●			1" - 2"	56112	56181
	METRIC		●	●		56133	10 - 24 mm			
			●	●		84235	16 - 32mm	16 - 20mm	89110	
			●	●		56315	27 - 35 mm			
Automatic	BSPT	●				For RIDGID Die Head only		¼" - ⅜"	56369	56379
		●	●	●	●	56266	½" - 2"	½" - ¾"	56003	56235
		●	●	●	●			1" - 2"	56007	56236
		●				56052		½" - ¾"	056370X	56380
		●						1" - 2"	056371X	N/A
			●	●		56288		2½" - 3"	2½" - 3"	56291
	NPT		●			56289	2½" - 4"	2½" - 4"	56294	56238
			●	●	●	56271	½" - 2"	½" - ¾"	56111	56180
			●	●	●			1" - 2"	56112	56181
			●	●		56268	2½" - 3"	2½" - 3"	56295	56183
			●			56269	2½" - 4"	2½" - 4"	56296	N/A
			●					3½" - 4"	N/A	56184

MANUAL TYPE DIE HEAD



AUTOMATIC TYPE DIE HEAD



Old



New

RP 50 DIGITAL

Pressure tests with water on pipe systems in residential and commercial buildings and in industrially used tanks (up to 30bar).

Warp-resistant and lockable lever

Ergonomic handle serves as carrying grip.

Digital pressure sensor for measurements up to 30 bar

Wireless read out of the test data via Bluetooth® and creation of digital test protocols and visualisations of pressure curves.

Additional pressure gauge with fine scaling 0.1 bar optional

Enables very precise readings up to a range of 16 bar (No. 61316).

TWIN VALVE system

Two valves for double safety while testing the system.




Product Name	Max. Pressure	Capacity	MOQ	Group	Part No.
RP 50 Digital	30 Bar	12L	1	A	1000004000

RP50 PRESSURE TEST PUMP

Pressure tests with water on pipe systems in residential and commercial buildings and in industrially used tanks (up to 60 bar).

Double valve system



Product Name	Max. Pressure	Capacity	MOQ	Group	Part No.
RP50 PRESSURE TESTING PUMP	60 Bar	12L	1	A	60200
RP50 PRESSURE TEST PUMP REPLACEMENT HOSE			1	A	R6112500
RP50 PRESSURE TEST PUMP REPLACEMENT GAUGE			1	A	61315
RP50 PRESSURE TEST PUMP REPLACEMENT SEAL KIT			1	A	61309

TP25 PRESSURE TESTING PUMP

The compact design of the TP25 Hydrostatic Pressure Testing Pump offers the installer a handy solution for pressure testing in confined spaces. It has an epoxy coated galvanised steel tank that comes with a 7-litre capacity. The pump has a 1.20-metre hose with an R1/2" BSPT connection and testing can be monitored on the in-built gauge. The pressure build-up can be precisely readjusted with the double valve system. Thanks to the weather-resistant and cold-resistant DURAMANT coating, an extremely long service life is guaranteed.



Product Name	Max. Pressure	Capacity	MOQ	Group	Part No.
TP25 PRESSURE TESTING PUMP	25 Bar	7L	1	A	60250

RP30 PRESSURE TESTING PUMP


Compact pump ideally suited to domestic pipework testing including underfloor heating systems. Maximum Pressure 30 bar (420 psi). Tank Capacity: 4.5 litres. Connection: R1/2" BSPT.



Product Name	Max. Pressure	Capacity	MOQ	Group	Part No.
RP30 PRESSURE TESTING PUMP	30 Bar	4.5L	1	A	61130
REPAIR KIT FOR RP30 PRESSURE TEST PUMP			1	A	61160

RP PRO III ELECTRIC TEST PUMP

A compact and portable unit for rapid and accurate testing of pipework and systems up to 40 bar in one operation.



Product Name	Voltage	MOQ	Group	Part No.
RP PRO III ELECTRIC TEST PUMP	230V	1	A	1000001123
RP PRO III ELECTRIC TEST PUMP	110V	1	A	1000001117

PRS10 CLOSURE PLATE TAPE (50MM X 25M)

PRS10 Closure Tape – gas fire closure plate tape, conforms to British Gas PRS10 specifications.



Product Name	Size	MOQ	Group	Part No.
PRS10 CLOSURE PLATE TAPE	50MMx25M	1	A	67089R

U-FLOW WATER FLOW CUP

This innovative design flow cup is simple and easy to use. The cup is calibrated in both gallons/minute and litres/minute. The clear to read calibrated scales show flow rates of 1-5 gallons and 4-22 litres/minute.



Product Name	MOQ	Group	Part No.
U-FLOW WATER FLOW CUP	1	D	67055

SILICONE LUBRICANT

A multi-purpose lubricating grease ideal for preserving and lubricating rubber parts. The resilient nature of spray is ideal for use with uPVC, push-fit soil, waste, drainage, and underground discharge.



Product Name	Size	MOQ	Group	Part No.
SILICONE LUBRICANT SPRAY	400ML	1	D	67050
SILICONE LUBRICANT GREASE	500G	1	D	67051

DRAIN DOWN HOSE (10 METRES)

Natural, non kink rubber drain down hose. Ideal for use on heating systems, vessels and tanks. The 1/2" bore x 3/4"Ø x 10 metre hose can be used on both hot or cold water and is supplied with a thumbscrew hose clip.



Product Name	Size	MOQ	Group	Part No.
DRAIN DOWN HOSE	10 METRES	1	D	67091r

CONTINUITY BOND WITH CROCODILE CLIPS

Conforming to BS6231 type CK 120cm Continuity Bond with Crocodile Clips.



Product Name	MOQ	Group	Part No.
CONTINUITY BOND WITH CROCODILE CLIPS	1	D	67001R

HEAVY DUTY CONTINUITY BOND

120cm Heavy Duty Continuity Bond with insulated 25mm Ø opening jaws. Flexible 10mm multi-strand cable rated at 150A conforms to current Gas Safety Regulations.



Product Name	MOQ	Group	Part No.
HEAVY DUTY CONTINUITY BOND	1	D	67094

U-GAUGE MANOMETER

Made from durable plastics the standard U-gauge manometer is a popular tool for tightness testing of gas pipework and also for checking and setting domestic and commercial appliances to the correct gas pressure. New improved design and features include: Velcro strip for hanging option, keeps U-gauge at eye level for ease of reading. Magnetic strip allows U-gauge to be attached to boiler cabinet casing during use. Scratch resistant clear facing. To be used in conjunction with rubber hoses (67017R and 67018R) and a gas pressure testing kit (67015).



Product Name	Size	MOQ	Group	Part No.
STANDARD U-GAUGE MANOMETER 30MB	12"	1	C	67060
STANDARD U-GAUGE MANOMETER 60MB	24"	1	C	67064

MANOMETER FLUID

Sufficient amount to fill a 48" U-Gauge. The coloured liquid is designed to provide a clear visual reading level every time. The anti-freeze additives ensures it's suitable for use in all weather conditions without fear of breaking your manometer.



U-GAUGE HOSE (2 METRES)

A 2 metre long rubber hose for use with a U-gauge Manometer.



Product Name	Size	MOQ	Group	Part No.
U-GAUGE MANOMETER FLUID	60ML	1	D	67074
RUBBER HOSE	2M	1	D	67017R
NEOPRENE HOSE	2M	1	D	67018R

KIBOSH PIPE REPAIR TOOL

The quick, easy and professional way to temporarily repair a burst or perforated 15mm or 22mm water pipe. Easy closing single handed action requires no tools. Simple and safe to use KIBOSH will work on hot water pipes and has been tested by BSI to 10bar so is capable of containing mains water pressure.



Product Name	Size	MOQ	Group	Part No.
KIBOSH PIPE REPAIR TOOL	15MM	1	D	80007
KIBOSH PIPE REPAIR TOOL	22MM	1	D	80012

GAS PRESSURE TESTING KIT

For pressurising and testing gas supply pipes kit. Includes a 3-way testing tee, 200mm hose, hand pressure pump and is to be used in conjunction with a U-gauge manometer



Product Name	Size	MOQ	Group	Part No.
GAS PRESSURE TESTING KIT		1	D	67015

**DRY PRESSURE TEST KIT
0-6 BAR**

Ideal for when pressure testing pipe systems and vessels with water is not possible or desirable. This kit gives a quick and accurate reading of pressure and can be used with an electric pump as well as a car or bicycle pump via the schrader valve.



Product Name	Bar	MOQ	Group	Part No.
DRY PRESSURE TEST KIT	0-6	1	D	67105

**ECONOMY WATER PRESS GAUGE
0-10 BAR**

The gauge has rubber boot for protection during use and transportation. 0-10 bar, 0-50 psi 3/4" BSP tap connector.



Product Name	Bar	MOQ	Group	Part No.
ECONOMY WATER PRESS GAUGE	0-10	1	D	67025

WET PRESSURE TEST KIT C/W GAUGE & PROTECTIVE BOOT

Professional water pressure tester with large steel cased gauge with protective rubber boot. Braided hose is WRAS approved and is supplied with 3/4"-1/2" reducer for increased applications.



Product Name	MOQ	Group	Part No.
WET PRESSURE TEST KIT	1	D	67071

PRESSURE TEST NIPPLES

Reusable test nipples for routine maintenance. 1/8" BSP. Pack of 3.



Product Name	MOQ	Group	Part No.
PRESSURE TEST NIPPLES	1	D	67016

PROFESSIONAL AIR LOCK KIT

Easy to use bespoke kit designed to remove airlocks from domestic water and heating pipework installations. Kit Contains: 6 metres of 10mm reinforced hose, 2 x rubber tap connectors to 10mm tail, 2 x finger tightening jubilee clips, 1 x 1/2" male union adaptor, 1 x 1/2" brass double check valve (hose tail x female) for mandatory use with potable water. Set supplied in handy carrying holdall



Product Name	MOQ	Group	Part No.
PROFESSIONAL AIR LOCK KIT	1	D	67069

INVERTIBLE DUSTING SPRAY 150ML

Invertible Dusting Spray (150ml) for removing dust and debris from boilers and confined spaces



Product Name	Size	MOQ	Group	Part No.
INVERTIBLE DUSTING SPRAY	150ML	12	D	67052

WD40 450ML C/W SMART STRAW

Protects metal from rust and corrosion. Penetrates stuck or jammed parts, displaces moisture, and lubricates just about anything.



Product Name	Size	MOQ	Group	Part No.
WD40 C/W SMART STRAW	450ML	12	D	67054

ROTEST LEAK DETECTION FLUID

This fluid is reliable in detecting leaks in joints, appliance connections, and gas cylinders.



Product Name	Size	MOQ	Group	Part No.
ROTEST LEAK DETECTION FLUID	1 X 120ML BOTTLE	1	D	67003
ROTEST LEAK DETECTION FLUID	250ML ATOMISER	1	D	67048
ROTEST LEAK DETECTOR AEROSOL SPRAY	400ML	12	C	65000
ROTEST CONTRACT LEAK DETECTOR SPRAY	400ML	12	C	65001

DIGITAL THERMOMETER

Versatile battery powered thermometer with a wide measuring range from -50°C to +200°C (-58°F to +392°F). Incorporates a maximum and minimum alarm facility whereby the unit will "bleep" when a value set by the operator is exceeded.



Product Name	MOQ	Group	Part No.
DIGITAL THERMOMETER	1	D	67039

GLASS ROPE

Asbestos free twisted glass rope used for sealing in areas subject to high temperatures such as boilers, flues and ovens etc.



Product Name	Size	MOQ	Group	Part No.
GLASS ROPE	6MM x 5M	1	D	67075
GLASS ROPE	10MM x 5M	1	D	67076
GLASS ROPE ADHESIVE	45ML	1	D	67077

FLUE CLEANING BRUSHES

Set of 3 nylon bristle flue cleaning brushes - ideal to reach into difficult areas or recesses - comprising of a 5/8" Round, 2" Flat and 2" Round Brush



Product Name	MOQ	Group	Part No.
FLUE CLEANING BRUSHES	1	D	67078

IDENTIFICATION TAPES

Laminated finish for a superior appearance.



Product Name	Size	MOQ	Group	Part No.
ON/OFF IDENTIFICATION TAPE	33M X 36MM	1	D	67081R
GAS IDENTIFICATION TAPE	33M X 36MM	1	D	67082R
DANGER DO NOT USE IDENTIFICATION TAPE	33M X 36MM	1	D	67083R
HEATING IDENTIFICATION TAPE	33M X 36MM	1	D	67084R
HOT WATER IDENTIFICATION TAPE	33M X 36MM	1	D	67085R
DOMESTIC HOT WATER IDENTIFICATION TAPE	33M X 36MM	1	D	67086R

ROINFRATECT

High Resolution Smart thermal imaging camera



Product Name	MOQ	Group	Part No.
ROINFRATECT	1	B	1500005132

TELESCOPIC INSPECTION MIRROR

Ideal for inspection of difficult access areas such as burner trays and heat exchangers. Telescopic handle, all angle head and handy pocket clip. Mirror dia. 38mm, ext.



Product Name	Length	MOQ	Group	Part No.
TELESCOPIC INSPECTION MIRROR	600mm	1	D	67079R

RECORD PADS



Product Name	MOQ	Group	Part No.
GAS SAFETY CERTIFICATE RECORD PAD	1	D	67108
DEFECTIVE INSTALLATION WARNING REPORT PAD	1	D	67107

SMOKE PELLETS

For testing chimneys, flues, gas appliances, smoke alarms and spillage tests.



Product Name	Size	MOQ	Group	Part No.
ENCAPSULATED SMOKE PELLETS	BOX OF 10	1	D	67044
STANDARD SMOKE PELLETS	TUBE OF 6	1	D	67043
STANDARD SMOKE PELLETS	TUB OF 100	1	D	67112

RO 77 PERSONAL CO MONITOR

Personal CO monitor for ambient carbon monoxide (CO) levels in commercial and residential spaces. Capture maximum value, features vibrating alarm, audible tone if readings 30ppm or above and visual three colour LED. Protective rubber boot & casing, back lit display and battery indicator. 9V alkaline battery, provides up to 250 hours of power.



Product Name	Size	MOQ	Group	Part No.
RO 77 PERSONAL CO MONITOR		1	D	1500003667

RO 3200 DIFFERENTIAL PRESSURE METER

Powered by 2 x AA alkaline batteries 42cm flexible testing head and integrated lamp Results delivered audibly & visually A robust case for safe storage and easy transportation Able to locate the smallest pipe leak to the presence of gas



Product Name	MOQ	Group	Part No.
ROTEST ELECTRONIC 4 GAS LEAK DETECTOR	1	D	1000003351

RO 3200 DIFFERENTIAL PRESSURE METER

Easy to use, two button pressure meter with integral magnet for hands free operation and a protective casing with rubber boot. Device can switch between mbar, Pa, hPa, kPa, mmHg, mmH2O, inH2O & PSI, with a one button zeroing function and more than 250 hours of continuous operation with a 9V PP3 alkaline battery.



Product Name	MOQ	Group	Part No.
RO 3200 DIFFERENTIAL PRESSURE METER	1	D	1000003352

NEW

ROTHENBERGER
pipetool technologies at work

ROINFRATECT

High Resolution Smart thermal imaging camera



25 Hz image frequency

Precise and smooth thermal view

Thermal resolution
256 × 192 px

High resolution: Easy detection of thermal anomalies

Precise temperature measurement from -20 °C up to 400 °C

Covers a broad temperature spectrum

Noise Equivalent Temperature Difference (NETD) < 40 mK

Detects even smallest temperature differences

Image modes: Thermal, fusion, PIP and optical

Visual and thermal images at the same time — creating clear reference images



For more information and other great products visit rothenberger.com

Always well protected with the shock-resistant case



Thoughtfully designed to the last detail — with everything included for maximum readiness



Pocket-sized — compact, lightweight



Easy leak detection



Functional testing of surface heating systems



Quick inspection of heating circuits and distribution loops



HOT BAG

Zipped Hot Bag Torch/Gas holdall will protect up to 4 Gas cylinders in individual sections with space for torch. There is an external pocket ideal for a mobile phone and elasticated loops for pliers or screwdrivers.



Product Name	MOQ	Group	Part No.
ZIPPED HOT BAG TORCH / GAS HOLDALL	1	D	88835

16" ZIPPED TOOL BAG

16" Zipped tool bag with open and flapped pockets, detachable shoulder strap, carrying handles, web storage pocket and rubber feet.



Product Name	MOQ	Group	Part No.
16" ZIPPED TOOL BAG	1	D	88831R

TOTE TOOL BAG

Tote tool bag, open topped design with soft grip metal covered carrying handle has a range of internal and external pockets, steel tape holder, elasticated gas cylinder holder, detachable shoulder strap and tough waterproof rubber base.



Product Name	MOQ	Group	Part No.
TOTE TOOL BAG	1	D	88834R

18" ZIPPED TOOL BAG

18" Zipped tool bag with open and flapped pockets, detachable shoulder strap, carrying handles web storage pocket and rubber feet



Product Name	MOQ	Group	Part No.
18" ZIPPED TOOL BAG	1	D	88832R

36" ZIPPED BENDER / TOOL BAG


36" Zipped Bender/tool bag with open and flapped pockets, detachable shoulder strap, carrying handles web storage pocket and rubber feet. Designed to fit Multibender



Product Name	MOQ	Group	Part No.
36" ZIPPED BENDER / TOOL BAG	1	D	88833R

ROCASE EXTRAS

Designed to organise and store tools, fittings, press jaws, spare parts and accessories. A large modular tray can hold up to 6 individual ROBOX units. The trays can then be stacked in pairs and fitted neatly into the standard ROCASE, giving up to 12 individual storage compartments. Supplied with a clip-on transparent lid, the ROBOX securely stores accessories.



Product Name	Size	MOQ	Group	Part No.
ROCASE INSERT TRAY	345 X 345MM	1	A	1300004618
ROBOX LARGE	340 X 115MM	1	A	1500002763
ROBOX SMALL BLACK	170 X 115MM	1	A	1500002641
ROBOX SMALL RED	170 X 115MM	1	A	1500002779
ROBOX SMALL LID COVER B2350		1	A	1500002651
ROBOX B2650 Cover		1	A	1500002770
ROBUCKET 20 LITRE		1	A	1000002627

ROCASE 4212
(390 X 190 X 120MM)

ROCASE (0.63kg) storage and transportation system is a modular system for general purpose tools and accessories. Designed with the individual requirements of the installer in mind.



Product Name	MOQ	Group	Part No.
ROCASE 4212	1	A	1300003334
REPLACEMENT CLIP	1	B	1500002660

ROCASE 4414
(390 X 390 X 140MM)

ROCASE (0.63kg) storage and transportation system is a modular system for general purpose tools and accessories. Designed with the individual requirements of the installer in mind.



Product Name	MOQ	Group	Part No.
ROCASE 4414	1	A	1300003541
REPLACEMENT CLIP	1	B	1500002660

ROCASE 6414
(590 X 390 X 140MM)

ROCASE (0.63kg) storage and transportation system is a modular system for general purpose tools and accessories. Designed with the individual requirements of the installer in mind.



Product Name	MOQ	Group	Part No.
ROCASE 6414	1	A	1300003336
REPLACEMENT CLIP	1	B	1500002660

ROCASE 6427
(590 X 390 X 270MM)

ROCASE (0.63kg) storage and transportation system is a modular system for general purpose tools and accessories. Designed with the individual requirements of the installer in mind.



Product Name	MOQ	Group	Part No.
ROCASE 6427	1	A	1300003337
REPLACEMENT CLIP	1	B	1500002660

RO1150 COB RECHARGEABLE WORK LAMP

Freestanding, rechargeable light with ultra-bright beam making this all-weather work light dust, splash and impact resistant - ideal for use on worksites.

- 10W LED power
- 50,000h LED lifetime
- 1150 lumens bright
- 4000Ah Li-PO battery
- Built-in battery indicator
- 3 modes of operation



Product Name	MOQ	Group	Part No.
RO1150 COB RECHARGEABLE WORK LAMP	1	D	1500003815

RO400 COMBINED TORCH AND INSPECTION LIGHT

Twin-function torch, with a side inbuilt wide area COB inspection lamp and High/Low/Red and flashing light modes - ideal for work or home applications. Heavy duty magnetic base and belt hook allow for hands free use. 400 lumens, 50 metre range, 9 hr runtime, 1.5 metre impact resistance, 4 light modes, Magnetic base & hook - for hands free work, 3 x AA batteries



Product Name	MOQ	Group	Part No.
RO400 COMBINED TORCH AND INSPECTION LIGHT	1	D	1500003813

ROH320 HEAD TORCH WITH MOTION SENSOR

Powerful head torch, ideal for more demanding use at work and regular use by workers. Also ideal for outdoor leisure activities. 320 lumens, 60 metre range 9hr runtime 1.5 metre impact resistance 6 light modes, motion sensor operation available, Li-ion rechargeable battery.



Product Name	MOQ	Group	Part No.
ROH320 HEAD TORCH WITH MOTION SENSOR	1	D	1500003816

ROH200 COMPACT RECHARGEABLE HEAD TORCH

Ideal for any work environment or home/hobby use. The rechargeable device makes the torch ideal for when outdoors or on the go. 200 lumens bright, 55 metre range, 5 hr runtime, 1.5 metre impact resistance, 5 light modes. Motion sensor operation and a Li-ion rechargeable battery - no need for batteries.



Product Name	MOQ	Group	Part No.
ROH200 COMPACT RECHARGEABLE HEAD TORCH	1	D	1500003811

ROFROST II R290

The ROFROST Turbo R290 is the first device from ROTHENBERGER to work with the refrigerant R290. It is available in a 1.1/4" and a 2" version. This allows installers to freeze heating pipes and water pipes in a future-proof, environmentally friendly and cost-saving manner. Particularly flexible hoses make it easy to work even in hard-to-reach places. The ROFROST app shows installers the minimum freezing time so that they can work safely and economically. The ROTHENBERGER ROFROST pipe freezing system is suitable for copper, stainless steel and steel pipes and is ideal for maintenance, repair and expansion work in plumbing and heating installations.



Product Name	Insert Reducer Sizes	Clamp Size	MOQ	Group	Part No.
ROFROST II R290 2"	12mm, 14/15mm, 18mm, 22mm*, 28mm, 35mm, 42mm	2"	1	BX	1500004196
ROFROST II R290 1.1/4"	12mm, 14/15mm, 18mm, 22mm, 28mm, 35mm	1.1/4"	1	BX	1500004195

*Inserts marked red must be stacked with 42mm insert to fit within the clamp head

ROFROST TURBO 28MM 230V

The all new ROFROST Turbo 28 is the latest addition to the Pipe Freezing programme and has been specifically designed for rapid and reliable freezing of domestic pipework. Covering all domestic pipe sizes with alloy adaptors for 8-10-12-15-22mm with the master freeze clamp fitting directly onto 28mm pipe. Copper, plastic composite, steel and stainless steel (1/4"-11/4") can also be frozen using the ROFROST 28 but freezing times will vary when freezing materials other than copper. The master freeze clamps have been engineered to sit flush with the wall and fit behind standard pipe clipped pipes making the machine ideal for both maintenance and emergency repair work.



Simple clamping system

For use even in confined spaces

Heat conductive paste

Enables freezing without continuous spraying of the pipe

Compact design

Tough powder coated metal case with soft-grip handle makes the machine highly mobile and ideal for service work

Wide application area

A range of pipe sizes can be frozen using the supplied pipe inserts

Product Name	Insert Reducer Sizes	MOQ	Group	Part No.
ROFROST TURBO 28MM 230V	8-10-12-15-22mm	1	BX	1500003162

ROFROST TURBO ADAPTOR INSERTS AND ACCESSORIES

The 42MM insert marked  '62235' serves as an adaptor piece for using ROFROST TURBO II - 1.1/4" inserts with the ROFROST TURBO II - 2".

Machine	Copper	Steel	MOQ	Group	Part No.	Machine	Copper	Steel	MOQ	Group	Part No.
TURBO II - 1.1/4"	10MM	1/2"	1	B	62217	TURBO II - 2"	42MM 	1.1/4"	1	B	62235
TURBO II - 1.1/4"	12MM		1	B	62211	TURBO II - 2"		1.1/2"	1	B	62236
TURBO II - 1.1/4"	15MM / 1/2"	1/4"	1	B	62212	TURBO II - 2"	54MM		1	B	62237
TURBO II - 1.1/4"	18mm	3/8"	1	B	62213	TURBO 28	8MM		1	B	1500002817
TURBO II - 1.1/4"	22MM / 7/8"	1/2"	1	B	62214	TURBO 28	10MM	1/2"	1	B	1500002818
TURBO II - 1.1/4"	28MM	3/4"	1	B	62215	TURBO 28	12MM		1	B	1500002819
TURBO II - 1.1/4"	35MM		1	B	62216	TURBO 28	15MM / 1/2"	1/4"	1	B	1500002820
						TURBO 28	22MM / 7/8"	1/2"	1	B	1500002821

Product Name	MOQ	Group	Part No.
ROFROST TURBO CONTACT PASTE 150ML	1	B	62291
ROFROST TURBO II REPLACEMENT CLAMP/TEMP GAUGE	1	B	F86660
ROFROST TURBO 28 REPLACEMENT CLAMP/TEMP GAUGE	1	B	1500003213

ROFROST RAPID PIPE FREEZING KIT

Rofrost Rapid Pipe Freezing Kit includes four freeze clamps, two sheets of contact foam, and three 150ml quick-freeze sprays. The design of the clamps retains the quick freeze sprayed into the foam-lined clamps.



Place insert in clamp



Inject spray into clamp



Product Name	Size	MOQ	Group	Part No.
ROFROST RAPID PIPE FREEZING KIT		1	D	1000003035
ROFROST RAPID FREEZER HEAD	15MM	1	D	64031
ROFROST RAPID FREEZER HEAD	22MM	1	D	64032
ROFROST RAPID FREEZER SHEETS	15MM	1	D	64033
ROFROST RAPID FREEZER SHEETS	22MM	1	D	64034
ROCASE 4414 (390 X 390 X 140MM)		1	A	1300003541

FREEZE PAK PIPE FREEZING KIT

This freeze-pak consists of a 304ml can of Quick-Freeze spray, two pipe freezing jackets and four cable ties



Product Name	MOQ	Group	Part No.
FREEZE PAK PIPE FREEZING KIT	1	D	1000003034

QUICK FREEZE PIPE FREEZING SPRAY

An environmentally friendly pipe freezing spray (HFO-1234ze) to create a temporary ice plug in any size tube from 8 to 28mm avoiding the need to drain down.



Product Name	Size	MOQ	Group	Part No.
QUICK FREEZE PIPE FREEZING SPRAY 150ML		12	D	1500003431
QUICK FREEZE PIPE FREEZING SPRAY 304ML		6	D	1500003432
QUICK FREEZE PIPE FREEZING JACKET 8-28MM		12	C	64002R

ROFROST CO2 PIPE FREEZING SETS

Using extremely economical industrial carbon dioxide cylinders producing temperatures down to -79 degrees. The RoFrost Carbon Dioxide sets are fast, efficient and very cost effective using 40% less CO2 than jacket type systems.



Product Name	MOQ	Group	Part No.
ROFROST CO2 PIPE FREEZING SETS	1	A	65030

SUPER FREEZE PIPE FREEZING CYLINDER

Suitable for use with equivalent manufacturers' Freeze sets. Uses eco-friendly HFO-1234ze gas.



Product Name	Size	MOQ	Group	Part No.
SUPER FREEZE PIPE FREEZING CYLINDER 600G		12	D	1500003625

ROCAL PRO 2 POWER FLUSER

Designed for clearing debris from heating systems, the Rothenberger 61197R Rocal Pro 2 Power Fluser is a fully transportable power fluser with a 57-litre tank, ultra-high flow rate, instant flow reverser, transporter wheels, and a handy towing handle. Additionally, the Rothenberger 61197R Rocal Pro 2 Power Fluser offers a working temperature of 75°C. It is ideal for flushing systems with up to forty radiators (over three storeys).



Product Name	MOQ	Group	Part No.
ROCAL PRO 2 POWER FLUSER	1	B	61197R
FITTINGS PACK	1	B	1500003388

ROSOLAR PUMP WITH CENTRIFUGAL PUMP 230V

Ideal for installation filling, venting and maintenance flushing of solar heating systems. Powerful 750w/230v motor linked to a centrifugal pump has a max flow rate of 30l/m at a maximum of 5.9bar and can be operated on fluids with a maximum temperature of 60°. The 30 litre tank has large openings for easy filling and a ball valve in the base for easy emptying. The tank can be removed from the transporter for filling and emptying away from the job. Weighing 23.3kg the ROSOLAR is fitted with pneumatic tyres and a retractable handle and can be transported upright or horizontal. Comes complete with 2 x 3m 1/2" hoses which can connect together to aid filling.



Product Name	Voltage	MOQ	Group	Part No.
ROSOLAR PUMP WITH CENTRIFUGAL PUMP	230V	1	B	1500000135

DRAIN RODS (SET OF 10) C/W 4" PLUNGER, WORM SCREW & STRAPS

Comes with a set of 10 drain rods, complete with a 4" plunger, worm screw and a pair of straps



Product Name	Size	MOQ	Group	Part No.
DRAIN RODS (SET OF 10) C/W 4" PLUNGER, WORM SCREW & STRAPS		1	C	130080
INDIVIDUAL DRAIN ROD 3 x 3/4"		10	C	130055
RUBBER PLUNGER	4"	1	C	130059
RUBBER PLUNGER	6"	1	C	130058
DOUBLE WORM SCREW	2"	1	C	130063
DROP SCRAPER	4"	1	C	130065r
CLEARING WHEEL		1	C	130069
DRAIN BRUSH	4"	1	C	130071
CHIMNEY BRUSH	16"	1	C	130075

STEEL DRAIN TEST PLUGS

Used for sealing or blocking off drain pipes, prior to air testing. Manufactured in steel with a protective plastic thread cap 4"



Product Name	Size	MOQ	Group	Part No.
STEEL DRAIN TEST PLUG	4"	1	C	130091
STEEL DRAIN TEST PLUG	6"	1	C	130092
STEEL DRAIN TEST PLUG	9"	1	C	130094

CANVAS DRAIN TEST BAGS

Inflatable rubber lining with a protective canvas case. Used for blocking off pipes during maintenance.



Product Name	Size	MOQ	Group	Part No.
CANVAS DRAIN TEST BAG	4"	1	C	130121
CANVAS DRAIN TEST BAG	6"	1	C	130122
CANVAS DRAIN TEST BAG	9"	1	C	130124
INFLATER PUMP FOR CANVAS DRAIN TEST BAGS		1	C	140141

COMFORT GLOVES

An advanced range of high performance ergonomic multi-functional hand protection products designed and styled specifically for professionals working in a wide range of industries and conditions. Enhanced grip design, excellent dexterity, full-hand breathability and Wick™ Technology ensures handling performance is uncompromised. Superior fit and comfort is what makes our gloves the working professionals' choice.



Product Name	Size	MOQ	Group	Part No.
RO874M COMFORT GLOVE	MEDIUM	1	D	1500003840
RO874L COMFORT GLOVE	LARGE	1	D	1500003841
RO874XL COMFORT GLOVE	X-LARGE	1	D	1500003843

L/GAUGE WATERPROOF GLOVES

An advanced range of high performance ergonomic multi-functional hand protection products designed and styled specifically for professionals working in a wide range of industries and conditions. Enhanced grip design, excellent dexterity, full-hand breathability and Wick™ Technology ensures handling performance is uncompromised. Superior fit and comfort is what makes our gloves the working professionals' choice



Product Name	Size	MOQ	Group	Part No.
RO700M L/GAUGE WATERPROOF GLOVE	MEDIUM	1	D	1500003844
RO700L L/GAUGE WATERPROOF GLOVE	LARGE	1	D	1500003845
RO700XL L/GAUGE WATERPROOF GLOVE	X/LARGE	1	D	1500003846

DRAIN TRACING DYES

Used to locate the direction of the flow of pipes and drains – soluble in water



MANUAL DRAIN CLEANER

Fast and effective drain cleaning for 4"Ø drains and soil pipes incorporating a 13mm diameter 15 metre long spiral which is far more flexible than conventional drain rods and over 50% longer reach than a standard 30' drain rod set. C/W SPIRAL & CLEANING HEAD (TYPE 3S)



Product Name	Size	MOQ	Group	Part No.
DRAIN TRACING DYE GREEN	200G	1	C	130111
DRAIN TRACING DYE RED	200G	1	C	130112
DRAIN TRACING DYE VIOLET	200G	1	C	130114
DRAIN TRACING DYE YELLOW	200G	1	C	130115

Product Name	MOQ	Group	Part No.
MANUAL DRAIN CLEANER	1	B	72003

PIPE AND DRAIN CLEANING COIL

Simple but effective tool for unblocking and cleaning kitchen sinks, wash basins, baths and shower waste pipes. Simply feed the vinyl coated cable into the waste pipe and feed through to the obstruction and rotate clockwise.



Product Name	MOQ	Group	Part No.
PIPE AND DRAIN CLEANING COIL	1	B	72091R

RODRUM VARIO CLEAN

A compact drum machine for clearing blockages in pipes with diameters between 40mm and 100mm, the Rothenberger Rodrum Varioclean Cordless Drain Cleaning Machine is ideal for HVAC businesses, caretakers/janitors, and drain cleaners. The Rothenberger Rodrum Varioclean Cordless Drain Cleaning Machine can be tailored to suit the application as it features three speed levels (unblocking, cleaning, and clean spinning) for addressing different types of blockages. The flexible DuraFlex spirals with galvanisation move into the removable, interchangeable drum during the return. The drum can be swapped without tools allowing you to adjust the Rothenberger Rodrum Varioclean Cordless Drain Cleaning Machine for different pipe diameters easily, as well as conveniently transport the machine between work sites. Furthermore, Varioclean electronics prevent the drum from running on for a long time. Finally, the Rothenberger Rodrum Varioclean Cordless Drain Cleaning Machine is powered by a CAS battery system enabling safe, wireless, mobile working even in areas without a power supply.



Product Name	Size	MOQ	Group	Part No.
RODRUM VARIO CLEAN BARE TOOL AMPShare*		1	B	1000004143
RODRUM VARIO CLEAN & TOOL SET AMPShare*		1	B	1000004147
RODRUM VARIO CLEAN DURAFLEX BATTERY SPIRAL	13MM WITH DRUM	1	B	1500003708
RODRUM VARIO CLEAN DURAFLEX BATTERY SPIRAL	13MM, 16MM T-NUT	1	B	1500003706
RODRUM VARIO CLEAN DURAFLEX BATTERY SPIRAL	10MM, 16MM T-NUT	1	B	1500003707

CAS battery platform equivalent available upon request*

R600 VARIO CLEAN

Ideal for plumbers, caretakers/janitors, and pipe cleaners, the Rothenberger R600 Varioclean Cordless Drain Cleaning Machine can be used to clear blockages in sewage pipes with diameters up to 150mm. Featuring three-speed levels for unblocking, cleaning, and clean spinning, the Rothenberger R600 Varioclean Cordless Drain Cleaning Machine can be adapted to suit the type of blockage. It is compact, lightweight, and battery-operated ensuring that it is suitable for use both inside and outside including in areas without a power supply.



Product Name	16mm Spiral	22mm Spiral	MOQ	Group	Part No.
	2.3m	4.5m			
R600 VARIOCLEAN BARE TOOL AMPShare*			1	B	1000004138
R600 VARIOCLEAN FULL KIT (IMAGE ABOVE) AMPShare*	x5 (11.5m)	x5 (22.5m)	1	B	1000004140
DURAFLEX SMK-SPIRAL 16MM	x1 (2.3m)		1	B	1500003703
DURAFLEX SMK-SPIRAL 22MM		x1 (4.5m)	1	B	1500003704
DURAFLEX SMK SPIRALS WITH 16 & 22MM TOOL SET	x5 (11.5m)	x5 (22.5m)	1	B	1500003705
CARRYING STRAP FOR R600 VARIOCLEAN			1	B	1500003702

CAS battery platform equivalent available upon request*

STANDARD SPIRALS

Flexible spiral, for cleaning jobs with short distances with a succession of pipe bends



Product Name	Size	Length	MOQ	Group	Part No.
STANDARD SPIRAL	16 MM	2.3 M	1	B	72431
STANDARD SPIRAL	22 MM	4.5 M	1	B	72441
STANDARD SPIRAL	32 MM	4.5 M	1	B	72451

ROPOWER SPIRALS

Squared spiral wire profile (DIN EN 10270-1) Additional cleaning effect on pipe wall
Plastic core: No clogging of the spiral with dirt Especially suitable for working over long distances



Product Name	Size	Length	MOQ	Group	Part No.
ROPOWER SPIRAL	16 MM	2.3 M	1	B	72490

STRAIGHT DRILL



Product Name	Size	MOQ	Group	Part No.
STRAIGHT DRILL	16 MM	1	B	72161
STRAIGHT DRILL	22 MM	1	B	72221
STRAIGHT DRILL	32 MM	1	B	72321

RETRIEVER DRILL



Product Name	Size	MOQ	Group	Part No.
RETRIEVER DRILL	16 MM	1	B	72162
RETRIEVER DRILL	22 MM	1	B	72203
RETRIEVER DRILL	32 MM	1	B	72325

BLADE DRILL



Product Name	Size	MOQ	Group	Part No.
BLADE DRILL	16 MM	1	B	72169
BLADE DRILL	22 MM	1	B	72234

SHARK TOOTH CUTTER



Product Name	Size	MOQ	Group	Part No.
SHARK TOOTH CUTTER	16 MM	1	B	72250
SHARK TOOTH CUTTER	22 MM	1	B	72350

CROSSBLADE DRILL



Product Name	Size	MOQ	Group	Part No.
CROSSBLADE DRILL	16 MM	1	B	72175
CROSSBLADE DRILL	22 MM	1	B	72275
CROSSBLADE DRILL	32 MM	1	B	72375

SMK-SPIRALS

Flexible spiral, for cleaning jobs with short distances with a succession of pipe bends Additional protection of the spiral from clogging with the plastic core



Product Name	Size	Length	MOQ	Group	Part No.
SMK SPIRAL	16 MM	2.3 M	1	B	72433
SMK SPIRAL	22 MM	4.5 M	1	B	72442
SMK SPIRAL	32 MM	4.5 M	1	B	72452

SPIRAL ACCESSORIES



Product Name	Size	MOQ	Group	Part No.
SPIRAL BASKETS	16 MM	1	B	72110
SPIRAL BASKETS	22 MM	1	B	72112
SPIRAL BASKETS	32 MM	1	B	72111
SPIRAL SEPARATING KEY	16MM	1	B	72100
SPIRAL SEPARATING KEY	22MM & 32MM	1	B	72101
STUDDED GUIDE GLOVES	LEFT	1	B	72120
STUDDED GUIDE GLOVES	RIGHT	1	B	72121

CLUB DRILL



Product Name	Size	MOQ	Group	Part No.
CLUB DRILL	16 MM	1	B	72163
CLUB DRILL	22 MM	1	B	72263
CLUB DRILL	32 MM	1	B	72363

FUNNEL DRILL



Product Name	Size	MOQ	Group	Part No.
FUNNEL DRILL	16 MM	1	B	72165
FUNNEL DRILL	22 MM	1	B	72222
FUNNEL DRILL	32 MM	1	B	72322

SHOVEL DRILL



Product Name	Size	MOQ	Group	Part No.
SHOVEL DRILL	22 MM	1	B	72261
SHOVEL DRILL	32 MM	1	B	72361

TWO WAY ROOT CUTTER



Product Name	Size	MOQ	Group	Part No.
ROOT CUTTER	22 MM	1	B	72265
ROOT CUTTER	32 MM	1	B	72366

DOUBLE FORK BLADE CUTTER



Product Name	Size	MOQ	Group	Part No.
DOUBLE FORK BLADE	16 MM	1	B	72154

R600 SET

R600 combination pack comprising of the tried and tested R600 drain cleaning machine and comprehensive tool and spiral sets which includes both 11.5m x 16mm and 22.5m x 22mm in spiral baskets, a range of 16mm and 22mm cleaning heads ideal for clearing blockages caused by grease, roots and non-degradable waste, safety gloves and a handy tool carrying case.



Product Name	Voltage	MOQ	Group	Part No.
R600 PROMOTIONAL PACK SET	230V	1	BX	19173
R600 PROMOTIONAL PACK SET	110V	1	BX	19174

RODRUM M AUTO FEED

The RODRUM M & L are the all new, versatile and practical drain cleaning machines with automatic spiral feed for pipes and drains of 70mm–250mm Ø (3"–10") making it ideal for domestic, public and small commercial pipework. Versatility is achieved by utilisation of two interchangeable spiral drums which can be loaded with 13mm–16mm or 20mm spirals and quickly changed on site without tools, to optimise the cleaning power of the spirals and tools. The RODRUM features a powerful 400w motor and a patented spiral autofeed mechanism with built in tension release lever which prevents damage to the motor or spiral should the spiral „bite“ during use. The robust machine weighs 45–68kg depending on which drum and spiral combination is fitted, but has been fitted with solid rubber transportation wheels and a handle mounted roller which helps with the loading of the machine and allows the machine to lay on its back when being used on vertical runs, e.g. chimneys and soil stacks. Maximum working range on horizontal pipe runs:30m with 13mm spirals, 45m with 16mm spirals, 60m with 60mm spirals.



Product Name	Voltage	Spiral Ø	Spiral Length	MOQ	Group	Part No.
RODRUM M AUTO FEED 13 C/W TOOL KIT	110V	13MM	15M	1	B	1000001719
RODRUM M AUTO FEED 16 C/W TOOL KIT	110V	16MM	15M	1	B	1000001720
RODRUM L AUTO FEED 16 C/W TOOL KIT	110V	16MM	30M	1	B	1000001721
RODRUM L AUTO FEED 20 C/W TOOL KIT	110V	20MM	30M	1	B	1000001722

ADDITIONAL DRUMS INCLUDING SPIRALS

	Spiral Ø	Spiral Length	MOQ	Group	Part No.
RODRUM - DRUM INC. SPIRAL, M 13	13MM	15M	1	B	1000001727
RODRUM - DRUM INC. SPIRAL, M 16	16MM	15M	1	B	1000001728
RODRUM - DRUM INC. 2X SPIRALS, L 16	16MM	15MM	1	B	1000001729
RODRUM - DRUM INC. SPIRAL, L 20	20MM	20M	1	B	1000001730

RODRUM S AUTO FEED

Compact and portable electro-mechanical drain cleaning machine with automatic spiral feed suitable for drains and pipes 1 1/2"–4" Ø (40–100mm). The interchangeable drum will accept both 10mm and 13mm spirals and with working ranges of 10 metres and 15 metres respectively the RODRUM S is perfectly suited for use in domestic an commercial buildings. Rodrum S 10UK (110V) • Simple and safe to use • Interchangeable quick change drums • Automatic cable feed and return • Dead man's handle operation prevents damage to spirals



Product Name	Voltage	Spiral Ø	Spiral Length	MOQ	Group	Part No.
RODRUM S AUTO FEED 10 K	110V	10MM	10M	1	B	1000001259
RODRUM S AUTO FEED 13 UK	110V	13MM	15M	1	B	1000001260
RODRUM S 13 EU	230V	13MM	15M	1	B	1000001257
RODRUM S AUTO FEED 10 UK REPLACEMENT DRUM				1	B	1000001275
RODRUM S AUTO FEED 13 UK REPLACEMENT DRUM				1	B	1000001276

ROPUMP SUPER PLUS FORCE PUMP

Powerful, durable and effective blockage removal using water pressure. Professional force pump features adjustable Ergonomic hand grips and dual sided sealing. Supplied with two adaptors for sinks, baths, showers and toilets. Adjustable handle, Ergonomic hand grip and dual sided sealing for greater suction.

Flexible, in all directions adjustable handle

Optimal adaptation to the cleaning job



Product Name	MOQ	Group	Part No.
ROPUMP SUPER PLUS FORCE PUMP	1	B	072070x

ROPUMP FORCE PUMP

Powerful, durable and effective blockage removal using water pressure



Flexible socket

Various areas of application

Product Name	MOQ	Group	Part No.
ROPUMP FORCE PUMP	1	C	71991

TRADITIONAL FORCE CUP

A blockage remover. Simple to use and effective. This force cup used water pressure to remove blockages within pipes and drains. • Powerful and effective blockage removal • Used water pressure



Product Name	Size	MOQ	Group	Part No.
TRADITIONAL FORCE CUP	4"	1	C	130051
TRADITIONAL FORCE CUP	5"	1	C	130052

ROSPI PLUS DRAIN CLEANER

Fast and effective pipe cleaning for basins, sinks, baths and showers. For use by hand or with a variable speed electric drill. Rospi 6 H & E Plus c/w Spiral 6mm x 4.5 metres long. Please note: Rospi units are not designed for use in cleaning toilet pans, or pipework above 75mm ø



Product Name	Size	MOQ	Group	Part No.
ROSPI 6 H+E PLUS DRAIN CLEANER	6MM X 4.5M	1	B	72090
ROSPI 8 H+E PLUS DRAIN CLEANER	8MM X 7.5M	1	B	72095
ROSPI 10 H+E PLUS DRAIN CLEANER	10MM X 10M	1	B	72005

ROSPIMATIC CL C/W 8MM Ø X 7.5MTR CLUB DRILL SPIRAL, ACCESSORIES & ROWONAL RUST PREVENTER

New generation automatic feed, hand held pipe and drain cleaning machine, powered by the operator's own cordless drill. The machine is suitable for the cleaning of basins sinks and pipes up to 3"Ø. Standard 8mm x 7.5m club head spiral is fed by a patented auto-feed mechanism which enables the operator to switch from forward to reverse without stopping the machine and can be locked using the torque limiter preventing damage to the spiral.



Product Name	MOQ	Group	Part No.
ROSPIMATIC CL C/W 8MM Ø X 7.5MTR CLUB DRILL SPIRAL, ACCESSORIES & ROWONAL RUST PREVENTER	1	B	1000002299
SPIRAL 8MM X 7.5MTR WITH INNER CORE SUITABLE FOR ROSPIMATIC	1	B	72413

ROSPI H+E DRAIN CLEANER SPIRALS

Drain Cleaner Spiral come with an integrated clubhead without rigid coupling for high flexibility even on tight pipe bends. Rospi H&E Drain Cleaner Spiral with Club Drill Head Ø6mm x 4.5m



Product Name	Size	MOQ	Group	Part No.
ROSPI H+E DRAIN CLEANER SPIRAL	6MM Ø X 4.5MTR WITH CLUB DRILL HEAD	1	B	72522
ROSPI H+E DRAIN CLEANER SPIRAL	8MM Ø X 7.5MTR WITH CLUB DRILL HEAD	1	B	72412
ROSPI H+E DRAIN CLEANER SPIRAL	8MM Ø X 10MTR WITH CLUB DRILL HEAD	1	B	72414
ROSPI H+E DRAIN CLEANER SPIRAL	10MM Ø X 10MTR WITH CLUB DRILL HEAD	1	B	72422
ROSPI H+E DRAIN CLEANER SPIRAL	10MM Ø X 7.5MTR WITH COUPLING	1	B	72421

ROCAM MINI HD MODULE 25/22 HD

Full-HD and TrueColor for fast and accurate analysis. 22 m cable for more independence. Optimized cable stiffness and head geometry to pass up to six 90° bends (50 mm tubes) / three 90° bends (40 mm tubes). Integrated Bluetooth® module for connecting headphones to add voice recording. Wi-Fi module for perfect connection between smartphone and ROCAM MINI HD. With the help of the app, the entire gallery of the ROCAM MINI HD can be accessed and shared directly. Livestream function via app to share the screen with the customer for a professional appearance.

Waterproof housing

Enables working on roofs, even in the rain

Compact Ø 25 mm head

Covers an application range from Ø 40–110 mm



7" Full-HD Touch screen

For intuitive operation and direct documentation with damage catalogue directly on the device

App functionality

Full functions for live streaming and easy data sharing via iOS and Android



22m reel

For inspecting pipelines of multi story family houses

Product Name	Length	Camera Head Ø	MOQ	Group	Part No.
ROCAM MINI HD - MODULE 25/22 HD AMPshare*	22M	25MM	1	B	1000004128

CAS battery platform equivalent available upon request*

ROCAM 4 PLUS

Inspection camera for pipes from Ø 40–300 mm with 30 or 65 m cable length, with integrated software for documentation and large removable 10.4" touchscreen.

Cover protected connections for SD card, Micro-HDMI and Mini-USB



Transport trolley with extendable handle



Li-Ion battery 18V / 4.0Ah (same as ROMAX 4000)

Long battery operation time (up to 6 hours)

Digital metre count

Precise determination of distance to camera head

Integrated microphone

Voice recording for documentation possible

Exchangeable reel system 65 m / 30 m / 16 m

Large operating range from Ø 40–300 mm pipe diameter



Product Name	Length	Camera Head Ø	MOQ	Group	Part No.
ROCAM 4 PLUS WITH TOUCHSCREEN	30M	30MM	1	B	1500002613
ROCAM 4 PLUS WITH TOUCHSCREEN	30M	40MM	1	B	1500002614
ROCAM 4 PLUS MINI MODULE	8M	25MM	1	B	1500003296

ROSCOPE MINI INSPECTION CAMERA

The ROSCOPE mini has been designed as a handy permanent addition to any installers tool bag. The compact hand-held camera system is housed in a shockproof, high-density rubber and ABS body and features a 2.5" colour screen, 5 large soft-touch control buttons for easy operation, even when wearing gloves. A retractable belt hook on the back secures the ROSCOPE to a belt or pocket and can be used to suspend the camera when in use, freeing up both hands for hands free working. The 1.2m long ultra-flexible goose neck is fitted with a 8.5mmØ waterproof camera head with built in LED which can be adjusted to 7 light levels for the achieving best lighting conditions.



Product Name	MOQ	Group	Part No.
ROSCOPE MINI INSPECTION CAMERA (2 X AA BATTERIES)	1	B	1000002268

ROVAC PRO

The ROVAC Pro is an ultra-compact vacuum gauge designed for precise measurements during evacuation of small to medium-sized refrigeration systems and heat pumps, featuring a high-accuracy MEMS sensor for reliable vacuum readings, Bluetooth app connectivity for real-time monitoring and documentation, a clear backlit LCD display for easy readability, USB-C charging with an integrated rechargeable battery, and a robust, portable design ideal for tight installation spaces and mobile use.



Product Name	MOQ	Group	Part No.
ROVAC PRO	1	D	1000005061

ROSCALE 150

The ROSCALE 150 refrigerant scale is a reliable and compact solution for precise weighing in air conditioning and refrigeration applications, featuring a measuring range of up to 150 kg, wireless operation with app connectivity for convenient control and data monitoring, automatic standby mode for extended battery life, and a robust aluminum housing with a rubber platform for durability in demanding job site conditions.



Product Name	MOQ	Group	Part No.
ROSCALE 150	1	D	1000005062

ROSCALE VALVE

The ROSCALE Valve is a robust accessory designed for use with the ROSCALE 150, enabling automatic filling and recovery of refrigerants, featuring a sturdy hardcover housing, Bluetooth and app connectivity for enhanced control, a compact design (190 × 75 × 190 mm) with a weight of 1300 g, and delivering high precision with an accuracy of ±0.05% and a resolution of 5 g for efficient and reliable operation.



Product Name	MOQ	Group	Part No.
ROSCALE 150 VALVE	1	D	1000005505

ROCOOL MINI

The ROCOOL Mini digital manifold is a compact and efficient solution for installing and maintaining air conditioning, refrigeration systems, and heat pumps, offering measurement of over 160 refrigerants via the app, Bluetooth connectivity for live data transmission and automatic documentation, a clear high-resolution LCD display, durable housing, a working pressure range of -1 to 55 bar, operating temperature from -10 to 50°C, and standard 1/4" SAE connections for reliable everyday use.



Product Name	MOQ	Group	Part No.
ROCOOL MINI	1	D	1000005060

ROCOOL MAXI

The ROCOOL Maxi digital manifold is a more advanced solution for professional HVAC applications, delivering highly precise measurements of over 160 refrigerants via the app, enhanced Bluetooth functionality for continuous live data transfer and automatic documentation, a robust 4-way valve block for greater control, superior accuracy of ±0.1% FS, multi-unit compatibility, and multiple connection ports (3 × 1/4" SAE, 1 × 3/8" SAE, and 1 × PS/2), making it ideal for complex diagnostics and servicing tasks.



Product Name	MOQ	Group	Part No.
ROCOOL MAXI	1	D	1000005503

ROLEAK PRO IR

The ROLEAK PRO IR is a highly sensitive leak detector designed for reliable detection in refrigeration, air conditioning, and heat pump systems, featuring an infrared sensor with a detection rate of 4 g/a, three adjustable sensitivity levels for precise leak location, a 40 cm flexible probe for access to hard-to-reach areas, visual indication via color bar display, audio signal alerts, and a reset function for easy zero-point adjustment, making it suitable for use with CFCs, HFCs, HCFCs, and HFO-1234yf refrigerants.



Product Name	MOQ	Group	Part No.
ROLEAK PRO IR	1	D	1000005063

ROCLAMP

The ROCLAMP digital temperature clamp is a compact and user-friendly tool for precise pipe temperature measurement, featuring a wide measuring range of -40 to 150°C with ±0.5°C accuracy, Bluetooth connectivity for wireless data transfer, live monitoring and automatic documentation via the ROTHENBERGER app, an integrated OLED display for direct readings, a turnable handle for optimal visibility, and a durable, waterproof, and shockproof housing, making it ideal for efficient and flexible use across a wide range of HVAC applications.



Product Name	MOQ	Group	Part No.
ROCLAMP	1	D	1000005504

ANALOGUE MANIFOLDS
2- AND 4-WAY MANIFOLDS

The ROTHENBERGER 4-way manifolds are used for the commissioning and maintenance of air conditioning and refrigeration systems as well as heat pumps

Pressure gauge Ø 80 mm,
with pulse-dampening class 1.6

Easy-to-read, high precision display

Large hand valve
with colour coding

Light, secure and precise
opening and closing of the diaphragm
valve, maintenance free

Valve sets



Pressure gauge with
shock-proof rubber protector

Protects against damage

Valve body made of aluminium
with gauge glass

Sturdy despite low weight



2-way manifold

Product Name	Compatible Gas				MOQ	Group	Part No.
2-way, 1/4" SAE, 34 bar	R22	R134a	R407C	R404A	1	D	170501
4-way, 1/4" SAE, 34 bar	R22	R134a	R407C	R404A	1	D	170502
2-way, 5/16" SAE, 60 bar	R410A	R32			1	B	1000001426
4-way, 5/16" SAE, 60 bar	R410A	R32			1	B	1000001427

MANIFOLD SETS

Aluminium valve body incorporates glass sight refrigerant flow indicator, 80mm Ø gauges with pulse dampening class 1.6. Easy to read, high precision multi-colour displays with shockproof rubber protectors. Large colour coded hand valves allow precise opening and closing of the maintenance free diaphragm valves

2-way manifold (for 170600 and 170607)
4-way manifold (for 170601, 170606, 170602 and 170608)

Durable and highly precise tool



No. 170602

Pressure hose with ball valve "Plus"
(only for 170602 and 170608)


No loss of refrigerant

Scope of delivery: manifold, pressure gauge with Ø 80 mm, "Pulse-free", class 1.6, 3 x 1,500 mm pressure hoses, plastic carrying case

Product Name	Compatible Gas				MOQ	Group	Part No.
Manifold set 2-way, Standard	R22	R134a	R407C	R404A	1	D	170600
Manifold set 2-way, Standard	R410A	R32			1	D	170607
Manifold set 4-way I, Standard	R22	R134a	R407C	R404A	1	D	170601
Manifold set 4-way I, Standard	R410A	R32			1	D	170606
Manifold set 4-way II, Plus	R22	R134a	R407C	R404A	1	D	170602
Manifold set 4-way II, Plus	R410A	R32			1	D	170608

3-PIECE PRESSURE HOSE
SETS

No confusion and safe use with the colour coding (blue, red, yellow) Teflon seal with up to 10 x longer service life compared to neoprene seal Working pressure 60 bar / burst pressure 300 bar. This is an 8 % better pressure resistance as previously



3-PIECE PRESSURE HOSE +
SETS

(WITH SHUT OFF VALUES)

No confusion and safe use with the colour coding (blue, red, yellow) Teflon seal with up to 10 x longer service life compared to neoprene seal Working pressure 60 bar / burst pressure 300 bar. This is an 8 % better pressure resistance as previously



Product Name	MOQ	Group	Part No.
Vacuum hose 3/8" SAE, 1.5 m	1	C	1500000032
R22	R134a	R407C	R404A
Set of 3 pressure hoses 1/4" SAE, 1.5 m	1	C	1500000024
R410A	R32		
Set of 3 pressure hoses 5/16" SAE, 1.5 m	1	C	1500000026

Product Name	MOQ	Group	Part No.
R22	R134a	R407C	R404A
Set of 3 pressure hoses 1/4" SAE, 1.5 m	1	C	1500000028
R410A	R32		
Set of 3 pressure hoses 5/16" SAE, 1.5 m	1	C	1500000030

ROCOOL 600

For commissioning, maintenance work and documentation of refrigeration systems of all kinds
Modular system: The basic device can be fitted with the optional Red Box incl. The Data Viewer software for reading out or recording data on a PC. More than 80 refrigerants incl. R32 and R744 (sub-critical) are stored in the device. New refrigerants can be added later using the update function
Simultaneous calculation of superheat and subcool
The documentation software Data Viewer generates an automatic report based on the data recorded. Ideal for handing out to the customer (client)
An external Pirani vacuum probe allows reading of the vacuum where the most precise measurement is possible: directly at the refrigeration system

Connection for the external vacuum probe

For very precise measurement of the vacuum level directly at the refrigeration system

Pressure sensors "Made in Germany"

Precise measurement from -1 to 60 bar

T-connection with Schrader valve 1/4" SAE

3-way function: Evacuation and filling without changing a hose

Y-connections 1/4" SAE

A connection and sealing plug in one.
Simple transport of hoses when not in operation

Connection for the temperature sensor T2

For automatic measurement of subcool data

Green and red LEDs

An optical signal is displayed once an adequate vacuum level is reached or leakage in the system and also a warning of overpressure

Connection of the Red Box

To record data for up to 96 hours and independent read out of data at a PC



Temperature sensor for a pipe diameter of up to Ø 32 mm




External vacuum probe for very precise measurement of the vacuum



Product Name	MOQ	Group	Part No.
ROCOOL 600 SET WITH 1 TEMPERATURE SENSOR, BLISTER	1	D	1000000569
ROCOOL 600 SET WITH 2 TEMPERATURE SENSORS, RED BOX, DATA VIEWER SOFTWARE, CASE	1	D	1000000572
RED BOX, SOFTWARE, CONNECTION CABLE, EXTERNAL POWER SUPPLY	1	D	1000000539
TEMPERATURE SENSOR	1	D	1000000540
VACUUM PROBE	1	D	1000000541
CARRY CASE	1	D	1000000784

ROTORQUE AIRCON / REFRIGERATION

Self-locking rack and pinion drive enables quick and reliable fastening of flare nuts



Product Name	Steps	Nm	Size	MOQ	Group	Part No.
ROTORQUE AIRCON	1 Nm	10-75	15-32MM	1	D	1000000224
ROTORQUE REFRIGERATION	1/2 Nm	10-70	15-32MM	1	D	1000000225

TORQUE WRENCH SET

Set with adjustable torque wrench (10-70 Nm) and 6 spanner inserts sizes 17, 22, 24, 26, 27 and 29 mm for flange connections on 1/4", 3/8", 1/2" and 5/8" pipe lines according to DIN EN 378- 2:2012-08



Product Name	Nm	Size	MOQ	Group	Part No.
TORQUE WRENCH SET	10-75	17, 22, 24, 26, 27, 29 MM	1	C	175001


ROFLARE REVOLVER

Versatile flaring tool with off-centre flaring head for fast and accurate production of standard single 45° flares in accordance with EN 14726-2 and JIS B8607:2008 in copper tubes 6–18mm, 1/4”–3/4”Ø. One handed tube clamping system and automatic tube stop ensures perfect alignment of the tube with the flaring head guaranteeing leak free joints.

Compact design enables use in confined spaces



Automatic depth stop: perfect positioning of the pipe to the flare cone



Product Name	Size	MOQ	Group	Part No.
ROFLARE REVOLVER	6-18MM	1	D	1000000222
ROFLARE REVOLVER	1/4"- 3/4"	1	D	1000000223

ROLEAK PRO LEAK DETECTOR

Perfect for refrigeration HCFCs and HCFs. The unit uses a newly developed semi-conductor which is extremely sensitive to a variety of commonly used refrigerants including R32, R-134a, R-410a, R-407c and R22.



Product Name	MOQ	Group	Part No.
ROLEAK PRO LEAK DETECTOR	1	D	1500002241

DELUXE FLARING TOOL SET IN CASE (FOR R410A)

Heavy duty handle and spindle with concentric flaring cone and roller bearings for smooth and easy flaring of heavy gauge and high pressure lines. With 3/4" ratchet drive allows use with wrench or drill. Produces 45° Flares and is ideal for R410A.



Product Name	MOQ	Group	Part No.
DELUXE FLARING TOOL SET IN CASE (FOR R410A)	1	D	222402

GRABBER FLARING TOOL

Versatile, adjustable flaring tool, produces 45° flares suitable for many applications and materials. Compact design is ideal for work in confined spaces.



Product Name	Size	MOQ	Group	Part No.
GRABBER FLARING TOOL	3/16"-5/8", 4-16MM	1	D	222601

NITROGEN PRESSURE GAUGE

Safe and accurate metering of Nitrogen from regulator to system. Gauge displays the following pressures, soldering, flushing and Max testing pressures for R134A/ R404A/R407C/R507/R22/R410A. 0.50bar
Max pressure – 1/4"SAE Connections.
Supplied in carrying case.



Product Name	MOQ	Group	Part No.
NITROGEN PRESSURE GAUGE	1	D	259040R
HOSE ADAPTOR (REFRI.) 1/4" SAE M-5/16" SAE F	1	D	259007
HOSE ADAPTOR (REFRI.) 1/4" SAE F-5/16" SAE M	1	D	170016

ROAIRVAC VACUUM PUMPS

Two stage high vacuum dual voltage pump for the evacuation and removal of all moisture and residue in refrigeration systems during installation in accordance with DIN 8975 Complete with vacuum and solenoid valves.Roairvac 1.5 1/4Hp 1720r/m, 1/4" connections – 42l/m 2 stage 25micron



ROAIRVAC R32 1.5 (42 l/min)

ROAIRVAC R32 3.0 (85 l/min)

ROAIRVAC R32 9.0 (255 l/min)

Product Name	CFM	Size	MOQ	Group	Part No.
ROAIRVAC 1.5 VACUUM PUMP	1.5	230V / 110V	1	D	170061
ROAIRVAC 3.0 VACUUM PUMP	3.0	230V / 110V	1	D	170062
ROAIRVAC 6.0 VACUUM PUMP	6.0	230V / 110V	1	D	170063
ROAIRVAC 9.0 VACUUM PUMP	9.0	230V / 110V	1	D	170064
ROAIRVAC R32 1.5		230V	1	D	1000002399
ROAIRVAC R32 6.0		230V	1	B	1000001231
VACUUM PUMP OIL		1L	1	D	169200

ROAIRVAC CORDLESS VACUUM PUMP

A battery-driven, two stage vacuum pump with integrated magnetic valve maintains a vacuum even when the battery has gone flat. It's compact and light-weight design makes this machine easy to transport and highly durable. Housed in high-quality casing, components are protected whilst transported from van to site. Powered by CAS battery giving up to 90 mins on one charge, the cordless R32 is much stronger than comparable wired vacuum pumps. Featuring a Gas Ballast Valve, water vapour is reduced within the oil container to guarantee increased evacuation power and service life. A special filter also works to reduce oil mist on exhaust vent. Available in 2.0 CL and 5.0 CL cordless option.

Product Name	MOQ	Group	Part No.
ROAIRVAC R32 2.0 CORDLESS TWO-STAGE VACUUM PUMP AMPShare*	1	B	1000004181
ROAIRVAC R32 5.0 CORDLESS TWO-STAGE VACUUM PUMP AMPShare*	1	B	1000004183

CAS battery platform equivalent available upon request*

ROREC REFRIGERATION RECOVERY UNIT

Compact, portable recovery unit for the safe recycling of all types of refrigerants. Light, compact and simple to use the ROREC has maintenance free, oil less compressor, integrated purge function and high pressure shut off. ROREC Refrigeration Recovery Unit All refrigerants CFC-HCFC-HFC, Capacity 373 kg/hr push-pull.



Product Name	KG/HR	MOQ	Group	Part No.
ROREC, 230V / 110V)	373	1	D	168605
ROREC PRO, 230V / 110V)	436	1	D	168606

ROREC PRO DIGITAL 230V

Lightweight (under 12kg) recovery unit for class A1, A2L and A* refrigerants, including R32. The maintenance free, 2 piston oil free compressor produces a high push/pull recovery rate of 570kg/h, controlled by a single dial, while the values are displayed on a clear digital display.



Product Name	Voltage	MOQ	Group	Part No.
ROREC PRO DIGITAL	230V	1	D	1500002637

FIN COMB STRAIGHTENER

Handy tool for aligning condenser and evaporator fins



Product Name	MOQ	Group	Part No.
FIN COMB STRAIGHTENER	1	D	224500

ELECTRONIC REFRIGERANT SCALE

Precise, easy to handle refrigerant scale for filling and evacuation processes with a maximal weight capacity of 120 kg, with 5g increments for very precise filling. Includes 9V battery and carrying case.



Product Name	MOQ	Group	Part No.
ROSCALE 120	1	D	R17300416

Product Name	CAS	AMPShare
ROBEND 4000 E Baretool AMP	1000003391	1000004190
ROBEND 4000 E Set,15-22-28mm, UK	1000003401	1000004194
SUPERTRONIC 2000 E Baretool	1000003387	1000004184
SUPERTRONIC 2000 E,BSPT R, 4,0AH, UK	1000003428	1000004187
ROMAX 4000 Basic Set 4 Ah, UK	1000001856	1000004718
ROMAX 4000 SET M15-22-28MM, 4Ah, UK	1000001932	1000004721
ROMAX 4000 SET SV15-22-28mm, 4Ah,UK	1000003451	1000004719
ROMAX 4000 SET TH16-20-26mm, 4Ah, UK	1000003452	1000004730
ROMAX 4000 SET U 16, 20, 25MM	1000003453	1000005057
ROMAX 4000 SET >B< MaxiPro 1/4" - 1.1/8"	1000002946	1000005058
ROMAX COMPACT III, Basic SET1,1x2Ah,UK	1000004269	1000004271
ROMAX COMPACT III, SET M15-22-28,2Ah,UK	1000004332	1000004333
ROMAX COMPACT III, SET SV15-22-28,2Ah,UK	1000004277	1000004278
ROMAX COMPACT III, SET U16-20-25,2Ah,UK	1000004284	1000004285
ROMAX COMPACT III, SET TH16-20-26,2Ah,UK	1000004423	1000004424
ROMAX COMPACT III, SET >B<MaxiPro 1/4-1.1/8",UK	1000004288	1000004289
RODRUM VarioClean Baretool	1000003347	1000004143
RODRUM VarioClean + tool-set UK	1000003414	1000004147
R600 VarioClean Baretool	1000003345	1000004138
R600 VarioClean + Spiral/Tool Set UK	1000003408	1000004140
ROCAM mini HD - Module 25/22 HD - UK	1000003965	1000004128
ROAIRVAC R32 2.0 CL basic ROBUCKET	1000003230	1000004181
ROAIRVAC R32 5.0 CL basic ROBUCKET	1000003233	1000004183
2ah Battery	1000001652	1000003859
4ah Battery	1000001653	1000003860
4ah Battery Pro	1000002548	1000003863
8ah Battery Pro	1000002549	1000003864
CHARGER, 230V	1000001691	1000003866



Item	Page
3SE	47
4 WAY KEY	33
4SE	47

A

ACR BENDING	42
ACTUATORS	26
ADAPTORS FOR GAS	18
AIR CON	68
AIR LOCK KIT	52
ALLGAS MOBILE	19
ALUM WRENCHES	29
AMPSHARE BATTERIES	27
ANGLE GRINDER BLADES	12
A-TAPER MASONRY PILOT	39
AUTO PLASTIC CUTTING	11
AUTO TUBE CUTTER	7

B

BACKNUT SPANNER	32
BAGS	56
BASIN WRENCH	34
BATTERIES	27
BENDER BAG	56
BENDING	42
BENDING SPRINGS	42
BI-METAL HOLE SAWS	37
BLEED KEYS	33
BOX SPANNER	33
BURNER TIPS	15

C

C02 MONITOR	54
CALIBRATING PIPE	13
CAMERAS	67
CENTERING ROD	39
CHAIN WRENCH	30
CHAMFERING	11
CHUCK ADAPTOR	39
CLEANING BRUSHES	22
CLEANING PADS	22
CLOSURE PLATE TAPE	50
COB LAMP	58
COLLAR SETS	26
COMFORT GLOVES	62
COMPACT III	25
COMPRESSION NUT SPANNER	33
CONTINUITY BOND	50
COOKS TORCH	19
CORE DRILLING	38
CRANKED SPANNER	33
CROWFOOT WRENCH	33

D

DEBURRING	13
DIAMOND TILE BITS	37
DIE HEADS	45
DIES	45
DIFFERENTIAL PRESSURE METER	54
DIGITAL MANOMETER	54
DRAIN CAMERAS	67
DRAIN CLEANING ATTACHMENTS	64
DRAIN CLEANING CORDLESS	63
DRAIN CLEANING	63
DRAIN DOWN HOSE	50
DRAIN DYES	62
DRAIN PLUG	61
DRAIN RODS	61
DRILL BITS	36
DRY CORE DRILLING	38
DRY PRESSURE TESTING	52
DUSTING SPRAY	52

E

ECO PRESSURE TESTING	52
E-DETECTOR	31
ELECTRICAL PILERS	31
ENORM CUTTER	8
EUROLINE	35
EXPANDERS	40
EXTENSION HOSE	20
EXTENSION ROD	39
EXTRACTORS	40

Item	Page
F	
FLAT WOOD BIT	36
FLUE CLEANING BRUSHES	53
FLUSHING	61
FLUX BRUSHES	21
FOOT SWITCH	46
FORCE CUP	66
FREEZING KIT	59

G

GAS	18
GAS PRESSURE TESTING	51
GAS SNIFFER	54
GAS TESTING	51
GLASS ROPE	53
GLOVES	62
GRINDER BLADES	12

H

HACKSAW	13
HAND BENDER	42
HAND THREADING	45
HAWK WRENCH	29
HEAD TORCH	58
HOLE SAW KIT	37
HOT BAG	56
HYDRAULIC BENDING	43

I

IDENTIFICATION TAPES	53
INOX CUTTING	8
INSERTS FOR ROFROST	59
INSPECTION CAMERAS	67
INSPECTION MIRROR	54
INSPECTION TORCH	58
INTERCHANGEABLE BURNERS	15

J

JAWS	26
------	----

K

KIBOSH	51
--------	----

L

LAMPS	58
LEAK DETECTION	53
LED TORCHES	58
LONG REACH SCREWDRIVER	35
LUBRICANT	50

M

MACHINE GROOVE PLIERS	29
MANHOLE KEY	33
MANIFOLDS	69
MANOMETER	51
MANUAL DRAIN CLEANING	62
MAPP	18
MASONRY DRILL BIT	36
MAXIBENDER	42
MAXIGAS	19
METER KETY	33
MICROBENDER	42
MINI STRIPS/PADS	22
MINICUT	7
MINIMAX	7
MONOBLOCK	32
MSR CUTTING	9
MULTIBENDER	42
MULTIBENDER BAG	56
MULTIGAS	19
MULTILAYER CUTTING	9

N

NANO	24
NIPPLES (TEST)	52

O

OFFSET WRENCHES	29
OIL FOR THREADING	46
OLIVE SPLITTERS	32
OXYGEN	19

Item	Page
P	
PIPE AND DRAIN CLEANING COIL	62
PIPE BENDING	42
PIPE CUT MINI	12
PIPE FREEZING	59
PIPE SUPPORTS	46
PIPE THREADING	47
PLASTIC CUTTING	9
PLASTICUT	9
PLIERS	28
PILOT BIT FOR DRY CORES	39
PLUMB TUB	34
PLUNGER	66
PRESS	25
PRESS JAWS	26
PRESS RINGS	26
PRESSURE TESTING	52
PRO TEST KIT	52
PRO-CUT	7
PROPANE	18
PROPANE HOSE	21
PUMPS	49

Q

QUICK FREEZE	60
QUICKFIRE	17
QUICKFIRE PRO	16

R

R600	63
RAD SPANNER	xxx
RECIPROCATING BLADES	12
RECORD PADS	54
REGULATORS	21
REPLACEMENT BURN TUBE	18
RINGS (PRESS)	26
RIP SAW BLADES	12
ROBEND	41
ROBEND H & W	43
ROBULL	43
ROCAL PRO 2	61
ROCALIBER	13
ROCAM	67
ROCAGES	57
ROCLAMP	68
ROCOOL	70
ROCOOL MAXI	68
ROCOOL MINI	68
ROCUT	9
RODRUM	63
RODRUM AUTO FEED	65
RODRUM S	65
ROFAST	28
ROFIRE	20
ROFIRE 4	20
ROFLAME 4	20
ROFROST	59
ROFROST RAPID	60
ROGRIP	28
RO-GROOVER	46
ROINFRACTECT	55
ROLEAK PRO 1R	68
ROLOCK	40
ROMAX 4000	25
ROMAX COMPACT III	25
ROMAX NANO	24
ROOFING	21
ROPOWER 50R	47
ROPUMP	66
ROSCALE 150	68
ROSCALE VALVE	68
ROSCOPE	67
ROSOLAR	61
ROSPI	66
ROTHERM	21
ROTORQUE	70
ROTRAC	8
ROVAC PRO	68
ROVLIES	22
ROXY KIT	19
RP 50	49
RP 50 DIGITAL	49
RP PRO III	50
RP30	49

Item	Page
S	
SAW BLADES	12
SCREWDRIVERS	35
SDS CHISEL	36
SDS DRILL BIT	36
SELF COOLING TILE ITS	37
SILICONE LUBRICANT	50
SMOKE PELLETS	54
SOLDER	21
SOLDER MAT	22
SPEED WRENCH	30
SPK'S	29
SPRINGS	42
STEEL CUTTING	8
STEEL WOOL	22
STEPPED DRILLS	36
STILLSON	29
STRAP WRENCH	30
SUPER CUT	45
SUPER FREEZE	60
SUPER STEEL CUTTER	8
SUPERFIRE 2	17
SUPERFIRE 2 ACCESSORIES	18
SUPERFIRE PRO	15
SUPERTRONIC	44
SUPERTRONIC 3 & 4SE DIE HEADS	47
SUPERTRONIC 3SE & 4SE	47
SWIVEL PRO	20

T

TAP BACKNUT SPANNER	32
TAPE MEASURE	34
TAPES	53
TELESCOPIC SPRING LOADED WRENCH	34
TEST PUMPS	49
TESTING PRESSURE	52
TESTING PUMPS	49
THERMAL CAMERA	55
THERMOMETER	53
THREADING	46
THREADING ACCESSORIES	46
THREADING DIES	48
THREADING OIL	46
TILE BITS	37
TOOL BAG	56
TP25	49
TRIGGER TORCH	20
TRIPOD	27
TUBE EXPANDERS	40
TUBE EXTRACTORS	40
TURBO-PREP	23
TWIN CUT	11

U

U-GAUGE	51
UNI-SPANNER	34

V

VARIO CLEAN	63
VDE SCREWDRIVERS	35
VICE	27

W

WD40	52
WET PRESSURE TESTING	52
WIDE JAW WRENCHES	30
WORK BENCH	27

Z

ZIPPED BAG	56
------------	----



Imprint

This catalog is a publication of

Rothenberger (UK) Limited
2, Kingsthorpe Park, Henson Way,
Kettering, Northants, NN16 8PX
T: 01536 310300
E: sales@rothenberger.co.uk

Great care was taken in compiling this brochure and reproduction of the product information. Nevertheless we cannot completely exclude the possibility of error. For this reason, ROTHENBERGER UK disclaims any liability for any errors which may have arisen despite careful checking of the contents.

The design, compilations, performance data, features, dimensions and weight of products can alter as a result of further technical developments and adaptation of our products to the requirements and wishes of our customers, without any duty on our part to announce this in advance.

We are not obliged to alter already delivered products to match such new developments. We also reserve the right to remove articles from our product program.

This catalog invalidates all previous versions. Standard specifications are non-binding. The operating instructions and suggestions for use and safety are non-binding and do not in any way replace legal or other regulations, such as employer's liability insurance association regulations, in the respective countries.

© 2026 ROTHENBERGER (UK) Ltd

CONDITIONS OF SALE - 1. CONDITIONS – All goods are sold subject to these conditions which shall prevail over any conflicting conditions sought to be imposed by a customer. **2. CONTRACT** – Publication of our price list constitutes an offer, and the placing of an order is deemed to be an acceptance of that offer. The resulting contract is subject to these Conditions of Sale. **3. PROPERTY** – Property in goods shall not pass to the customer until the whole of the purchase price of all goods supplied has been paid: notwithstanding a customer may re-sell goods as a principal on conditions that, so long as part of the purchase price remains due to us, the customer shall account to us for the proceeds of such re-sale to the extent of the amount outstanding and shall hold such proceeds as trustee. Until all monies outstanding from the Buyer have been paid the Seller has the right to enter the Buyers premises or any other premises on which it reasonably believes the goods are being held for the purpose of the retaking possession of the goods in such premises to the value of the amount outstanding, firstly applying goods supplied by the Seller. All Promotional/Point of sale equipment supplied on free of charge loan basis remains the property of the Seller at all times and may be repossessed at any time. **4. RISK** – Risk shall not pass at the same time as Property in the goods, but shall pass at the time of delivery in accordance with our Terms. **5. SPECIFICATION** – We reserve the right to alter, without prior notice, the specification of any goods listed in the catalogue. **6. PART DELIVERIES** – We reserve the right to make part deliveries against any order and to invoice all such at the time of despatch. Such invoices will be payable notwithstanding that the balance of the order has still to be delivered. **7. DELIVERY** – Delivery of all orders will be made as early as practical, or as close as practical to customers' requirements. Notwithstanding any delay, however, orders will remain valid and binding. **8. CANCELLATION** – Cancellation of any order, or part of any order, will be accepted only with our prior consent. **9. RETURN OF GOODS** – Goods may only be returned with our written consent. On such return they will be credited at the invoiced price less 25% handling charge. Consent will not be given to return goods made specially to order. **10. GUARANTEE** – Our products are guaranteed for 12 months against defects in material or workmanship, subject to fair and proper usage. Any articles claimed to be defective will be repaired or replaced free of charge if, when returned to us carriage paid, examination confirms such defect, we reserve the right to repair tools or replace defective parts only, rather than



We connect people
with water and energy.
Safe. Sustainable.

Visit us:

rothenberger.com



ROTHENBERGER UK Limited
2 Kingsthorpe Park, Henson Way,
Kettering, Northants, NN16 8PX
Telephone 01536 310 300
Fax 01536 310 600
sales@rothenberger.co.uk

Где купить:
ООО "КОМПАНИЯ ОПТУЛС"
РФ, г.Москва
Tel.: +7 (495) 646-00-96
E-Mail: sale@opttools.ru
Internet: www.opttools.ru

rothenberger.co.uk