

# SOLUTIONS CATALOG



---

Certification, troubleshooting, and installation tools for professionals who install and maintain critical network cable infrastructure

---

## Монтажный инструмент

Fluke Networks предлагает широкий выбор монтажного инструмента. Создан для ускорения процесса инсталляции и получения удовольствия от работы.



Fluke Networks предлагает самые надежные наборы монтажного инструмента на рынке, каждый спроектирован для ускорения работ по инсталляции сети. У нас есть все необходимые инструменты, который вам понадобится для инсталляции высокопроизводительных сетей по передаче данных, видео и голоса. JackRapid Termination Tool экономит время и увеличивает точность монтажа благодаря одновременной разделке и мгновенной заделки всех проводников одним нажатием на рукоятку. Наборы Pro-Tool сочетают в себе профессиональные инструменты необходимые для обрезки, разделки, зачистки и подключения телефонных линий и линий передачи данных к модулю или кроссу. Наш всемирно известный монтажный инструмент с набором взаимозаменяемых лезвий предоставляют высокое качество и точность заделки за одно нажатие. Набор инструмента для телефонистов предлагает все необходимые телекоммуникационные инструменты и оборудование для технического обслуживания телефонных линий в одном надежном кейсе.



## ▶▶ Инструмент JackRapid™

JackRapid — инновационный инструмент для заделки разъемов, обеспечивающий максимальную экономию времени. Этот инструмент позволяет проводить концевую заделку всех проводов и обрезать излишки одновременно, одним нажатием на ручку. В семь раз быстрее, чем традиционные средства. Вам гарантированы аккуратная заделка и чистая, аккуратная обрезка проводников, а уменьшение количества выполняемых операций снижает усталость рук и повышает производительность.



- Сокращение времени на установку, простота в использовании, заделка и удаление излишков одновременно, экономия до двух минут с каждого разъёма!
- Точная и аккуратная обрезка и заделка, больше никаких испорченных разъемов
- Эргономичный дизайн позволяет выполнять множество операций, уменьшая усталость
- Дизайн инструмента облегчает удобство установки разъемов вблизи от стены
- Сменные лезвия позволяют использовать JackRapid с различными типами модулей

### Аккуратная и чистая заделка с помощью JackRapid.



1. Удалите изоляцию кабеля с помощью стандартного или встроенного инструмента для зачистки кабеля.



2. Определите схему разводки. Снимите изоляцию со всех проводников.



3. Вставьте модуль в JackRapid передним концом вперед, направляя IDC-контакты в сторону лезвий инструмента.



4. Удостоверьтесь, что разъем полностью и надежно установлен в зажим, IDC-контактами в сторону лезвий.



5. Нажмите на рукоятку до упора и, прежде чем отпустить, удалите лишние провода.



6. Провода будут установлены и обрезаны для обеспечения надежной заделки.

Модель	Описание
JR-LEV-1	Инструмент для заделки кабеля JackRapid (для разъёмов Leviton 41106, 41108, 5G108)
JR-LEV-1-H	Сменная головка с лезвиями JackRapid (Leviton 41106, 41108, 5G108)
JR-SYS-UNI-1	Инструмент для заделки кабеля JackRapid (Systimax MPS100E, C5, M1BH и Uniprise UNJ600/500/300)
JR-SYS-UNI-1-H	Сменная головка с лезвиями JackRapid (Systimax MPS100E, C5, M1BH и Uniprise UNJ600/500/300)
JR-LEV-2	Инструмент для заделки кабеля JackRapid (для разъёмов Leviton 61110, 5G110, 6110G)
JR-LEV-2-H	Сменная головка с лезвиями JackRapid (для разъёмов Leviton 61110, 5G110, 6110G)
JR-SYS-2	Инструмент для заделки кабеля JackRapid (для Systimax MGS400, MGS500, MFP420, MFP520)
JR-SYS-2-H	Сменная головка с лезвиями JackRapid (для разъёмов Systimax MGS400, MGS500, MFP420, MFP520)
JR-ORT-2	Инструмент для заделки кабеля JackRapid (для разъёмов Ortronics TJ5E00, TJ600, TJ610)
JR-ORT-2-H	Сменная головка с лезвиями JackRapid (для разъёмов Ortronics TJ5E00, TJ600, TJ610)
JR-ADC-2	Инструмент для заделки кабеля JackRapid (для ADC KM8, Copper Ten®)
JR-ADC-2-H	Сменная головка с лезвиями JackRapid (для ADC KM8, Copper Ten®)
JR-ERGOHANDLE	Эргономичная ручка JackRapid



### ▶▶ Ударный инструмент D914™S

В D914S наибольшая эргономичность обеспечивается благодаря специальному резиновому покрытию, за счёт чего инструмент не скользит в руке и поглощает часть энергии отдачи. Наряду с ударным механизмом имеет и крутящий момент, а также регулируемую силу удара.

- Стандарт качества и пожизненная гарантия
- Крючок для удаления остатков кабеля встроен в корпус
- Регулировка силы удара — слабая для диаметра жилы AWG 24/26 и сильная для AWG 22
- Сменная насадка — отвертка



### ▶▶ Ударный инструмент D914™

D914 сочетает в себе возможности ударного и крутящего механизмов, в рукоятке ножа имеется крючок и отсек для хранения ножей, поставляется с лезвиями EverSharp 66/110.

- Чистая и аккуратная заделка кабеля
- Стандарт качества и пожизненная гарантия
- Крючок для удаления остатков кабеля встроен в корпус
- Регулировка силы удара — слабая для диаметра жилы AWG 24/26 и сильная для AWG 22
- Сменная насадка — отвертка



### ▶▶ Ударный инструмент D814™

D814 уровня Deluxe, выполняет все основные операции, поставляется в комплекте с лезвием 66/110 типа. Имеет регулировку силы удара. Автоматический пружинный механизм позволяет производить как заделку проводников, так последующее обрезание излишков.

- Стандарт качества и пожизненная гарантия
- Работает со всеми типами сменных лезвий
- Легкий и простой в эксплуатации
- Регулировка силы удара — слабая для диаметра жилы AWG 24/26 и сильная для AWG 22



### ▶▶ Ударный инструмент D-Impactor™

Инструмент для одновременной расшивки до пяти пар в 110 кросс. Инструмент позволяет повысить производительность и облегчить расшивку медного кабеля.

- Двустороннее лезвие позволяет осуществлять как простую расшивку, так и расшивку с обрезкой жилы, не вызывая при этом коротких замыканий.
- Автоматический возвратный механизм обеспечивает простоту в использовании
- Меньшее количество движущихся частей обеспечивает плавность работы, снижая дискомфорт
- Единая конструкция рабочего лезвия для всех 5-и пар
- Пожизненная гарантия.

Модель	Описание
10061000	Ударный инструмент D914S
10061100	D914S с лезвием EverSharp 66
10061110	D914S с лезвием EverSharp 110 и EverSharp 66
10061501	D914S с лезвием EverSharp 110 и EverSharp 66 и запасным лезвием
10061503	D914S с лезвием BIX и EverSharp 66/110 с обрезкой
10061810	D914S с лезвием EverSharp 66/110 с обрезкой

Модель	Описание
10051000	Ударный инструмент D914
10051100	D914 с лезвием EverSharp 66
10051110	D914 с лезвием EverSharp 110
10051120	D914 с лезвием EverSharp 110 и EverSharp 66
10051501	D914 с лезвием EverSharp 110 и EverSharp 66 и запасным лезвием

Модель	Описание
10054000	Ударный инструмент D814
10055000	D814 с лезвием EverSharp 66
10055110	D814 с лезвием EverSharp 110
10055200	D814 с лезвием EverSharp 110 и EverSharp 66
10055501	D814 с лезвием EverSharp 110 и EverSharp 66 и запасным лезвием
10055503	D814 с лезвием BIX и EverSharp 66/110 с обрезкой

Модель	Описание
10059000	D-Impactor
10059030	Сменное лезвие D-Impactor



### ▶▶ Лезвия EverSharp™

Fluke Networks предлагает три вида лезвий EverSharp. Для кроссов IDC 66/110 с обрезкой проводников при их заделке, а так же специализированные лезвия для работы с 110 и 66 типом IDC контактов. Благодаря специальной обработке металла лезвия служат существенно дольше. Эти сменные лезвия адаптированы для работы с ножами D914S, D914 и D814.

Модель	Описание
10056500	Лезвие EverSharp 66
10176500	Лезвие EverSharp 110
10178600	Лезвие EverSharp 110/66 с обрезкой

### ▶▶ Футляр для лезвий



Этот уникальный футляр для хранения целого арсенала сменных лезвий и насадок позволяет держать всё необходимое под рукой, избежать потери или повреждение в случае падения. За счёт своего компактного размера, футляр легко разместить не только на ремне, но даже в кармане брюк или рубашки.

Модель	Описание
10979003	Набор лезвий 66
10979004	Набор лезвий 110
10979002	Футляр для лезвий

### ▶▶ Лезвия

Fluke Networks повышает универсальность и гибкость в линейке монтажного инструмента и предлагает широкий спектр сменных лезвий и дополнительных насадок, которые позволяют одним инструментом выполнять несколько функций. С нашим высокотехнологичным комплектом лезвий EverSharp, а также уникальным футляром вы всегда будете иметь под рукой всё необходимое для быстрого и качественного выполнения работы.

10056000	10056003	10057000	10176000	10436001	10465001
<b>лезвие 66 тип</b>	<b>удлиненное лезвие 8762D — 66 типа</b>	<b>лезвие 630 тип</b>	<b>лезвие 110 тип</b>	<b>кern</b>	<b>лезвие 3M System D</b>
10056225 <b>лезвия 66 типа</b> (упаковка 100 шт)			10176225 <b>лезвия 110 типа,</b> (упаковка 100шт)		

10645001	10565000	10565110	10665000	10051200	10051300
<b>шило</b>	<b>лезвие для Krone</b>	<b>лезвие для Krone/110 с обрезкой</b>	<b>лезвие для VIX с обрезкой</b>	<b>отвёртка под крест и шлиц</b> (только для моделей D914 и D914S)	<b>переходник для сменных головок</b>

## ►► Наборы инструмента Pro-Tool™

Полный набор профессиональных инструментов, которые вам необходимо иметь для обрезки, удаления изоляции, зачистки и монтажа компьютерных и телефонных сетей. Компактно сгруппированные вместе, в удобном специальном пластиковом чехле для ношения на поясе, инструменты всегда останутся на своём месте, даже если вы окажетесь вверх ногами.

- Все комплекты включают в себя эргономичный пластиковый чехол для удобного ношения на поясе
- Ударные инструменты D914 и D814 для правильной и надёжной набивки кроссов
- Простой и удобный в использовании кольцевой кабельный стриппер для работы с большинством видов кабеля
- Обрезка, зачистка и удаление внешней изоляции с помощью надёжных, безопасных и удобных диэлектрических ножниц.

### ►► Описание наборов



#### Набор IS60 Pro-Tool

- Ударный инструмент D914S
- Ножницы D-Snips
- Стриппер
- Фонарик Mini Maglite®
- Чехол для инструмента на пояс
- Лезвие EverSharp 66/110 с обрезкой



#### Набор IS25 Pro-Tool

- Ножницы D-Snips
- Нож для разделки кабеля
- Фонарик Mini Maglite®
- Чехол для инструмента на пояс



#### Набор IS50 Pro-Tool

- Ударный инструмент D914S
- Ножницы D-Snips
- Стриппер
- Чехол для инструмента на пояс
- Лезвие EverSharp 66/110 с обрезкой



#### Набор IS15 Pro-Tool

- Ножницы D-Snips
- Нож для разделки кабеля
- Чехол для инструмента на пояс



#### Набор IS40 Pro-Tool

- Ударный инструмент D814
- Ножницы D-Snips
- Стриппер
- Чехол для инструмента на пояс
- Лезвие EverSharp 66/110 с обрезкой
- Инструмент Probe Pic

Модель	Описание
11291000	Набор IS40 Pro-Tool
11291400	Чехол к IS40
11292000	Набор IS50 Pro-Tool
11292400	Чехол к IS50
11293000	Набор IS60 Pro-Tool
11293400	Чехол к IS60
11295000	Набор IS25 Pro-Tool
11295400	Чехол к IS25
11296000	Набор IS15 Pro-Tool
11296400	Чехол к IS15

## ►► Наборы для телефонистов

Fluke Networks представляет наборы, которые включают в себя необходимый инструмент для обслуживания телефонных кабельных линий. Комплекты включают в себя ударный инструмент D814, кабельный стриппер, инструмент Probe Pic, ножницы D-Snips, стандартный 4-х контактный адаптер с вилкой RJ-11 и лезвие EverSharp 66/110 с обрезкой, а также удобную сумку для хранения и транспортировки.

- Возможность выбора между тестовой телефонной трубкой TS<sup>®</sup> 30 или комплектом для трассировки кабеля Pro3000
- Ударный инструмент D814 для надёжной и качественной расшивки кабеля на кросс.
- Лезвие EverSharp 66/110 с обрезкой кабеля обеспечит гибкость и удобство
- Стриппер для удаления изоляции, подходит для работы со многими видами кабеля.
- Инструмент Probe Pic для поиска свободных или поврежденных контактов
- Быстрое и безопасное отрезание проводников и кабелей при помощи удобных ножниц
- Адаптер подключения к гнезду RJ-11 с 4-мя контактами подключения, для быстрой и удобной проверки.
- Удобная мягкая сумка для хранения и транспортировки

## ►► Описание наборов

### Набор телефониста — 1

- Тестовая трубка TS<sup>®</sup>30
- Ударный инструмент D814
- Лезвие EverSharp 66/110 с обрезкой
- Ножницы D-Snips
- Стриппер
- Стандартный 4-х контактный адаптер
- Инструмент Probe pic



### Набор телефониста — 2

- Комплект Pro3000
- Ударный инструмент D814
- Лезвие EverSharp 66/110 с обрезкой
- Ножницы D-Snips
- Стриппер
- Стандартный 4-х контактный адаптер
- Инструмент Probe pic



Модель	Описание
11290000	Набор телефониста — 1 (с трубкой TS <sup>®</sup> 30)
11289000	Набор телефониста — 2 (с Pro3000)
11289400	Мягкая сумка



### ▶▶ Пресс-клещи для обжима кабеля

Инструмент, который по праву можно считать всё в одном, имеет множество рабочих органов, предназначен для обжима разъемов RJ-45 на 8 контактов, RJ-11 и RJ-12 на 4 и 6 контактов.

- Встроенный стриппер и нож для обрезки кабеля

Модель	Описание
11212530	Пресс-клещи



### ▶▶ Нож для разделки кабеля

Нож является идеальным инструментом для разделки оболочки кабеля. Оснащён удобной рукояткой для комфортного и безопасного использования, а лезвие ножа, выполненное из высококачественной стали, обеспечит длительную работу, сохраняя при этом великолепные режущие свойства.

- Короткое лезвие для увеличения усилия
- Прочная износостойкая сталь
- Противоскользкая поверхность рукоятки
- Работа с любыми типами изоляции

Модель	Описание
44400000	Нож для разделки кабеля



### ▶▶ Ножницы D-Snips™

Fluke Networks представляет эргономичные ножницы D-Snips. Это уникальное решение, которое благодаря особой конструкции рукоятки обеспечивает комфортное и безопасное использование, а также увеличение силы сжатия в 1,5 раза.

- Эргономичный дизайн, облегчающий требуемое усилие в 1,5 раза
- Высококачественная стальная конструкция для продолжительной и надёжной работы
- Шлифовочная поверхность на обоих лезвиях для зачистки поверхностей
- Клиновидные пазы для снятия изоляции с проводников, калиброванные под Ø 0,4 и 0,9 мм
- Зубчатая насечка на обоих лезвиях позволяет легко разрезать одножильные и многожильные кабели AWG 12 и 16
- Поверхность рукоятки обеспечивает комфортное использование и препятствует выскальзыванию

Модель	Описание
44300000	Ножницы D-Snips



### ▶▶ Ножницы

Ножницы имеют специальную поверхность на обеих сторонах лезвий при помощи которых вы легко можете зачищать поверхность, используя их как напильник. Клиновидные пазы для снятия изоляции с проводников, калиброванные под Ø 0,4 и 0,9 мм. Ножницы выполнены из высококачественной закалённой стали — эти ножницы необходимо иметь в вашей сумке для инструмента.

- Высококачественная закалённая сталь, обеспечит прочность и долговечность
- Шлифовочная поверхность на обоих лезвиях для зачистки поверхностей
- Клиновидные пазы для снятия изоляции с проводников, калиброванные под Ø 0,4 и 0,9 мм
- Легко разрезают одножильные и многожильные кабели AWG 12 и 16.
- Насечки на рабочей поверхности лезвий препятствуют соскальзыванию при резке кабеля

Модель	Описание
44500000	Ножницы





### ▶▶ Стриппер для кабеля

Предлагаем стрипперы для работы с круглым кабелем; с двумя калиброванными пазами для зачистки жил AWG 22/24; комбинированный с 2-мя и 3-мя уровнями для коаксиального кабеля RG58/59. Комбинированный стриппер легко справляется с удалением оболочек из Teflon® диаметром от 2 до 12,5 мм, что позволяет работать оптическим, медным и коаксиальным кабелем, а также с кабелем от 25-100 пар.

- Широкая линейка стрипперов для кабеля
- Стрипперы для любого круглого кабеля
- Стрипперы для коаксиального кабеля с несколькими уровнями

Модель	Описание
11230002	Стриппер для круглого кабеля
44210013	Стриппер с обрезкой для кабеля AWG 22/24
44200013	Стриппер для кабеля AWG 22/24
11231257	Стриппер для коаксиального кабеля, 2 уровня
11231255	Стриппер для коаксиального кабеля, 2 и 3 уровня



### ▶▶ Пассатижи Need-L-Lock™

Need-L-Lock являются запатентованным решением, позволяющим объединить в себе сразу 4 инструмента. Благодаря этому вам не придётся носить на поясе множество инструмента. Встроенные пресс-клещи для обжима соединительных муфт Scotch-Lok (UR/UY/UG) гарантируют качественное соединение за счёт специально адаптированного обжимного отверстия. Круглогубцы идеально подойдут для выполнения самых тонких работ. Встроенные бокорезы успешно справятся с перекусыванием кабеля, а калиброванное отверстие подойдёт в качестве стриппера. Высококачественная сталь обеспечит длительную и надёжную работу, а прорезиненная ручка — комфортное использование.

Модель	Описание
11294000	Пассатижи Need-L-Lock



### ▶▶ Инструмент Probe Pic

Удобный безопасный инструмент для проверки качества соединений проводников. Его компактный размер и эргономика позволяет осуществлять не только проверку качества заделки проводников, но и выполнять перегруппировку проводников в труднодоступных местах, без опасения повредить или получить поражение электрическим током.

- Трассировка и выбор требуемого провода, удаление остатков изоляции или проводников из контактов
- Проверка качество соединения
- Компактный размер

Модель	Описание
44600000	Инструмент Probe pic



### ▶▶ Гаечный ключ

Специализированный гаечный ключ для быстрого доступа к телефонным коробкам. Обеспечивает быстрое откручивание гаек на телефонных коробках и встроенных контактных площадках.

- Шестигранные головки (7/16 и 3/8 дюйма)
- Высокая прочность и стойкость к износу
- Способны выдержать высокий крутящий момент
- Доступны две модели со встроенным в ручки стриппером (AWG 22 или 24)

Модель	Описание
44007000	Гаечный ключ
44507003	Гаечный ключ со стриппером AWG 22
44507004	Гаечный ключ со стриппером AWG 24

## ►► Инструмент для работы с кабелем — выполняйте работу быстро и аккуратно

Прежде чем браться за работу по тестированию кабельной системы, важно помнить, что качественный монтаж кабельной системы не может обойтись без использования качественных инструментальных средств. Зачастую наличие правильного инструмента может иметь существенное значение. Чтобы аккуратно обрезать и зачистить кабель, а также для быстрого подключения проводников кабеля к блокам IDC контактов, вам необходимо иметь качественный ударный инструмент для заделки кабеля, стриппер и хорошие ножницы. Удобный специализированный чехол на пояс ремня обеспечит удобство в работе и обеспечит доступность инструмента для выполнения работы.



### Ударный инструмент

Основная задача ударного инструмента для разделки кабеля — это обеспечение надежного контакта проводников кабеля при его подключении к кроссу или модулю в розетке или коммутационной панели. Так каждый из проводников должен быть с силой забит в блок IDC контактов. В корпусе инструмента встроена пружина, которая сжимается под воздействием усилия руки, приложенного к рукоятке. Как только пружина достигает полного сжатия, она автоматически срабатывает, и сила удара передается лезвию, которое в свою очередь и забивает проводник в IDC контакт с требуемым усилием.

Большинство ударных инструментов для разделки кабеля оснащены сразу несколькими сменными лезвиями. Это обеспечивает удобство и быструю адаптацию к работе с требуемым типом IDC контактов. Некоторые модели сменных лезвий предусмотрена возможность обрезки кабеля, т.е. у них имеется режущая кромка с одной стороны для обрезания излишков проводников, заделанных в контакте, другие же требуют использование отдельного инструмента для данных целей. Кроме этого имеются модели с прорезиненной рукояткой. Это обеспечивает более уверенное и приятное удержание инструмента в руке, а также поглощает часть ударной энергии!




### Стриппер для кабеля

Стриппер для кабеля с регулятором глубины прорезания гарантирует быстрое и простое удаление внешней изоляции как на экранированном, так и неэкранированном многопарном кабеле с круглой оболочкой диаметром от 2 до 12,5 мм. Нож с регулировкой по глубине, а также встроенная трёх-сантиметровая линейка гарантирует стабильную повторяемость результатов и улучшает качество работы. Используя альтернативные методы, такие, как карманный нож или ножницы, легко допустить ошибку, при которой будет удалено большее количество кабеля или проводники кабеля могут получить повреждения.



### Ножницы

Профессиональные ножницы имеют важное значение для быстрой, чистой и безопасной работы, если вам необходимо укоротить кабель или проводник по длине. Уникальная эргономичность рукоятки ножниц позволяет обеспечить не только удобное положение в руке, но и увеличивает усилие сдавливания в 1,5 раза, тем самым уменьшая физическую нагрузку и снижая усталость рук. Вооружившись ударным инструментом, стриппером и профессиональными ножницами, вы будете всегда готовы качественно и аккуратно установить кабельную систему. А удобный чехол обеспечит доступность инструмента и сэкономит время.



Datacom Cabling	
Cable Certification System and Management	
Versiv™ Cable Certification System	3
Copper Cable Test Solutions	
Copper Cable Test Solutions Product Comparison	4
DSX-5000 CableAnalyzer™	5
Copper Adapter and Accessories	6
CableIQ™ Qualification Tester	9
MicroMapper™	10
MicroScanner² Cable Verifier	10
IntelliTone™ Pro 200 LAN Toner and Probe	11
Pro3000™ Analog Tone and Probe	11
Pocket Toner®	12
TS®100 PRO Cable Fault Finder	13
TS®90/TS®100 Cable Fault Finder	14
LinkWare™ Live	15
Fiber Cable Test Solutions	
Fiber Testing, Troubleshooting and Certification Comparison	16
OptiFiber® Pro OTDR	18
Launch Fibers	19
CertiFiber® Pro	20
FI-7000 FiberInspector™ Pro	22
MultiFiber® Pro	23
SimpliFiber Pro® Optical Power Meter	24
Fiber Test Kits	24
Legacy Test Reference Cords, Adapters and Mandrels	26
Fiber QuickMap™	27
Fiber OneShot™ PRO	28
Fiber Inspection and Cleaning	
FiberInspector™ Mini Video Microscope	29
FiberViewer™ Fiber Microscope	29
VisiFault™ Visual Fault Locator	29
Fiber Optic Cleaning Kits	30

Tools and Test Kits	
JackRapid™ Termination Tool	31
Impact Tools	32
Blades	33
Pro-Tool™ Kits	34
Electrical Contractor Telecom Kits	34
Modular Crimper	35
Cable Splicing Knife	35
D-Snips™	35
Electrician's Snips	35
Cable Strippers	36
Need-L-Lock™ Crimping Pliers	36
Probe Pic	36
Can Wrench	36
Telephone Butt-Sets and Access Network Test	
Telephone Test Set Comparison	37
TS®54 TDR Test Set	38
TS®52 PRO LCD Test Set	39
TS®30 Test Set	40
TS®22 Series Test Sets	40
TS®25D LCD Test Set	41
TS®19 Test Set	41
Modular Adapters	42
Line Cords and Clips	43
Voltage Detector	44
Gold Support	
Protect Your Investment with Gold Membership	46
What's Included with Gold Membership	46
Gold Membership Privileges	47



### Versiv™ Cable Certification System

Versiv users report spending 1/3 the time on testing and reporting, cutting the total cost of a job by 10%.

Certifying a cable is one part of a process that starts with design of a structured cabling system and ends with systems acceptance. The faster that process goes, the more profitable you'll be. Unfortunately, there are a lot of things that slow the process down – testing to the wrong limits, waiting for lead technicians to set up or troubleshoot, and discovering that you have incomplete results after your team has left the construction site.

Research shows that over 90% of contractors report dealing with issues related to set-up, testing, and reporting every month. **It adds up to a week of wasted labor on a typical 1,000 drop job.**

Versiv is designed to eradicate these problems. Its ProjX™ System manages job requirements and progress from setup to systems acceptance, making sure all tests are completed correctly. The Taptive™ User Interface simplifies set up, eliminates errors and speeds troubleshooting. The LinkWare™ Live cloud service gives you visibility and control of the whole process: you can set up and track your testers and inspect results from any mobile device while the job is in process. It even lets you upload and integrate results from multiple testers at multiple jobsites so you can quickly generate reports with the de-facto industry standard LinkWare PC.

**Eliminate the problems, get jobs done faster, and make money every time you use Versiv.**

To learn more visit: [www.flukenetworks.com/VersivFamily](http://www.flukenetworks.com/VersivFamily)

To configure your Versiv Kit visit: [www.flukenetworks.com/VersivConfig](http://www.flukenetworks.com/VersivConfig)

**COPPER CERTIFICATION AND TESTING**



	DSX-5000 CableAnalyzer™	CableIQ™ Qualification Tester	MicroScanner <sup>2</sup> Cable Verifier
Supports structured cabling warranties	✓		
Meets TIA/ISO certification standards requirements	Levels IIe, III, IIIe, Level IV, and Level V.		
Provides pass/fail results	9.9 second Cat 6A		
Documents test results	✓	✓	
Qualifies cabling speed (10/100/VoIP/Gig)	✓	✓	
Advanced troubleshooting: Fault Info HDTDX, HDTDR	✓		
Basic troubleshooting: distance to break or short	✓	✓	✓
Continuity and wiremap	✓	✓	✓



**DSX-5000 CableAnalyzer™**

The DSX-5000 CableAnalyzer improves the efficiency of copper certification with unmatched speed for testing Cat 6A and Class F, while meeting IEC Level V—the most stringent accuracy requirement. The ProjX Management System ensures jobs are done correctly the first time and helps track progress from set-up to systems acceptance. Taptive user interface troubleshoots faults faster by graphically indicating the source of failures including crosstalk, return loss, and shield faults. Analyze test results and create professional test reports using LinkWare™ Cable Test Management Software.

Fluke Networks' DSX-5000 CableAnalyzer is Intertek (ETL) Verified in accordance with the IEC 61935-1 specifications for accuracy Level IIIe, IV, and Level V, and in accordance with the ANSI/TIA-1152 specifications for Level IIIe.

- Versiv™ modular design supports copper certification, fiber loss, and OTDR testing
- Taptive™ user interface simplifies set-up, and eliminates errors
- Manage and track testers, setups and results, and generate reports with LinkWare PC and Linkware Live
- Endorsed by more than 28 cabling manufacturers worldwide
- Alien Crosstalk testing capability included

Model	Description	Gold 1YR	Gold 3YR
DSX-5000	DSX-5000 CableAnalyzer Kit for Copper Cabling Certification	GLD-DSX-5000	GLD3-DSX-5000
DSX-5000 120/GLD	Kit bundled with 1 year of Gold Support coverage (available in the United States, Europe and Japan only. Europe order: DSX-5000 INTL/GLD, Japan order: DSX-5000 AP/GLD)	Included in Bundle	
DSX-5000-PRO	Versiv Professional Kit contains the DSX CableAnalyzer, CertiFiber Pro, OptiFiber Pro, Fiber Inspection and a full complement of product accessories.*	GLD-DSX-5000-PRO	GLD3-DSX-5000-PRO
DSX-5000-PRO/GLD	DSX-5000-PRO with 1 year Gold Support coverage (available in United States, Europe and Japan only. Europe order DSX-5000PROINTLGLD, Japan order: DSX-5000-PROAP/GLD).	Included in Bundle	
DSX-5000Qi	DSX-5000 CableAnalyzer with CertiFiber Pro Quad OLTS Modules, and USB Video Inspection Probe for Copper and Fiber Loss certification	GLD-DSX-5000Qi	GLD3-DSX-5000Qi
DSX-5000Qi 120/GLD	Kit bundled with 1 year of Gold Support coverage (available in the United States, Europe and Japan only. Europe order: DSX-5000QiINTL/GLD, Japan order: DSX-5000Qi AP/GLD)	Included in Bundle	
DSX-5000Qi	DSX-5000 CableAnalyzer with CertiFiber Pro Quad OLTS modules, OptiFiber Pro Quad OTDR module and USB Fiber Inspection Video Probe for Copper, Fiber Loss, and OTDR certification	GLD-DSX-5000Qi	GLD3-DSX-5000Qi
DSX-5000Qi120/GLD	Kit bundled with 1 year of Gold Support coverage (available in the United States, Europe and Japan only. Europe order: DSX-5000QiINTLGLD, Japan order: DSX-5000Qi AP/GLD)	Included in Bundle	
DSX-5000Mi	DSX-5000 CableAnalyzer CertiFiber Pro Multimode MM OLTS Modules and USB Video Inspection Probe for Copper and Multimode Fiber Loss certification	GLD-DSX-5000Mi	GLD3-DSX-5000Mi
DSX-5000Mi 120/GLD	Kit bundled with 1 year of Gold Support coverage (available in the United States, Europe and Japan only. Europe order: DSX-5000MiINTL/GLD, Japan order: DSX-5000Mi AP/GLD)	Included in Bundle	
DSX-ADD-R	1 Versiv Remote, (2) DSX-5000 CableAnalyzer Modules, and accessories to add DSX-5000 CableAnalyzer capability to an existing OptiFiber Pro	GLD-DSX-ADD-R	GLD3-DSX-ADD-R
DSX-CFP-Q-ADD-R	1 Versiv Remote, (2) DSX-5000 CableAnalyzer modules, (2) CertiFiber Pro Quad OLTS Modules, and accessories to add DSX-5000 CableAnalyzer and CertiFiber Pro capability to an existing OptiFiber Pro OTDR	GLD-DSX-CFP-Q-ADD-R	GLD3-DSX-CFP-Q-ADD-R
DSX-ADD	(2) DSX-5000 CableAnalyzer Modules, and accessories to add DSX-5000 capability to an existing CertiFiber Pro OLTS	GLD-DSX-ADD	GLD3-DSX-ADD

\*Detail list of contents on page 8





Copper Adapter and Accessories

Model	Description
DSX-PLA001	DSX Universal Permanent Link Adapter
DSX-PLA004S	DSX CAT 6A/Class E <sub>A</sub> Permanent Link Set
DSX-PLA011S	DSX TERA CAT 7A/Class F <sub>A</sub> Permanent Link Set
DSX-CHA004S	DSX CAT 6A/Class E <sub>A</sub> Channel Set
DSX-CHA011S	DSX TERA Cat 7A/Class F <sub>A</sub> Channel Set
DSX-CHA012S	DSX GG45 Class F <sub>A</sub> Channel Adapter Set
DSX-CHA021S	DSX M12 4-Position Adapter Set
DSX-COAX	DSX Coax Adapter Set
DSX-TERA-KIT	DSX TERA CAT 7A/Class F <sub>A</sub> Permanent Link and Channel Kit
DSX-5000 MOD	1 GHz DSX-5000 Replacement Module
DSX-PC5ES	DSX CAT5 Patch Cord Adapter Set
DSX-PC6S	DSX CAT6 Patch Cord Adapter Set
DSX-PC6AS	DSX CAT6A Patch Cord Adapter Set
VERSIV-M	Versiv Main Replacement
VERSIV-RU	Versiv Remote Replacement
VERSIV-TSET	Versiv Headphones
VERSIV-BATTERY	Versiv Battery
VERSIV-ACUN	Versiv Charger
VERSIV-STRP	Versiv Strap Kit
VERSIV-BACKPK-STRP	Backpack strap for Versiv Large Case
VERSIV-CASE3	Versiv Hardsided Case
VERSIV-LG-CASE	Versiv Large Carry Case
VERSIV-SM-CASE	Versiv Small Carry Case
VERSIV-STND	Versiv Demo Stand
LinkWare PC	LinkWare Cable Test Management Software: Free download at: <a href="http://www.flukenetworks.com/linkwarePC">www.flukenetworks.com/linkwarePC</a>
LinkWare Live	Cloud-based service that lets you manage certification jobs anytime, anywhere, with anyone on any device <a href="http://www.flukenetworks.com/linkwarelive">www.flukenetworks.com/linkwarelive</a>
DTX-ACUN	AC Charger Universal
DTX-ACNA	AC Charger, North America
DTX-CASE	Standard Carrying Case—DTX Series
DTX-STRP	DTX carrying strap
DTX-LION	Lithium Ion Battery Pack
DTX-COAX	DTX Coax Cable Test Adapter (2 adapters included)
DTX-PC5ES	DTX Patch Cord Test Adapter Set for Category 5e patch cords. Certifies both shielded and unshielded category 5e patch cords per ANSI/TIA 568-C and ISO 11801:2010

Copper Adapter and Accessories cont.	
Model	Description
DTX-PC6S	DTX Patch Cord Test Adapter Set for Category 6 patch cords. Certifies both shielded and unshielded category 6 patch cords per ANSI/TIA 568-C and ISO 11801:2010
DTX-PC6AS	DTX Patch Cord Test Adapter Set for Category 6A patch cords. Certifies both shielded and unshielded category 6A patch cords per ISO 11801:2010
DTX-PCTAC5EKS	Twin pack of shielded Cat 5e jacks. Recommended replacement for DTX-PC5ES Patch Cord Test adapters
DTX-PCTAC6KS	Twin pack of shielded Cat 6 jacks. Recommended replacement for DTX-PC6S Patch Cord Test adapters
DTX-PCTAC6AKS	Twin pack of shielded Cat 6A jacks. Recommended replacement for DTX-PC6AS Patch Cord Test adapters
DSP-PCI-C6JACK	Replacement Cat 6 Jacks for the DSP-PCI-C6 Patch Cord Adapter, set of 10
DTX-PLA002	One Permanent Link Adapter for Cat 6A and Alien Cross Talk testing. This adapter can be used for all permanent link tests Cat 6A/6/5e/5 and Cat 3
DTX-PLA002PRP	DTX-PLA002 plug replacement parts. This item includes two contact blocks of the 8-pin modular plug.
DTX-PLA001	One Permanent Link Adapter for use with the DTX Series CableAnalyzer. This adapter is compatible with all DSP-PMxx Personality Modules but it does not include a Personality Module
DTX-CHA002	Cat 6A/Class E <sub>A</sub> Channel Adapter optimized for Alien Crosstalk measurements. This adapter can be used to test Cat 6A/6/5e/5/3 and Class E <sub>A</sub> /E/D and C channels
Personality Modules	
DSP-PM19B	SYSTIMAX® VisiPatch® 360 (T568B) Personality Module
DSP-PM19A	SYSTIMAX VisiPatch 360 (T568A) Personality Module
DSP-PM17B	TYCO/AMP 610XC Connector (T568B) Personality Module
DSP-PM17A	TYCO/AMP 610XC Connector (T568A) Personality Module
DSP-PM16B	LEVITON 110 (T568B) Personality Module
DSP-PM16A	LEVITON 110 (T568A) Personality Module
DSP-PM15B	ADC/KRONE Highband (T568B) Personality Module
DSP-PM15A	ADC/KRONE ULTIM8 (T568B) Personality Module
DSP-PM14B	ADC/KRONE ULTIM8 (T568B) Personality Module
DSP-PM14A	ADC/KRONE ULTIM8 (T568A) Personality Module
DSP-PM13B	SIEMON S210 (T568B) Personality Module
DSP-PM13A	SIEMON S210 (T568A) Personality Module
DSP-PM12B	PANDUIT GIGAPUNCH (T568B) Personality Module
DSP-PM11B	Belden GigaBIX (T568B) Personality Module
DSP-PM11A	Belden GigaBIX (T568A) Personality Module
DSP-PM10B	SYSTIMAX 110 (T568B) Personality Module
DSP-PM10A	SYSTIMAX 110 (T568A) Personality Module
NFA-LC	Set of two LC Adapters for DTX-xFM2 power meter port
NFA-ST	Set of two ST Adapters for DTX-xFM2 power meter port
NFA-FC	FC Test Adapters, Set of two
NFB1/2-LC/ST	A kit containing the Test Reference Cords sets NFK1-DPLX-LC, NFK1-DPLX-ST, NFK2-DPLX-LC, NFK2-DPLX-ST, LC and ST adapters for the power meter and 62.5/125 and 50/125
NFK1-DPLX-SC	Duplex MM 62.5 μm TRC for SC Adapter, Set of 2
NFK1-DPLX-LC	Duplex MM 62.5 μm TRC for SC Adapter, Set of 2
NFK1-DPLX-ST	Duplex MM 62.5 μm TRC for SC Adapter, Set of 2

Model	Description
NFK1-DPLX-FC	Duplex MM 62.5 μm TRC for SC Adapter, Set of 2
NFK2-DPLX-SC	Duplex MM 50 μm TRC for SC Adapter, Set of 2
NFK2-DPLX-LC	Duplex MM 50 μm TRC for SC Adapter, Set of 2
NFK2-DPLX-ST	Duplex MM 50 μm TRC for SC Adapter, Set of 2
NFK2-DPLX-FC	Duplex MM 50 μm TRC for SC Adapter, Set of 2
NFK3-DPLX-SC	Duplex SM TRC for SC Adapter, Set of 2
NFK3-DPLX-LC	Duplex SM TRC for LC Adapter, Set of 2
NFK3-DPLX-ST	Duplex SM TRC for ST Adapter, Set of 2
NFK3-DPLX-FC	Duplex SM TRC for FC Adapter, Set of 2
NFK1-MANDREL-KIT	Multimode Fiber Mandrel kit containing two red mandrels for 50/125 μm cable and two gray mandrels for 62.5/125 μm cable
NF-MANDREL-50	Multimode Fiber Mandrel for 50/125 μm cable
NF-MANDREL-625	Multimode Fiber Mandrel for 62.5/125 μm cable
NFC-Kit-Case	Fiber Optic Cleaning Kit.
DTX-FBCSE	Carry case for DTX-xFM or DTX-xFM2 Fiber Loss Test Modules with storage space for Test Reference Cords and fiber connector adapters

To learn more visit: [www.flukenetworks.com/dsx](http://www.flukenetworks.com/dsx)



Versiv mainframe and accessories



DSX CableAnalyzer



CertiFiber Pro Quad OLTS



OptiFiber Pro Quad OTDR

### Versiv Professional Kit includes:

**Versiv mainframe and accessories:** (2) Versiv Mainframes, (2) Headsets, (2) Hand Straps, (2) Shoulder Straps, Hard sided Carry Case, (2) Large Duffle Bags, (2) Backpack straps for Versiv Duffle Bag, (2) Versiv stands, USB Interface Cable, Versiv Open Source Software CD, (2) AC Chargers, (2) Universal Couplers, Statement of Calibration, and Getting Started Guide

**DSX CableAnalyzer:** (2) DSX-5000 CableAnalyzer Modules, (2) AxTalk Terminators, Set of CAT 6A/Class EA Permanent Link Adaptors, Set of CAT 6A/Class EA Channel Adaptors, Universal Permanent Link Adaptors Set (accepts personality modules), DSX Series Coaxial Adapter Set, DSX Patch Cord Test Adapter Set for Category 5e patch cords, DSX Patch Cord Test Adapter Set for Category 6 patch cords, DSX Patch Cord Test Adapter Set for Category 6A patch cords, DSX M12 4-position Channel Adapter Set

**CertiFiber Pro Quad OLTS:** (2) CertiFiber Pro Quad OLTS Modules, (4) Sets of 50μm Multimode EF TRC kits: SC/LC (2 SC/LC, 2 LC/LC), SC/SC (4 SC/SC), SC/ST (2 SC/ST, 2 ST/ST), SC/FC (2 SC/FC, 2 FC/FC), 4 Sets of 62.5μm Multimode EF TRC kits: SC/LC (2 SC/LC, 2 LC/LC), SC/SC (4 SC/SC), SC/ST (2 SC/ST, 2 ST/ST), SC/FC (2 SC/FC, 2 FC/FC), 4 Sets of 9μm Singlemode TRC kits: SC/LC (2 SC/LC, 2 LC/LC), SC/SC (4 SC/SC), SC/ST (2 SC/ST, 2 ST/ST), SC/FC (2 SC/FC, 2 FC/FC), 4 TRC Carry Cases, 4 Sets of Interchange Adapters (LC – installed on units, SC, ST and FC)

**OptiFiber Pro Quad OTDR:** OptiFiber Pro Quad OTDR Module, 50μm Multimode Launch Cords (3 SC/LC, 3 SC/SC, 2 SC/ST, 2 SC/FC, 1 LC/LC, 1 ST/ST, 1 FC/FC), 62.5μm Multimode Launch Cords (1 SC/LC, 3 SC/SC, 2 SC/ST, 2 SC/FC), 9μm Singlemode Launch Cords (3 SC/LC, 3 SC/SC, 2 SC/ST, 2 SC/FC, 1 LC/LC, 1 ST/ST, 1 FC/FC, 2 SC/SCAPC, 2 SC/LCAPC), 50μm Multimode TRC OTDR port saver (SC/SC, LC/LC), 62.5μm Multimode TRC OTDR port saver (SC/SC, LC/LC), 9μm Singlemode TRC OTDR port saver (SC/SC, LC/LC), OTDR Source Port Interchange Adapter Sets (LC – installed on unit, SC/ST, FC), (2) OTDR Hanging straps and magnets,

**Fiber inspection and cleaning:** (2) Versiv USB inspection cameras and tips sets, (2) OneClick Cleaners (1.25 mm), (2) OneClick Cleaners (2.50 mm), Enhanced Fiber Optic Cleaning Kit with OneClick cleaners



Fiber inspection and cleaning

### CableIQ™ Qualification Tester

CableIQ network cable qualification test tool is designed for network technicians who need to troubleshoot connectivity problems and qualify cabling bandwidth. It detects speed and duplex settings of attached switches and PCs. Intelligent wiremap graphically shows distance to faults (e.g.: pin 1 break at 37 ft). Lightweight, rugged, reliable unit tests all copper cabling. Its ease and power helps you close trouble tickets faster and ensure smooth upgrades to higher network speeds.

- Sees if your existing cabling can support voice, VoIP, 10/100/Gigabit Ethernet
- Troubleshoots why existing cabling plant can't support the desired network bandwidth
- Discover what's at the end of any cable and displays device configuration (speed/duplex/pairing)
- Frees up switch ports and identifies unused links
- Graphically maps wiring configuration and shows distance to faults, graphical wire mapping, opens, and shorts.
- Locates and traces cable with IntelliTone™ digital signaling technology



CableIQ Advanced IT Kit

Model	Description	Gold 1YR	Gold 3YRs
CIQ-100	CableIQ with remote adapter, soft carrying case and four AA batteries	GLD-CIQ	GLD3-CIQ
CIQ-KIT	CableIQ main unit, eight remote adapters, Reporter software, IntelliTone 200 Digital Probe, (2) RJ45-RJ45 patch cords, USB cable, coax 'F' push-on adapter, 75-ohm coax patch cord, RJ45/11 universal coupler, RJ11-RJ11 patch cord, four AA batteries, and hard carry case	GLD-CIQ	GLD3-CIQ
CIQ-KRQ	CableIQ, RJ-45 patch cord (2), RJ-11 patch cord (2), bare wire adapter, speaker wire adapter, coax cable, coax BNC adapter, coax RCA adapter, "Qualified" labels (50) and a soft carrying case	GLD-CIQ	GLD3-CIQ
CIQ-FTKSFP	Copper and Fiber Technician's Kit—includes the CableIQ (CIQ-KIT) and SimpliFiber Pro (FTK1000) Fiber Test Kit. See Photo	GLD-CIQ GLD-SFPRO	GLD3-CIQ GLD3-SFPRO

### Accessories

Model	Description
MICRO-DIT	Micro IT kit (CIQ + MicroScanner®) soft carry duffle
CIQ-COAX	CableIQ Coax Adapter Kit—includes F-connector, BNC and RCA connectors
CIQ-IDK24	CableIQ Remote Identifier Kit—includes remote identifier numbers 2-4
CIQ-IDK57	CableIQ Remote Identifier Kit—includes remote identifier numbers 5-7
CIQ-RJA	RJ-45/11 modular adapter
CIQ-SPKR	CableIQ speaker wire adapter
CIQ-WM	CableIQ main wiremap adapter (replacement part for lost or damaged unit)
CLIP-SET	Clip Set – includes RJ-45-to-8-clip test lead

To learn more visit: [www.flukenetworks.com/cableiq](http://www.flukenetworks.com/cableiq)



**MicroMapper™**

Simple verification tester verifies wiremap and identifies faults with LEDs.

- Testing of twisted pair cables for open circuits, shorts, crossed pairs, reversed pairs and split pairs
- Easy-to-read fault display
- Tone generator for tracing installed cables hidden in walls, floors and ceilings
- Remote unit enables one-person testing of installed cables

Model	Description
MT-8200-49A	MicroMapper and MicroMapper Remote, patch cable, 6-volt alkaline battery and user guide

To learn more visit: [www.flukenetworks.com/micromapper](http://www.flukenetworks.com/micromapper)



**MicroScanner<sup>2</sup> Cable Verifier**

Next generation MicroScanner streamlines voice/data/video cable and service testing. The user interface makes testing fast, easy, and crystal clear. Everything cable technicians need to know, including available services (10/100/1000 Ethernet, POTS, PoE voltage), cable length, wiremap, cable ID, and distance to fault all are displayed on one oversized backlit screen. Replace multiple tools by testing all RJ-11, RJ-45, and coax (F) media with no adapters. Built-in IntelliTone™ digital and analog toning precisely locates virtually any cable or wire pair – even on active networks. Ergonomic design features sleek rubber over mold to enhance grip and ruggedness. Includes carry case.



- Displays cable length, wiremap, cable ID, and distance to fault on one screen
- Detects today's media services, including 10/100/1000 Ethernet, POTS, and PoE
- Locates virtually any cable or wire pair with IntelliTone digital and analog toning

Model	Description
MS2-100	MicroScanner <sup>2</sup> Cable Verifier
MS2-KIT	MicroScanner <sup>2</sup> Professional Kit—includes MicroScanner <sup>2</sup> Cable Verifier, Remote ID #s 2-7, IntelliTone Pro 200 Probe, bare wire adapter, coax cable, two shielded RJ-45 cables, two RJ-11 cables and a deluxe carry case
MS2-TTK	MicroScanner <sup>2</sup> Termination Test Kit—includes MicroScanner <sup>2</sup> Cable Verifier, IS60 Pro Tool Kit, IntelliTone Pro 200 Probe, RJ-11 and RJ-45 patch cables, lanyard, owners CD and quick start guide, 9 volt battery and a deluxe carry case
MS2-FTK	Copper and Fiber Basic Technician's Kit—includes the MicroScanner (MS2-100) and SimpliFiber Pro (FTK1000) Fiber Test Kit
MS2-IDK27	MicroScanner <sup>2</sup> Remote ID Kit #s 2-7
MT-8200-63A	IntelliTone Pro 200 Probe
MS2-WM	MicroScanner <sup>2</sup> Main Wiremap Adapter
MICRO-DIT	Mirco IT kit (CIQ + MircoSacner <sup>2</sup> ) soft carry duffle

To learn more visit: [www.flukenetworks.com/microscanner](http://www.flukenetworks.com/microscanner)



**IntelliTone™ Pro 200 LAN Toner and Probe**

The IntelliTone Pro 200 LAN Toner and Probe Series from Fluke Networks is the first network cable toner and probe to offer digital and analog signaling all in one tool. The IntelliTone Pro 200 LAN Toner and Probe Series from Fluke Networks gives you superior vision for locating cables hidden in floors, ceilings, walls, and in bundles. Its breakthrough digital technology makes it the first tool to tone and trace safely and effectively on active networks.



- Ends cable location confusion—decisively rejects noise and false signals
- Locates cables on active networks—even when terminated at a switch
- Isolates cable and wiring within a bundle despite cable bleed
- Confirms cable location, verifies continuity, and detects faults (opens, shorts, and reversed pairs) in one step

**SmartTone® analog toning technology:**

- Isolates individual wire pairs precisely by changing tone when shorted
- Effectively traces and locates voice, audio, and video cabling

Model	Description
MT-8200-60-KIT	IntelliTone Pro 200 LAN Toner and Pro 200 Probe, coax F connector adapter, (2) RJ11 and (2) RJ 45 patch cables, test leads with alligator clips, lanyards, quick start guide, and (2) 9 volt batteries
MT-8200-61-TNR	IntelliTone Pro 200 LAN Toner, coax F connector adapter, RJ11 and RJ 45 patch cables, test leads with alligator clips, lanyard, quick start guide, and 9 volt battery
MT-8200-63A	IntelliTone Pro 200 Probe, RJ11 and RJ 45 patch cables, lanyard, quick start guide, and 9 volt battery
MT-8202-05	IntelliTone Case Heavy-duty pack cloth padded and lined case with belt loops and d-ring
MT-8203-20	Test Leads with Bed of Nails: Set of two Banana Jack test leads with piercing pin 'Bed of Nails' alligator clips with vinyl sleeves
MT-8203-22	Test Leads with Alligator Clips: Set of two Banana Jack test leads with standard alligator clips with vinyl sleeves

To learn more visit: [www.flukenetworks.com/intellitone](http://www.flukenetworks.com/intellitone)



**Pro3000™ Analog Tone and Probe**

Pro3000 Analog Tone and Probe Kit tones and traces wire.

- Tone and trace wire on non-active networks
- SmartTone™ technology provides five distinct tones for exact pair identification
- Sends loud tone up to 10 miles (16 kilometers) on most cables
- Loud speaker on Probe makes the tone easier to hear through drywall, wood, and other enclosures
- Angled bed-of-nails clips allow easy access to individual pairs
- RJ-11 connector is ideal for use on telephone jacks
- Attach nylon pouch (included in kit) to your belt for easy transport

Model	Description
26000900	Pro3000 Analog Tone and Probe Kit
26100900	Pro3000 Analog Probe
26200900	Pro3000 Analog Tone Generator
26100103	Pro3000 Analog Probe replacement tip (two per bag)

To learn more visit: [www.flukenetworks.com/pro3000](http://www.flukenetworks.com/pro3000)



**Pocket Toner®**

The Pocket Toner® connects to any voice, data, or video cable to detect open/short circuits, continuity, AC/DC voltage\* and dial tone\* all while protecting up to 52 volts. All of the Pocket Toners have dual audible indicators in the main body and detachable buzzer toner units, removable push on connectors, auto shut-off and easy-to-read indicators.

- Low-voltage circuit protection for both the unit and the detachable toner
- Dual audible indicators in the main body and detachable buzzer toner units
- Auto shut-off
- Easy-to-read indicators; removable push-on connectors
- Male and female adaptable toner section
- Lightweight, durable anodized aluminum body



Cable Professional



Satellite



Audio & Video



LAN



Voice



Security & Fire



Cable & Telephone

Model	Description
PTNX1	Identify and test low-voltage, singular coax cables for continuity, opens/shorts and 50-75 Ω termination. Low-voltage protection up to 52 volts. Kit includes NX1 unit, toner, F-type (M-push, Speed 81™) adapters and 1-AAA battery
PTNX2	All the features of the NX1 plus AC/DC voltage detection- all in an easy-to-read LCD. Kit includes NX2 unit, toner, F-type (M-push, Speed 81) adapters and 1-AAA battery
PTNX2-DLX	All the NX2 features. Kit includes NX2 unit, toner, 66 block adapter, RJ-11 adapter, RJ-45 adapter, Dial Tone Detective™, alligator clips with RJ-45 adapter, F-type (F, 9-M-push, M-71, Speed 81) adapters, RCA (M, F) adapters, BNC (M, F) adapters, 1-AAA battery and deluxe case with belt clip
PTNX2-CABLE	All the NX2 features. Kit includes NX2 unit, toner, alligator clips adapter, F-type (F, M-push, M-71, Speed 81) adapters, 1-AAA battery and small canvas case
PTNX8	All the features of the NX1 and NX2 plus the ability to test up to 8 cables at once. NX8 unit, toner, F-type (M-push, Speed 81) adapters, 1-AAA battery and deluxe case with belt clip
PTNX8-CABLE	All the NX8 features. Kit includes NX8 unit, toner, 8 ID caps, alligator clips, F-type (F, 9-M-push, M-71, Speed 81) adapters, 1-AAA battery and deluxe case w/ belt clip
PTNX8-CT	All the NX8 features. Kit includes NX8 unit, toner, 8 ID caps, 66 block adapter, RJ-11 adapter, Dial Tone Detective, alligator clips with RJ-11 adapter, F-type (F, 9-M-push, M-71, Speed 81) adapters, 1-AAA battery and deluxe case with belt clip
PTNX8-DLX	All the NX8 features. Kit includes NX8 unit, toner, 8 ID caps, 66 block adapter, RJ-11 adapter, RJ-45 adapter, Dial Tone Detective, alligator clips with RJ-45 adapter, F-type (F, 9-M-push, M-71, Speed 81) adapters, RCA (M, F) adapters, BNC (M, F) adapters, 1-AAA battery and deluxe case w/ belt clip
PTNX8-VV-PRO	All the NX8 features. Kit includes NX8 unit, toner, 8 ID caps, 66 block adapter, 8-RJ-11 adapters, RJ-45 adapter, Dial Tone Detective, alligator clips w/ RJ-11 adapter and RJ-45 adapter, F-type (F, 9-M-push, M-71, Speed 81) adapters, RCA (M, F) adapters, BNC (M, F) adapters, 1-AAA battery and deluxe case w/ belt clip
ADAP-PTNX-KIT	Alligator clips and RJ-45 adapter, alligator clips and RJ-11 adapter, Dial Tone Detective, RJ-11 adapter, 66 block adapter, RJ-45 adapter, F-type (F, M-Push, M-71, Speed 81) connectors, RCA (M, F) connectors, BNC (M, F) connectors and 2-wire clip adapter
CASE-PTNX-SM	Small case
CASE-PTNX-LG	Large case
PTNX8-ID-1-8	8-ID caps
ADAP-PTNX-RJ11	8 RJ-11 adapters
ADAP-PTNX-RJ45	8 RJ-45 adapters
ADAP-PTNX-TNR	1 Toner

\*Varies by model/kit configuration

To learn more visit: [www.flukenetworks.com/pt](http://www.flukenetworks.com/pt)



**TS®100 PRO Cable Fault Finder**

Invest in the right tool for all your technicians. The new TS100 PRO Cable Fault Finder with PowerBT™ Bridge Tap Detect is a telecom technician's first line of defense against bridge taps on a subscriber's line. Because a bridge tap is a significant source of DSL network performance problems due to unwanted signal reflectance, it needs to be identified and fixed quickly before the problem causes customer attrition. The TS100 PRO can accurately locate multiple bridge taps in seconds on up to 3,200 feet of cable with the touch of a button.

- Bridge tap detection for xDSL pre-qualification on up to 3,200 feet (975 meters)
- Tests opens and shorts up to 8,000 feet (2.4 kilometers)
- Sees past bridge taps to the end of the cable
- Patented SmartTone® tone generator with five different tones for exact pair identification
- Built-in TDR and toner
- AC/DC voltage detection and digital read out



Model	Description
TS100-PRO-BT-TDR	TS100 PRO Cable Fault Finder TDR Kit with Bridge Tap Detect
LEAD-ABNP-100	Test lead with angled-bed-of-nails and piercing pin. Compatible with the TS100 and TS100 PRO
CASE-TS100	TS100/TS100PRO pouch with Fluke Networks' logo
LEAD-ALIG-100	Test lead with alligator clips. Compatible with the TS100 and TS100 PRO
LEAD-ABN-100	Test lead with angled-bed-of-nails. Compatible with the TS100 and TS100 PRO

To learn more visit: [www.flukenetworks.com/ts100pro](http://www.flukenetworks.com/ts100pro)





### TS<sup>90</sup>/TS<sup>100</sup> Cable Fault Finder

Fluke Networks' cable fault finders are easy-to-use, three-in-one testers: a fault locator, a cable inventory manager and a toner with SmartTone<sup>®</sup> technology. Easily find the distance to opens or shorts on electrical wire, telephone wire, security wire and coax. Displays distance reading rather than waveform.

- TS90 works on any two or more conductor cable up to 2,500 feet
- TS100 works on any two or more conductor cable up to 3,000 feet (metric unit also available)
- Instantly measures distance to open or short from one end of any cable pair
- Patented SmartTone<sup>®</sup> tone generator positively identifies pair
- Measures cable distance on spool
- Measures constantly while "on"

Model	Description
26500000	TS100 Cable Fault Finder, BNC alligator clip
26500090	TS90 cable fault finder with BNC to alligator clips
26501100	TS90/TS100 line cord, BNC to alligator clip
26501160	TS90/TS100 pouch with belt clip
26501700	TS90/TS100 line cord, BNC to banana to ABN

To learn more visit: [www.flukenetworks.com/ts90](http://www.flukenetworks.com/ts90)

To learn more visit: [www.flukenetworks.com/ts100](http://www.flukenetworks.com/ts100)

# Certification Management



**LinkWare Live is a cloud-based service that lets you manage certification jobs and tools anytime, anywhere, with anyone on any device.**

- Keep track of every test on every job
- Define cable IDs and test settings
- Manage your testers and make sure they are up to date
- Upload your test results straight from the job site over Wi-Fi
- Track the usage and location of your testers
- Update software in the field

To learn more visit: [www.flukenetworks.com/LinkWareLive](http://www.flukenetworks.com/LinkWareLive)

To sign up visit: [www.linkwarelive.com](http://www.linkwarelive.com)



**FIBER TESTING, TROUBLESHOOTING AND CERTIFICATION**

	Inspection and Cleaning			Loss Length (Tier 1) Certification		Loss Length (Tier 1) Certification				Plant Characteristics and Troubleshooting				OTDR (Tier 2) Certification
	FI-7000 FiberInspector Pro	FiberInspector Mini Video Microscope	Fiber Optic Cleaning Kits	SimpliFiber Pro Optical Power Meter and Fiber Test Kits		CertiFiber Pro OLTS	MultiFiber Pro MPO Power Meter and Fiber Test Kits	VisiFault Visual Fault Locator	FindFiber Remote ID	Fiber QuickMap	Fiber OneShot Pro	OptiFiber Pro OTDR		
Fiber end-face certification	✓					✓							✓	
Check for fiber end-face contamination or damage	✓	✓				✓							✓	
Clean contamination			✓											
Check connectivity				✓		✓	✓	✓	✓	✓	✓	✓	✓	
Check polarity				✓		✓	✓	✓	✓					
Verify Loss over entire link to ensure loss budget not exceeded				✓		✓	✓							
Encircled Flux compliant				✓		✓	✓							
Dual-fiber loss testing						✓								
MPO fiber loss testing							✓							
Basic (Tier 1)				✓		✓	✓							
Locate faults								✓		✓	✓	✓	✓	
Extended (Tier 2)													✓	
Pass/fail results	✓					✓	✓						✓	
Document test results	✓			✓		✓	✓						✓	
LinkWare Live compatibility	✓					✓							✓	
Fiber types supported	Singlemode Multimode MPO	Singlemode Multimode	Singlemode Multimode MPO	Singlemode Multimode		Singlemode Multimode	Singlemode MPO Multimode MPO	Singlemode Multimode	Singlemode Multimode	Multimode	Singlemode	Singlemode Multimode		
Source type	LED	LED		LED, FP Laser		LED, FP Laser	LED, FP Laser	Laser	Laser	Laser	Laser	LED, FP Laser		





### OptiFiber® Pro OTDR

OptiFiber Pro OTDR is the industry's first data center OTDR built from the ground up to meet the challenges of enterprise fiber infrastructures. This fiber troubleshooting and certification tool combines uncomplicated power with unparalleled efficiency and the exact functions needed for troubleshooting or certifying campus, data center and storage fiber networks.

It elevates fiber testing with the industry's only smartphone interface that turns any technician into a fiber expert. The DataCenter configuration eliminates uncertainty and errors that occur when testing data center fiber. Its ultra-short dead zones enable testing of fiber patch cords in virtualized data centers. These capabilities, plus the fastest-in-the-industry trace times, make the OptiFiber Pro OTDR the must-have tool.

SmartLoop OTDR enables automated testing and analysis of two fibers in a single test. This patent pending process automatically separates the two fibers for individual pass/fail analysis, display, and reporting. Not only does this cut the testing time by at least half, it also enables bi-directional averaged OTDR testing of two fibers from one end.

- Effectively test data center fiber with the least set-up and trace time
- Accelerate fiber certification with trace times as short as two seconds in Quick Test mode
- Troubleshoot data center fiber links where short patch cables and dense connectors are common
- SmartLoop OTDR introduces the testing of two fibers in a single test eliminating the need to travel to the far end of the connection to perform tests
- Reduce network downtime by quickly and precisely identifying faults on singlemode (SM) or multimode (MM) fiber
- Manage and track testers, setups and results, and generate reports with LinkWare PC and Linkware Live

### Launch Fibers

Model	Description
MMC-50-SCSC	Multimode launch cable 50 μm SC/SC
MMC-50-SCLC	Multimode launch cable 50 μm SC/LC
MMC-50-SCST	Multimode launch cable 50 μm SC/ST
MMC-50-SCFC	Multimode launch cable 50 μm SC/FC
SMC-9-SCSC	Singlemode launch cable 9 μm SC/SC
SMC-9-SCLC	Singlemode launch cable 9 μm SC/LC
SMC-9-SCST	Singlemode launch cable 9 μm SC/ST
SMC-9-SCFC	Singlemode launch cable 9 μm SC/FC



Model	Description	Gold 1YR	Gold 3YR
OFP-100-M	OptiFiber Pro Multimode OTDR for troubleshooting and extended certification	GLD-OFP-100-M	GLD3-OFP-100-M
OFP-100-M/GLD	Kit bundled with 1-year of Gold Support (available in U.S. only)	Included in Bundle	
OFP-100-S	OptiFiber Pro Singlemode OTDR for troubleshooting and extended certification	GLD-OFP-100-S	GLD3-OFP-100-S
OFP-100-S/GLD	Kit bundled with 1-year of Gold Support (available in U.S. only)	Included in Bundle	
OFP-100-Q	OptiFiber Pro Quad OTDR for troubleshooting and extended certification	GLD-OFP-100-Q	GLD3-OFP-100-Q
OFP-100-Q/GLD	Kit bundled with 1-year of Gold Support (available in U.S. only)	Included in Bundle	
OFP-100-Mi	OptiFiber Pro Multimode OTDR for troubleshooting and extended certification, includes FI-1000-KIT and accessories	GLD-OFP-100-Mi	GLD3-OFP-100-Mi
OFP-100-Mi/GLD	Kit bundled with 1-year of Gold Support (available in U.S. only)	Included in Bundle	
OFP-100-Si	OptiFiber Pro Singlemode OTDR for troubleshooting and extended certification, includes FI-1000-KIT and accessories	GLD-OFP-100-Si	GLD3-OFP-100-Si
OFP-100-Si/GLD	Kit bundled with 1-year of Gold Support (available in U.S. only)	Included in Bundle	
OFP-100-Qi	OptiFiber Pro Quad OTDR for troubleshooting and extended certification, includes FI-1000-KIT and accessories	GLD-OFP-100-Qi	GLD3-OFP-100-Qi
OFP-100-Qi/GLD	Kit bundled with 1-year of Gold Support (available in U.S. only)	Included in Bundle	
OFP-CFP-Mi	OptiFiber Pro and CertiFiber Pro Multimode testing kit	GLD-OFP-CFP-Mi	GLD3-OFP-CFP-Mi
OFP-CFP-Si	OptiFiber Pro and CertiFiber Pro Singlemode testing kit	GLD-OFP-CFP-Si	GLD3-OFP-CFP-Si
OFP-CFP-Qi	OptiFiber Pro and CertiFiber Pro Quad testing kit	GLD-OFP-CFP-Qi	GLD3-OFP-CFP-Qi
OFP-Q-ADD	OptiFiber Pro Add-on Kit—includes OptiFiber Pro Quad OTDR Module, (2) SC/LC Multimode Launch Cables—50 μm, (2) SC/LC Singlemode Launch Cable—9 μm, (2) OTDR source port interchangeable LC adapters, SC/SC Simplex Adaptor, LC/LC Simplex Adaptor, (2) Launch Fiber Hanging straps and magnets, Carry Case, Statement of Calibration and Getting Started Guide	GLD-OFP-Q-ADD	GLD3-OFP-Q-ADD

To learn more visit: [www.flukenetworks.com/optifiberpro](http://www.flukenetworks.com/optifiberpro)



### CertiFiber® Pro

CertiFiber Pro OLTS improves the efficiency of fiber certification with a 3-second, two-fibers-at-both-wavelengths test. The Taptive user interface simplifies set-up, eliminates errors and speeds troubleshooting. A set reference wizard ensures correct reference setting and eliminates negative loss errors. Built on the future-ready Versiv platform, CertiFiber Pro provides merged Tier 1 (Basic) / Tier 2 (Extended) testing and reporting when paired with OptiFiber Pro module. A convenient quad module supports both singlemode and multimode and is multimode Encircled Flux compliant. Manage and track testers, setups and results, and generate reports with LinkWare PC and Linkware Live.

CertiFiber Pro's double ended fiber optic inspection capability allows you to inspect and certify fiber optic connector end-faces at both ends of your fiber link in less than a second so you can get your job done the first time. This double ended fiber optic inspection capability provides automated PASS/FAIL certification, takes the guess work out of fiber inspection so anyone can be a fiber expert.

- Taptive™ user interface provides simple, animated guidance to eliminate incorrect reference setup and “negative loss” errors
- Fastest time to certify—two fibers at two wavelengths in three seconds
- Encircled Flux compliant as required by ANSI/TIA and ISO/IEC
- Double ended Pass/Fail certification of fiber optic connector endfaces
- Merged Tier 1 (Basic) / Tier 2 (Extended) testing and reporting when paired with OptiFiber Pro
- ProjX™ management system ensures all jobs are completed correctly and efficiently
- Convenient quad module supports both multimode and singlemode loss testing
- Extended singlemode distance range to 130 km
- Built-in Visual Fault Locator

Model	Description	Gold 1YR	Gold 3YR
CFP-100-Q	CertiFiber Pro Quad Testing Kit	GLD-CFP-100-Q	GLD3-CFP-100-Q
CFP-100-M	CertiFiber Pro Multimode Testing Kit	GLD-CFP-100-M	GLD3-CFP-100-M
CFP-100-S	CertiFiber Pro Singlemode Testing Kit	GLD-CFP-100-S	GLD3-CFP-100-S
OFP-CFP-Qi	OptiFiber Pro and CertiFiber Pro Quad Testing Kit	GLD-CFP-100-Qi	GLD3-CFP-100-Qi
OFP-CFP-Mi	OptiFiber Pro and CertiFiber Pro Multimode Testing Kit	GLD-CFP-100-Mi	GLD3-CFP-100-Mi
OFP-CFP-Si	OptiFiber Pro and CertiFiber Pro Singlemode Testing Kit	GLD-CFP-100-Si	GLD3-CFP-100-Si
CFP-Q-ADD-R	CertiFiber Pro Quad Add-on Kit with Remote	GLD-CFP-Q-ADD-R	GLD3-CFP-Q-ADD-R
CFP-Q-ADD	CertiFiber Pro Quad Add-on Kit	GLD-CFP-Q-ADD	GLD3-CFP-Q-ADD
CFP-MM-ADD	CertiFiber Pro Multimode Add-on Kit	GLD-CFP-MM-ADD	GLD3-CFP-MM-ADD
CFP-SM-ADD	CertiFiber Pro Singlemode Add-on Kit	GLD-CFP-SM-ADD	GLD3-CFP-SM-ADD

To learn more visit: [www.flukenetworks.com/certifiberpro](http://www.flukenetworks.com/certifiberpro)

Model	Description	Gold 1YR
CFP-100-Si	CertiFiber Pro Singlemode OLTS with double ended inspection. This kit includes (2) Versiv Mainframes, (2) CertiFiber Pro Singlemode OLTS Modules, (2) USB fiber inspection video probes each with 4 tips, Singlemode test reference cord kit (2m) for testing 9um LC terminated fibers (2 SC/LC, 2 LC/LC), TRC Carrying Case, (2) 1.25 mm IBC OneClick Cleaners, (2) 2.5 mm IBC OneClick Cleaners, (2) LC/LC Adaptors, (2) Hand Straps, (2) Shoulder Straps, Carry Case, USB Interface Cable, Versiv Open Source Software CD, (2) AC Chargers, Statement of Calibration and Getting Started Guide.	GLD-CFP-100-Si
CFP-100-Mi	CertiFiber Pro Multimode OLTS with double ended inspection. This kit includes (2) Versiv Mainframes, (2) CertiFiber Pro Multimode OLTS Modules, (2) USB fiber inspection video probes each with 4 tips, Multimode Encircled Flux compliant test reference cord kit (2m) for testing 50um LC terminated fibers (2 SC/LC, 2 LC/LC), TRC Carrying Case, (2) 1.25 mm IBC OneClick Cleaners, (2) 2.5 mm IBC OneClick Cleaners, (2) LC/LC Adaptors, (2) Hand Straps, (2) Shoulder Straps, Carry Case, USB Interface Cable, Versiv Open Source Software CD, (2) AC Chargers, Statement of Calibration and Getting Started Guide.	GLD-CFP-100-Mi
CFP-100-Qi	CertiFiber Pro Quad OLTS with double ended inspection. This kit includes (2) Versiv Mainframes, (2) CertiFiber Pro Quad OLTS Modules, (2) USB fiber inspection video probes each with 4 tips, Multimode Encircled Flux compliant test reference cord kit (2m) for testing 50um LC terminated fibers (2 SC/LC, 2 LC/LC), Singlemode test reference cord kit (2m) for testing 9um LC terminated fibers (2 SC/LC, 2 LC/LC), TRC Carrying Case, (2) 1.25 mm IBC OneClick Cleaners, (2) 2.5 mm IBC OneClick Cleaners, (2) LC/LC Adaptors, (2) Hand Straps, (2) Shoulder Straps, Carry Case, USB Interface Cable, Versiv Open Source Software CD, (2) AC Chargers, Statement of Calibration and Getting Started Guide.	GLD-CFP-100-Qi

### Accessories

Model	Description
FI-1000-KIT	FI-1000 USB Fiber Inspection Video Probe with selective bulkhead and video probe tips
FI-1000	FI-1000 USB Fiber Inspection Video Probe for Versiv platform
SRC-9-SCSC-KIT	Singlemode test reference cord kit (2m) for testing 9 µm terminated fibers (4 SC/SC)
SRC-9-SCLC-KIT	Singlemode test reference cord kit (2m) for testing 9 µm terminated fibers (2 SC/LC, 2 LC/LC)
SRC-9-SCFC-KIT	Singlemode test reference cord kit (2m) for testing 9 µm terminated fibers (2 SC/FC, 2 FC/FC)
SRC-9-SCST-KIT	Singlemode test reference cord kit (2m) for testing 9 µm terminated fibers (2 SC/ST, 2 ST/ST)
SRC-9-SCSCAPCKIT	Singlemode TRC KIT 2m (2 SCU/PC/SCAPC, 2 SCAPC/SCAPC)
SRC-9-SCLCAPCKIT	Singlemode TRC KIT 2m (2 SCU/PC/LCAPC, 2 LCAPC/LCAPC)
MRC-50EFC-SCLCKIT	Multimode Encircled Flux compliant test reference cord kit (2m) for testing 50 µm LC terminated fibers (2 SC/LC, 2 LC/LC)
MRC-50EFC-SCSCKIT	Multimode Encircled Flux compliant test reference cord kit (2m) for testing 50 µm SC terminated fibers (4 SC/SC)
MRC-50EFC-SCSTKIT	Multimode Encircled Flux compliant test reference cord kit (2m) for testing 50 µm ST terminated fibers (2 SC/ST, 2 ST/ST)
MRC-50EFC-SCFCKIT	Multimode Encircled Flux compliant test reference cord kit (2m) for testing 50 µm FC terminated fibers (2 SC/FC, 2 FC/FC)
MRC-50-EFC-SCSC	Multimode Encircled Flux compliant test reference cord (2m) for testing 50um SC terminated fibers (SC/SC)
MRC-50-EFC-SCLC	Multimode Encircled Flux compliant test reference cord (2m) for testing 50um LC terminated fibers (SC/LC)
SRC-9-SCSC	Singlemode test reference cord (2m) for testing SC terminated fibers (SC/SC)
SRC-9-SCLC	Singlemode test reference cord (2m) for testing LC terminated fibers (SC/LC)



### FI-7000 FiberInspector™ Pro

End-face contamination is a leading cause of fiber failures. Dirt and contaminants cause insertion loss and back-reflection that inhibits optical transmission and causes havoc with transceivers. Fiber loss and OTDR testing can expose this problem, but in many cases, dirty connections make fiber testing time consuming and inaccurate.

Since dirt can be an issue before, during, or after fiber optic certification testing, and migrate from one end-face to another upon mating, both sides of any connection must always be cleaned and inspected. Further, mating contaminated connectors can cause permanent damage as microscopic debris is crushed between end-faces in physical contact. Even factory terminated patch cords or pigtails must be inspected as protective caps do not keep fiber optic connector end-faces clean. Avoiding this common cause of failure, starts with inspecting the fiber optic connector end-face and eliminating any contamination before insertion into a bulkhead or piece of equipment.

The FI-7000 FiberInspector Pro is a fiber optic inspection scope that allows you to inspect and certify end-faces in 2 seconds so you can get the job done the first time. This fiber optic inspection scope provides automated PASS/FAIL certification taking the guess work out of fiber inspection so anyone can be a fiber expert.

- Automated Pass/Fail certification of fiber optic connector end-faces
- Graphical indication of problem areas due to contamination, pits, chips, and scratches
- Certify to industry standards—IEC 61300-3-35
- Eliminate human subjectivity from end-face measurements

Model	Description	Gold 1YR	Gold 3YR
FI-7000	FiberInspector Pro	GLD-FI-7000	GLD3-FI-7000
FI-7000-MPO	FiberInspector Pro w/MPO and cleaning	GLD-FI-7000-MPO	GLD3-FI-7000-MPO
FI-1000-KIT	FI-1000 USB Fiber Inspection Video Probe with selective bulkhead and video probe tips	GLD-FI	GLD3-FI
FI-1000	FI-1000 USB Fiber Inspection Video Probe for Versiv platform	GLD-FI	GLD3-FI

### Accessories

Model	Description
FI1000-SCFC-TIP	SC and FC bulkhead video probe tip
FI1000-LC-TIP	LC bulkhead video probe tip
FI1000-ST-TIP	ST bulkhead video probe tip
FI1000-MU-TIP	MU bulkhead video probe tip
FI1000-E2KAPC-TIP	E2000/APC bulkhead video probe tip
FI1000-SCAPC-TIP	SC/APC bulkhead video probe tip
FI1000-E2K-TIP	E2000 bulkhead video probe tip
FI1000-LCAPC-TIP	LC/APC bulkhead video probe tip
FI1000-2.5-UTIP	2.5 mm universal video probe tip for patch cords
FI1000-1.25-UTIP	1.25 mm universal video probe tip for patch cords
FI1000-2.5APC-UTIP	2.5 mm APC universal video probe tip for patch cords
FI1000-MPO-UTIP	MPO probe tip and translator knob for patch cords and bulkheads
FI1000-MPOAPC-UTIP	MPO/APC probe tip and translator knob for patch cords and bulkheads
FI1000-1.25APC-TIP	1.25 mm APC universal video probe tip for patch cords
FI1000-MPOAPC-RT	MPO/MTP APC replacement tip with no translator knob
FI1000-MPO-RT	MPO/MTP replacement tip with no translator knob

To learn more visit: [www.flukenetworks.com/fi-7000](http://www.flukenetworks.com/fi-7000)



### MultiFiber™ Pro

MultiFiber Pro is the first MPO fiber tester to support both Singlemode and Multimode MPO fiber certification. MultiFiber Pro takes the complexity out of testing MPO trunks for loss and polarity. With an on-board MPO connector, it is the first tester to automate the MPO fiber-trunk testing process without using a fan-out cord. The power meter/light source boasts industry-first functions such as automatic scanning of all twelve fibers and display of test results in an easy-to-read bar graph. These innovative features allow MultiFiber Pro kits to eliminate the complexity of testing MPO trunks, making it 90 percent faster than the traditional simplex fiber test methods.

- Automatic scanning and testing of all fibers in MPO connectors with “Scan All”
- Support for both Multimode and Singlemode MPO trunks
- Eliminates the need for fan-out cords when testing fiber trunks
- Easy-to-interpret test results with minimal navigation
- User interface displays all 12 fibers
- Automated 8, 10 and 12 fiber measurements
- Troubleshoot MPO links and drill down to single fiber test results

Model	Description	Gold 1YR	Gold 3YR
MFTK1200	MultiFiber Pro Multimode Testing Kit	GLD-MFTK	GLD3-MFTK
MFTK-SM1310	MultiFiber Pro 1310 nm Singlemode Kit	GLD-MFTK-SM	GLD3-MFTK-SM
MFTK-SM1550	MultiFiber Pro 1550 nm Singlemode Kit	GLD-MFTK-SM	GLD3-MFTK-SM
MFTK-MM850-SM1310	MultiFiber Pro Multimode and 1310 nm Singlemode Kit	GLD-MFTK-MMSM	GLD3-MFTK-MMSM
MFTK-MM850-SM1550	MultiFiber Pro Multimode and 1550 nm Singlemode Kit	GLD-MFTK-MMSM	GLD3-MFTK-MMSM
MFTK-SM1310-SM1550	MultiFiber Pro 1310 and 1550 nm Singlemode Kit	GLD-MFTK-1310-SM1550	GLD3-MFTK-1310-SM1550
OFPMI-MFP	OptiFiber Pro and MultiFiber Pro Multimode Testing Kit	GLD-OFPMI-MFP	GLD3-OFPMI-MFP
OFPMI-MFP	OptiFiber Pro Quad and MultiFiber Pro Multimode Testing Kit	GLD-OFPMI-MFP	GLD3-OFPMI-MFP

### Accessories

Model	Description	Gold 1YR	Gold 3YR
MFPOWERMETER	MultiFiber Pro Optical Power Meter	GLD-MF	GLD3-MF
MFMULTIMODESOURCE	MultiFiber Pro Multimode 850 LED light source	GLD-MF	GLD3-MF
MF1310source	MultiFiber Pro SM 1310 nm laser light source	GLD-MF-SMS	GLD3-MF-SMS
MF1550source	MultiFiber Pro SM 1550 nm laser light source	GLD-MF-SMS	GLD3-MF-SMS
FI-7000-MPO	FiberInspector Pro with MPO and cleaning	GLD-FI-7000-MPO	GLD3-FI-7000-MPO
TRC-MPO-PP-B	1 m MM TRC, MPO/MPO, Pinned/Pinned, Type B polarity		
TRC-MPO-UP-B	1 m MM TRC, MPO/MPO, Unpinned/Pinned, Type B polarity		
TRC-MPO-UU-B	0.3 m MM TRC, MPO/MPO, Unpinned/Unpinned, Type B polarity		
TRC-SM-MPOAPC-PP-A	1 m SM TRC, MPOAPC/MPOAPC, Pinned/Pinned, Type A polarity		
TRC-SM-MPOAPC-UP-A	1 m SM TRC, MPOAPC/MPOAPC, Unpinned/Pinned, Type A polarity		
TRC-SM-MPOAPC-UU-A	0.3 m SM TRC, MPOAPC/MPOAPC, Unpinned/Unpinned, Type A polarity		
BKC-MPO-ULC	1 m Breakout Cord for MM MPO Unpinned LC connector		
BKC-MPO-USC	1 m Breakout Cord for MM MPO Unpinned SC connector		
SBKC-MPOAPCU-LCAPC	1 m Breakout Cord for SM MPOAPC Unpinned LCAPC Connector		
SBKC-MPOAPCU-SCAPC	1 m Breakout Cord for SM MPOAPC Unpinned SCAPC Connector		
ADP-MPO-A	Type A polarity MPO adapter for SM APC		
ADP-MPO-B	Type B polarity MPO adapter		

To learn more visit: [www.flukenetworks.com/multifiberpro](http://www.flukenetworks.com/multifiberpro)



### SimpliFiber® Pro Optical Power Meter

SimpliFiber Pro Optical Power Meter and Fiber Test Kits are the single “go-to” kits for anyone involved in first-line optical fiber cabling installation and verification. Designed for in-house fiber technicians as well as contractors, our expertly configured kits are housed in a professional and durable case and contain all the simple-to-use tools needed to quickly measure loss and power levels, locate faults and polarity issues, and inspect and clean connector end-faces.

- Dual-wavelength testing—complete testing in half the time
- Additional wavelengths to include 1490 and 1625—calibrated to extend from typical enterprise wavelengths for other applications
- Min/Max—precision tracking of intermittent power fluctuations, a superior alternative to the inaccurate “wiggle” test
- CheckActive™—audible tone and display icon alerts you to a live fiber
- Saves 1,000 results—compatible with our popular LinkWare™ Cable Test Management Software



Model	Description	Gold 1YR
SFPOWMETER	SimpliFiber Pro optical power meter; SC adapter included.	GLD-SFPRO
SFMULTIMODESOURCE	SimpliFiber Pro multimode 850/1300 light source. Fixed SC port (with ST and LC testing capability available using hybrid test-reference cord accessories purchased separately)—includes FindFiber™ source capability.	GLD-SFPRO
SFSINGLEMODESOURCE	SimpliFiber Pro singlemode 1310/1550 laser light source. Fixed SC port (with ST and LC testing capability available using hybrid test-reference cord accessories purchased separately)—includes FindFiber source capability.	GLD-SFPRO
SFSINGLEMODE2	SimpliFiber Pro singlemode 1490/1625 laser light source. Fixed SC port (with ST and LC testing capability available using hybrid test-reference cord accessories purchased separately)—includes FindFiber™ source capability.	GLD-SFPRO

To learn more visit: [www.flukenetworks.com/simplifiberpro](http://www.flukenetworks.com/simplifiberpro)

### Fiber Test Kits

SimpliFiber Pro fiber test kits come in every configuration to meet your testing needs. Each fiber test kit includes the following industry-leading features:

- Dual-wavelength testing—complete testing in half the time
- Additional wavelengths to include 1490 and 1625—calibrated to extend from typical enterprise wavelengths for broader applications
- Min/Max—precision tracking of intermittent power fluctuations. A superior alternative to the inaccurate “wiggle” test
- CheckActive—audible tone and display icon alerts you to a live fiber
- Saves 1,000 results—fully compatible with our popular LinkWare™ Cable Test Management Software
- Quickly locate cable fault, polarity, and connector problems with VisiFault VFL

### Complete Fiber Verification Kit (FTK1450)

The Complete Fiber Verification Kits are perfect for network technicians and contractors who install and maintain premise networks with both multimode and singlemode optical fiber. Use these kits to verify optical loss and power levels at 850, 1300, 1310, 1550, and inspect fiber end-faces, locate cable faults, connector problems, and polarity issues.



### Full-featured Inspection and Multimode Verification Kit (FTK1300 and FTK1350)

The Full-featured Inspection and Multimode Verification Kits are for network technicians and contractors who install and maintain multimode premises network. Use these kits to verify optical loss and power levels at 850 and 1300 nm, inspect fiber end-faces, locate cable faults, connector problems, and polarity issues.

### Basic Verification Kit (FTK1000 and FTK2000)

The Basic Verification Kit is a great starter kit for network technicians and contractors who install and maintain fiber links. Available in single or multimode configurations, quickly verify optical loss and power levels at 850 and 1300 nm or 1310 and 1550 nm. Add additional sources, microscopes, and VFL options as needed.

### Copper and Fiber Technician’s Kit (CIQ-FTKSFP)

Consisting of the CableIQ (CIQ-KIT) and the SimpliFiber Pro Basic Verification Kit (FTK1000), the Copper and Fiber Technician’s Kit provides a robust combination of tools to help you expertly manage your network to it keep it running smoothly and inexpensively. Simple-to-use straight from the box, you can do everything from quickly troubleshooting and qualifying cabling link bandwidth to verifying optical fiber power and loss.

### FTK2100 Singlemode Fiber Verification Kit


Includes SimpliFiber Pro optical power meter, two singlemode sources (1310/1550 and 1490/1625 nm), carrying case, and SC power-meter adapter.

### MS2-FTK Copper and Fiber Basic Technician’s Kit

Includes the MicroScanner<sup>2</sup> (MS2-100) and SimpliFiber Pro (FTK1000) Fiber Test Kit.

Model	FTK1000	FTK1300	FTK1350	FTK1450	FTK2000	FTK2100
SimpliFiber Pro Power Meter	✓	✓	✓	✓	✓	✓
SimpliFiber Pro Source 850/1300 MM source	✓	✓	✓	✓		
SimpliFiber Pro Sources 1310/1550 SM source				✓	✓	✓
SimpliFiber Pro Sources 1490/1625 SM source						✓
FindFiber Remote ID source		✓	✓	✓		
FT120 200x FiberViewer		✓				
FT500 FiberInspector			✓	✓		
VisiFault Visual Fault Locator		✓	✓	✓		
NFC-Kit-Box (fiber optic cleaning kit)				✓		
Professional durable carrying case	✓	✓	✓	✓	✓	✓

Legacy Test Reference Cords, Adapters and Mandrels



Model	Description
NF-MANDREL-50	Mandrel, 3 mm fiber cable, 50 μm (1)
NF-MANDREL-625	Mandrel, 3 mm fiber cable, 62.5 μm (1)
NFA-FC	FC test adapters – set of two
NFA-LC	LC test adapters – set of two
NFA-SC	SC test adapters – set of two
NFA-ST	ST test adapters – set of two
NFB1/2-LC/ST	Kit of duplex MM 62.5 μm and 50 μm test cords with LC and ST adapters
NFK1-DPLX-FC	Duplex MM 62.5 μm test reference cords for FC adapter – set of two
NFK1-DPLX-LC	Duplex MM 62.5 μm test reference cords for LC adapter – set of two
NFK1-DPLX-SC	Duplex MM 62.5 μm test reference cords for SC adapter – set of two
NFK1-DPLX-ST	Duplex MM 62.5 μm test reference cords for ST adapter – set of two
NFK1-MANDREL-KIT	Kit, mandrel, 3 mm fiber cable, 50 μm and 62.5 μm
NFK2-DPLX-FC	Duplex MM 50 μm test reference cords for FC adapter – set of two
NFK2-DPLX-LC	Duplex MM 50 μm test reference cords for LC adapter – set of two
NFK2-DPLX-SC	Duplex MM 50 μm test reference cords for SC adapter – set of two
NFK2-DPLX-ST	Duplex MM 50 μm test reference cords for ST adapter – set of two
NFK3-DPLX-FC	Duplex SM test reference cords for FC adapter – set of two
NFK3-DPLX-LC	Duplex SM test reference cords for LC adapter – set of two
NFK3-DPLX-SC	Duplex SM test reference cords for SC adapter – set of two
NFK3-DPLX-ST	Duplex SM test reference cords for ST adapter – set of two
NFK1-SMPLX-SC	Simplex MM 62.5 μm test reference cords for SC adapter – set of two
NFK1-SMPLX-LC	Simplex MM 62.5 μm test reference cords for LC adapter – set of two
NFK1-SMPLX-ST	Simplex MM 62.5 μm test reference cords for ST adapter – set of two
NFK2-SMPLX-SC	Simplex MM 50 μm test reference cords for SC adapter – set of two
NFK2-SMPLX-LC	Simplex MM 50 μm test reference cords for LC adapter – set of two
NFK2-SMPLX-ST	Simplex MM 50 μm test reference cords for ST adapter – set of two
NFK3-SMPLX-SC	Simplex SM test reference cords for SC adapter – set of two
NFK3-SMPLX-LC	Simplex SM test reference cords for LC adapter – set of two
NFK3-SMPLX-ST	Simplex SM test reference cords for ST adapter – set of two



Fiber QuickMap™ - Multimode Fiber Length and Distance to Fault

Fiber QuickMap quickly and efficiently locates connections and breaks in multimode fiber with the press of one-button. By instantly (six second typical test time) providing distances to failures such as high-loss and high-reflectance incidents, it is the must-have troubleshooter for any technician who works with fiber in datacenters or campuses.

Locating faults like high loss connections or bad splices often requires a more expensive and complex Optical Time Domain Reflectometer (OTDR). The detail, documentation, certification and ease of use provided by a Fluke Networks OTDR is exceptional, but is not always required for basic tests. Fiber QuickMap uses reflections to determine where db losses are occurring in just a few seconds, and fills the gap between a Visual Fault Locator (VFL) and OTDR.

- Quick set-up. Connect your fiber and press the Test button. No lengthy set-up necessary
- Find problems quickly. Six-second test time—no more blind troubleshooting that can waste hours
- Locate high loss incidents or breaks—find the most common causes of fiber failure
- See Key information on a large display; loss in db and distance in meters or feet
- Visible in dark areas. Backlighted display turns off automatically
- Tests 50/125μm and 62.5/125μm multimode fiber up to 1,500 meters / 4,921 feet
- Removable SC adapter is easily cleaned
- Long battery life, 1,500 tests (typical) from 2 AA alkaline batteries
- Rugged construction; vibration and drop tested to 1 meter
- For singlemode fiber - Use Fiber OneShot PRO

Model	Description	Gold 1YR
FQM-MAIN	Fiber QuickMap mainframe with carrying pouch	GLD-FQM
FQM-KIT	Fiber QuickMap Kit with SC/LC 50 μm Launch Fiber, Interchangeable LC Adapter and carrying pouch	GLD-FQM
FTS900	Fiber QuickMap Kit with test reference cords (50 and 62.5 μm for both SC/SC and SC/LC), VisiFault Visual Fault Locator and carrying case	GLD-FQM
FTS1000	Fiber QuickMap Troubleshooter Kit with test reference cords (50 and 62.5 μm for both SC/SC and SC/LC), VisiFault Visual Fault Locator, and SimpliFiber Pro power meter and multimode source and case	GLD-FQM-FTK
FTS1100	Fiber QuickMap Troubleshooter Kit: Includes Fiber QuickMap, SC/SC and SC/LC (50 and 62.5 μm) hybrid test reference cords, VisiFault VFL, SimpliFiber Pro power meter and multimode source, FT500 FiberInspector Mini video microscope, and carrying case. (Available in the US only)	GLD-FQM-FTK

\*For launch fibers and accessories please see page 19

To learn more visit: [www.flukenetworks.com/fiberquickmap](http://www.flukenetworks.com/fiberquickmap)



### Fiber OneShot™ PRO - Singlemode Fiber Length and Distance to Fault

Fiber OneShot PRO takes the complexity out of singlemode fiber testing by analyzing fiber links and measuring faults up to 23,000 meters (15 miles) in less than five seconds. Whether you are troubleshooting FTTx, Hybrid Fiber Coax (HFC), fiber links between Central Offices, or working on regional or rural access networks, Fiber OneShot PRO is your first response to fiber trouble.

Locating faults like high loss connections, macro bends or breaks often requires a more expensive and complex Optical Time Domain Reflectometer (OTDR). The detail, documentation, certification and ease of use provided by a Fluke Networks OTDR is exceptional, but is not always required for basic tests. Fiber One Shot uses reflections to determine where db losses are occurring in just a few seconds, and fills the gap between a Visual Fault Locator (VFL) and OTDR.

- Quick set-up. Connect your fiber and press the Test button. No lengthy set-up necessary
- Find problems quickly. Six-second test time—no more blind troubleshooting that can waste hours
- Locate macro bends, high-loss splices, breaks and dirty connectors in singlemode fiber
- See Key information on a large display; power loss in db and distance in meters or feet
- Visible in dark areas. Backlighted display turns off automatically
- Tests 9/125µm singlemode fiber up to 23,000 meters / 15 miles
- Save and store up to 99 test results for later review
- Removable SC adapter is easily cleaned
- Long battery life, 1,500 tests (typical) from 2 AA alkaline batteries
- Rugged construction; vibration and drop tested to 1 meter
- For multimode fiber - Use Fiber QuickMap

Model	Description	Gold 1YR
FIBR-1-SHOTPRO	Fiber OneShot PRO only—includes meter, SC adapter, 22-language quick reference guide (QRG) on CD, manual and batteries	GLD-FOS-PRO
FIBR-1-KITPRO	Fiber OneShot PRO-SC-Kit—same as SHOTPRO plus UPC-UPC 2-meter patch cord, holster and case	GLD-FOS-PRO
FIBR-1-KITPRO-VF	Fiber OneShot PRO-SC-Kit with VisiFault—everything in the PRO-SC-Kit plus the VisiFault Visual Fault Locator with 2.5 mm universal adapter	GLD-FOS-PRO
FIBR-1-KITPRO-VFPM	Fiber OneShot PRO-SC-Kit with VisiFault and SimpliFiber Pro—includes meter, SC adapter, UPC-UPC 2-meter patch cord, holster, case, 22-language QRG on CD, manual and batteries plus the VisiFault Visual Fault Locator with 2.5 mm universal adapter and SimpliFiber Pro optical power meter and SC adapter	GLD-FOS-MULTIKITS

#### Accessories

Model	Description
FIBR-AC-UAPC	1-meter UPC-APC patch cord
FIBR-UPC-CORD-2M	2-meter UPC-UPC patch cord

To learn more visit: [www.flukenetworks.com/theone](http://www.flukenetworks.com/theone)



### FiberInspector™ Mini Video Microscope

The FiberInspector Mini Video Microscope enables inspection of end-faces on all types of installed fiber. The portable video microscope projects a crisp, clear image of microscopic debris and end-face damage.

- The exceptionally convenient FiberInspector Mini uses a 200x magnification probe sufficient for inspecting both multimode and singlemode fiber
- Quickly determines whether fiber connectors on a hardware device are clean and in good condition without disassembling the device

Model	Description	Gold 1YR	Gold 1YR
FT500	FiberInspector Mini Video Microscope	GLD-FTINSPECTOR	GLD3-FTINSPECTOR
FT525	FiberInspector Mini and Cleaning Kit	GLD-FTINSPECTOR	GLD3-FTINSPECTOR

#### Accessories

Model	Description
NFM110	Accessory tip set for FiberInspector Mini (LC, FC and 1.25 mm Universal)
NF390	Bulkhead APC (Angled Physical Connector) video adapter probe for FiberInspector Mini
NFM120	Rechargeable battery for FiberInspector Mini (NIMH)

To learn more visit: [www.flukenetworks.com/fiberinspectormini](http://www.flukenetworks.com/fiberinspectormini)



### FiberViewer™ Fiber Microscope

The FiberViewer fiber microscope ensures a termination is clean and ready for optical transmission. Inspect multimode and singlemode fiber end-faces, and protect your eyes with the built-in safety filter.

- FT120 offers 200X magnification, FT140 offers 400X magnification

To learn more visit: [www.flukenetworks.com/fiberviewer](http://www.flukenetworks.com/fiberviewer)

Model	Description
FT120	FiberViewer, 200X
FT140	FiberViewer, 400X
NF350	1.25 mm Universal Microscope Adapter



### VisiFault™ Visual Fault Locator

The laser-powered VisiFault™ Visual Fault Locator (VFL) traces fibers, verifies continuity and polarity, and helps find breaks in cables, connectors and splices. Continuous and flashing modes for easier identification. Compatible with 2.5 mm and 1.25 mm connectors for easy connection.

- Bright red visible laser light source, features continuous and flashing modes
- Accelerates end-to-end fiber continuity checks
- Speeds fiber tracing and identification
- Aids in location of fiber faults including tight bends, breaks and bad connectors

To learn more visit: [www.flukenetworks.com/visifault](http://www.flukenetworks.com/visifault)

Model	Description
VisiFault	VisiFault Visual Fault Locator with 2.5 mm Universal Adapter
NF380	1.25 mm Universal VisiFault Adapter



### Fiber Optic Cleaning Kits

Contaminated end-faces are the #1 cause of fiber link failure. Prevent this common problem with Fluke Networks' Fiber Optic Cleaning Kits and Components. These precision fiber optic cleaning kits and components allow effective removal of all contaminants from end-faces on both patch cords and inside ports.



- Everything needed for precision cleaning of end-faces on both patch cords and inside ports
- Compact form factor options available. Specially formulated solvent dissolves contaminants, neutralizes static charge and encapsulates particles for removal
- A range of wiper swabs enable decontamination of all styles of fiber optic connections
- Use the convenient and rugged carrying case to store all of the cleaning components



Model	Description
NFC-Kit-Case	Fiber Optic Cleaning Kit—includes cleaning cube with wipes, ten cards with sealed cleaning zones, solvent pen, 2.5 mm port cleaning swabs and 1.25 mm port cleaning swabs in a rugged carrying case
NFC-Kit-Box	Fiber Optic Cleaning Kit—includes cleaning cube with wipes, five cards with sealed cleaning zones, solvent pen and 2.5 mm port cleaning swabs
NFC-Cube	Cleaning cube with wipes—cleans up to 500 end-faces
NFC-Cards-5pack	5 cards with 12 sealed cleaning zones each—perfect for troubleshooting
NFC-SolventPen	Special solvent dispensed from pen (9 g)
NFC-Swabs-1.25mm	LC and MU port cleaning swabs (25 count)
NFC-Swabs-2.5mm	SC, ST, 2.5 mm port cleaning swabs (50 count)
NFC-Case	Carrying case for cleaning accessories
NFC-IBC-1.25mm	OneClick cleaners for 1.25 mm LC and MU connector and patch cord (5 qty)
NFC-IBC-2.5mm	OneClick cleaners for 2.5 mm SC, ST, FC connector and patch cord (5 qty)
NFC-IBC-MPO	OneClick cleaners for MPO/MTP connector (5 qty)
NFC-KIT-CASE-E	Enhanced Fiber Optic Cleaning Kit—includes (1) OneClick cleaner for 1.25 mm connector, (1) OneClick cleaner for 2.5 mm connector, (1) OneClick cleaner for MPO/MTP cleaner, a solvent pen, a cleaning cube and a softcase
FT525	FiberInspector Mini and Cleaning Kit

To learn more visit: [www.flukenetworks.com/fibercleaning](http://www.flukenetworks.com/fibercleaning)

### JackRapid™ Termination Tool



The JackRapid Termination Tool is the industry's most innovative and time-saving installation tool. JackRapid allows you to terminate jacks eight times faster than traditional impact tools—with accuracy that's unmatched. The patented jack termination tool seats and terminates all wires simultaneously with one squeeze of an ergonomic handle. The built-in blade cuts off the excess wire after it is seated in the connector, eliminating the need for a secondary trim step. Simple, one-handed operation reduces hand fatigue. With JackRapid, you'll never punch into the palm of your hand or through drywall again.

- Cuts installation time—easy-to-use handle, seats and cuts all wires at once, saving you up to one minute installation time per jack
- High-quality, consistent terminations—no more compromised connections and wasted jacks
- Simple, one-handed operation with an ergonomically designed handle reduces hand fatigue

Model	Description
JR-LEV-1	JackRapid termination tool (for Leviton 41106, 41108, 5G108)
JR-LEV-1-H	JackRapid replacement blade head (for Leviton 41106, 41108, 5G108)
JR-SYS-UNI-1	JackRapid termination tool (for Systimax MPS100E, C5, M1BH and Uniprise UNJ600/500/300)
JR-SYS-UNI-1-H	JackRapid replacement blade head (for Systimax MPS100E, C5, M1BH and Uniprise UNJ600/500/300)
JR-LEV-2	JackRapid termination tool (for Leviton 61110, 5G110, 6110G)
JR-LEV-2-H	JackRapid replacement blade head (for Leviton 61110, 5G110, 6110G)
JR-SYS-2	JackRapid termination tool (for Systimax MGS400, MGS500, MFP420, MFP520)
JR-SYS-2-H	JackRapid replacement blade head (for Systimax MGS400, MGS500, MFP420, MFP520)
JR-ORT-2	JackRapid termination tool (for Ortronics TJ5E00, TJ600, TJ610)
JR-ORT-2-H	JackRapid replacement blade head (for Ortronics TJ5E00, TJ600, TJ610)
JR-ADC-2	JR-ADC-2, JACKRAPID TERMINATION TOOL (FOR ADC C6a CopperTen® UTP RJ45 jack and the C6 TrueNet® KM8 UTP RJ45)
JR-ADC-2-H	JR-ADC-2-H, JACKRAPID REPLACEMENT BLADE HEAD (FOR ADC C6a CopperTen® UTP RJ45 jack and the C6 TrueNet® KM8 UTP RJ45)
JR-ERGOHANDLE	JackRapid ergonomic handle
JR-PAN-2	JackRapid termination tool (for Panduit NK688M, NKP5E88M)
JR-PAN-2-H	JackRapid replacement blade head (for Panduit NK688M, NKP5E88M)

To learn more visit: [www.flukenetworks.com/jackrapid](http://www.flukenetworks.com/jackrapid)

#### Get accurate terminations and clean, consistent cuts every time with the JackRapid Termination Tool.



1. Strip cable jacket with a standard cable stripper or the built-in cable stripper.



2. Determine wiring scheme. Dress all four pairs (eight wires).



3. Insert jack in JackRapid front first with IDC slots facing blades of JackRapid.



4. Ensure jack is completely and securely inserted in jack holder bed with IDC slots facing the blades.



5. Pull trigger completely and remove excess wire prior to releasing trigger.



6. Wires will be seated and cut for a solid termination.



### D914™S Impact Tool

SoftTouch D914S Impact Tool offers an ergonomic design with a soft rubber handle for better grip and rounded edges to absorb more of the impact recoil. Includes built-in probe pic/spudger and torque, allowing you to choose from high-and low-impact settings.

- Reduced hand-fatigue with shock absorbing handle
- Hook and spudger to lift and separate wires
- Automatic spring handle—choose low impact for 24/26 gauge wire or high impact for 22-gauge wire
- Accepts Phillips-head or flat screwdriver blade
- Convenient blade storage built into the handle
- Easy blade insertion, locks in place
- Industry standard, internationally accepted with lifetime warranty

To learn more visit: [www.flukenetworks.com/d914](http://www.flukenetworks.com/d914)

Model	Description
10061000	D914S Impact Tool
10061100	Tool with EverSharp 66 blade
10061110	Tool with EverSharp 110 blade
10061501	Tool with EverSharp 110, EverSharp 66 blade and free screwdriver blade
10061503	Tool with BIX and EverSharp 66/110 cut blade
10061810	Tool with EverSharp 66/110 blade



### D914™ Impact Tool

The D914 Impact Tool is the only punchdown tool to combine torque and impact. It combines two versatile tools, the hook and spudger, into the handle. 66/110 blades available.

- Ensures clean, smooth terminations
- Hook and spudger tools are built into the handle
- Automatic spring handle—choose low impact for 24/26 gauge wire or high impact for 22-gauge wire
- Accept Phillips-head or flat screwdriver blade
- Convenient blade storage built into the handle
- Easy blade insertion, locks in place
- Industry standard, internationally accepted with lifetime warranty

To learn more visit: [www.flukenetworks.com/d914](http://www.flukenetworks.com/d914)

Model	Description
10051000	D914 Impact Tool
10051100	Tool with EverSharp 66 blade
10051110	Tool with EverSharp 110 blade
10051120	Tool with EverSharp 110 and EverSharp 66 blade
10051501	Tool with EverSharp 110, EverSharp 66 blade and free screwdriver blade



### D814™ Impact Tool

The D814 Impact Tool is a deluxe, all-in-one, telecom punchdown tool and comes with the 66/110 blade. Impact wheel has high and low settings. Automatic spring mechanism provides the right impact to seat and/or terminate wires.

- Industry standard with lifetime warranty
- Accepts standard industry blades
- Adjustable spring impact mechanism allows low impact for 24/26 gauge wire or high impact for 22-gauge wire
- Convenient blade storage built into the handle
- Easy blade insertion, locks in place

To learn more visit: [www.flukenetworks.com/d814](http://www.flukenetworks.com/d814)

Model	Description
10054000	D814 Impact Tool
10055000	Tool with EverSharp 66 blade
10055110	Tool with EverSharp 110 blade
10055200	Tool with EverSharp 110 and EverSharp 66 blade
10055501	Tool with EverSharp 110, EverSharp 66 blade and free Wood Screw Starter Punch blade
10055503	Tool with BIX and EverSharp 66/110 cut blade



### EverSharp™ Blades

Fluke Networks offers three EverSharp blade designs: the EverSharp 66/110 cut blade, the EverSharp 110 blade and the EverSharp 66 blades. Through special processing of the metal, these high performance blades stay sharper longer than other competitive blades. These blades fit the D914S, D914 and D814 punchdown tools.

Model	Description
10056500	EverSharp 66 blade
10176500	EverSharp 110 blade
10178600	EverSharp 110/66 blade



### Blade Storage Kit

This unique blade storage case helps prevent loss, misplacement and damage of impact blades by keeping them all together in one convenient hard case. They are sized to fit neatly into shirt or pants pocket or clipped onto belt or tool pouch.

Model	Description
10979003	66 blade kit (2-66 blades, 1-630 blade, 1-Wood Screw Starter blade) in a storage case
10979004	110 blade kit (2-110 blades, 1-66 blade, 1-Wood Screw Starter blade)
10979002	Blade storage case only

### Blades

Fluke Networks increases the versatility and flexibility of its line of impact tools by offering a wide variety of interchangeable blades that permit each tool to perform multiple functions. From our high-performance EverSharp blades, to our unique blade storage kit cases, Fluke Networks has the blades you need to terminate blocks and jacks quickly.

					
10056500 EverSharp 66 blade	10057000 630 blade	10176000 110 blade	10436001 Centerpunch blade	10465001 3M System D blade	10645001 Wood screw starter punch
10056000 66 blade		10176500 EverSharp 110 blade			
10056225 <b>66 blade, bulk</b> (must be ordered in multiples of 100)		10176225 <b>110 blade, bulk</b> (must be ordered in multiples of 100)			
					
10565000 Cut blade, compatible with Krone/ADC	10565110 Cut blade, compatible with Krone/ADC, 110	10665000 BIX blade	10051200 <b>Screwdriver blade</b> (D914 or D914S only)	10051300 Torque Adapter blade	

To learn more visit: [www.flukenetworks.com/blades](http://www.flukenetworks.com/blades)



**Pro-Tool™ Kits**

All the professional tools you need to cut, strip, clean and connect network phone and data lines to blocks and jacks. Bundled together in our sleek form-fitting PVC Dur-A-Grip™ tool pouch—holds your tools securely inside, even upside down. Five tool kit combinations to choose from to meet a multitude of applications.

- All kits include ergonomically designed Dur-a-Grip pouch for convenient tool storage on belt
- D914™ and D814™ industry standard punchdown tools make for solid terminations
- Easy-to-use cable stripper quickly rings and slits many types of cable
- Cut and strip wire cleaner and faster with the Electrician's D-Snips

To learn more visit: [www.flukenetworks.com/protol](http://www.flukenetworks.com/protol)

Pro-Tool Kit Model	IS60	IS50	IS40
D914S impact tool	✓	✓	
D814 impact tool			✓
Electrician's D-Snips	✓	✓	✓
Cable stripper	✓	✓	✓
Mini LED Flashlight	✓		
Dur-a-Grip pouch	✓	✓	✓
EverSharp 66/110 cut blade	✓	✓	✓
Probe pic			✓

Model	Description
11291000	IS40 Pro-Tool kit
11291400	Pro-Tool kit IS40 pouch only
11292000	IS50 Pro-Tool kit
11293000	IS60 Pro-Tool kit

**Electrical Contractor Telecom Kits**

Fluke Networks Electrical Contractor Telecom Kits are comprised of industry standard telecommunications tools and test equipment. Contents include D814™ impact tool, cable stripper, probe pic, Electrician's D-Snips, standard 4-wire modular adapter and EverSharp™ 66/110 cut blade. Soft carrying case included for easy organization.

- Choose either Kit I with TS®30 Test Set or Kit II with Pro3000 Analog Tone and Probe
- D814 industry standard punchdown tool for reliable terminations
- EverSharp 66/110 cut blade provides flexibility for different block and jack terminations
- Cable stripper quickly rings and slits many types of cable
- Use the probe pic to check for loose or damaged connections
- Cut and strip wire cleaner and faster with the Electrician's D-Snips
- Connect to jacks for testing with the standard 4-wire modular adapter
- A soft zippered pouch keeps your tools all in one convenient place

To learn more visit: [www.flukenetworks.com/ectkit](http://www.flukenetworks.com/ectkit)

Electrical Contractor Telecom Kit	Telecom Kit I	Telecom Kit II
TS30 Test Set with angled bed-of-nails cord	✓	
Pro3000 analog tone and probe		✓
D814 impact tool	✓	✓
Electrician's D-Snips	✓	✓
Cable stripper	✓	✓
EverSharp 66/110 cut blade	✓	✓
Standard 4-wire modular adapter	✓	✓
Probe pic	✓	✓

Model	Description
11290000	Electrical Contractor Telecom Kit I (with TS30 Test Set)
11289000	Electrical Contractor Telecom Kit II (with Pro3000 analog tone and probe kit)
11289400	Soft case, Electrical Contractor Telecom kit



**Modular Crimper**

All-in-one crimping tool for WESS type 6 and 8-position modular telephone plugs.

- Crimps 8-position RJ-45 connectors and 4 and 6-position RJ-11 and RJ-12 connectors.
- Embedded flat cable cutter and stripper

To learn more visit: [www.flukenetworks.com/crimper](http://www.flukenetworks.com/crimper)

Model	Description
11212530	Modular crimper



**Cable Splicing Knife**

The perfect tool for splitting cable sheaths. Soft, no-slip, easy-to-grip handle and cutlery-steel blade for durability and long-lasting blade edge.

- Short blade (1.75 in/4.4 cm) for strength
- Cutlery-steel blade for durability
- Cuts various insulation types

To learn more visit: [www.flukenetworks.com/knife](http://www.flukenetworks.com/knife)

Model	Description
44400000	Cable splicing knife



**D-Snips™**

The electrician's D-Snips offer a unique ergonomically-designed handle that leverages your power.

- Ergonomic design provides 1-1½ times the cutting force with half the effort
- High-quality forged steel construction for strength and durability
- Serrated blade for non-slip wire cutting
- File and scraper on both blades for cleaning wire
- Notched blade for stripping 19 and 23-gauge wire
- Cuts up to 16-gauge solid and 12-gauge stranded wire

To learn more visit: [www.flukenetworks.com/dsnips](http://www.flukenetworks.com/dsnips)

Model	Description
44300000	D-Snips



**Electrician's Snips**

These versatile Electrician's Snips feature a file and scraper on both blades for easy wire cleaning. They also feature a handy notched scissor blade for quickly stripping 19 and 23-gauge wire.

- High-quality forged steel construction for strength and durability
- File and scraper on both blades for cleaning wire
- Notched blade for stripping 19 and 23-gauge wire
- Cuts up to 16-gauge solid and 12-gauge stranded wire
- Serrated blade for non-slip wire cutting

To learn more visit: [www.flukenetworks.com/snips](http://www.flukenetworks.com/snips)

Model	Description
44500000	Electrician's snips



**Cable Strippers**

This line of cable strippers includes a double slotted cable stripper for 22/24 AWG wire installation and a coax stripper to perform 2-level and 3-level stripping of RG58/59 coaxial cables. We also offer a combo stripper that cuts and rings Teflon®, smoothly slits fiber, copper and coaxial cables and rings 25-100 pair cable.

- Full line of cable strippers for any job
- Round cable stripper for a variety of flexible round cable
- Coax strippers with two or three levels

To learn more visit: [www.flukenetworks.com/strippers](http://www.flukenetworks.com/strippers)

Model	Description
11230002	Cable stripper (round cable)
44210013	Double slotted stripper with cutter, 22/24 gauge
44200013	Double slotted stripper 22/24 gauge
11231257	Coax stripper, 2-level
11231255	Coax stripper, 2 and 3-level
44210015	Double-slotted stripper with cutter, 24/26 gauge



**Need-L-Lock™ Crimping Pliers**

The Need-L-Lock pliers' patented four-in-one tool combines UR/UY/UG connector crimper with needle-nose pliers so you can carry one less tool on your belt. Aligned crimping jaws come down square ensuring a solid connection. Jaws are grooved to provide a better grip on wires and feature a built-in cutter and wire stripper.

- Needle nose crimping pliers
- UR/UY/UG connector crimper
- Wire stripper hole for 22-to 24-gauge wire
- Built-in side cutter
- Rubber coated handles for non-slip grip

To learn more visit: [www.flukenetworks.com/pliers](http://www.flukenetworks.com/pliers)

Model	Description
11294000	Need-L-Lock crimping pliers



**Probe Pic**

This handy, pocket-sized insulation probe is ideal for checking for loose or damaged connections or to spread apart wires for direct access. Its compact size also makes it perfect for using the pic end for tracing or pulling wires from a bunch.

- Trace and pull wires with the pic end
- Check for loose or damaged connections
- Spread apart wires for direct access

To learn more visit: [www.flukenetworks.com/pic](http://www.flukenetworks.com/pic)

Model	Description
44600000	Probe pic, 105 degree



**Can Wrench**

This can wrench allows universal access to telephone boxes and pedestals. Open telephone box fasteners and tightens nuts on binding post terminals.

- Two hex head sockets (7/16 inch and 3/8 inch)
- Color-coded socket ends for quick size identification
- Wrench body constructed of tough, impact resistant and abrasion resistant material
- Socket ends guaranteed not to split or break up to a maximum torque of 45 pounds
- Two models available with wire stripper in handle (22 or 24 gauge)

To learn more visit: [www.flukenetworks.com/wrench](http://www.flukenetworks.com/wrench)

Model	Description
44007000	Can wrench, hex head
44507003	Can wrench with stripper, 22 gauge
44507004	Can wrench with stripper, 24 gauge
10660001	Security key insert

**TELEPHONE TEST SET COMPARISON**



	TS®54 TDR	TS®52 PRO	TS®22A	TS®22	TS®25D	TS®30 / TS®120*	TS®19
TDR to detect shorts, opens, and distance to open	✓						
Built-in toner	✓						
Display—back lit LCD and glow-in-the-dark keypad	✓	✓			LCD only		
Extended range high-impedance DataSafe operation in monitor mode	✓	✓			✓		
High-impedance DataSafe operation in monitor mode	✓	✓	✓		✓	✓	✓
Data lockout protection	✓	✓			✓		
Data lockout override	✓	✓			✓		
DSL/POTS filtering technology	✓	✓			✓		
Low/high voltage indication	✓	✓			✓		
Low current (mA) indication	✓	✓			✓		
Over voltage protection	✓	✓	✓	✓	✓	✓	
Over current protection	✓	✓	✓	✓	✓	✓	
Two-way speakerphone for true hands-free conversations	✓	✓	✓				
One-way amplified speaker for hands-free monitoring	✓	✓	✓	✓	✓		
Audible ringer for callbacks	✓	✓	✓	✓	✓	✓	✓
Waterproof—exceeds American Military Spec. MIL-STD-810E	✓	✓					
RainSafe—safe in severe weather conditions	✓	✓	✓	✓		✓	
DropSafe—passes 20 foot (6 meter) drop test onto concrete	✓	✓	✓	✓		✓	
Tone and pulse operation	✓	✓	✓	✓	✓	✓	✓
Polarity indication in talk mode	✓	✓	✓	✓	✓	✓	✓
PBX pause button	✓	✓	✓	✓	✓		
Stores nine 18-digit numbers in repertory dialer (speed dialing)	✓	✓	✓	✓	✓		
Replaceable 9V battery for powering speaker	✓	✓	✓	✓	✓		

\*TS120 for outside North America only. 67/33 break/make ratio.



### TS<sup>54</sup> TDR Test Set

A three-in-one—TDR, toner and pair identifier—premium, VDV test set

#### Ten testing functions include:

- TDR—find cable length measurement and locate faults on virtually all types of cable including twisted pair, coaxial, and parallel conductors
- Toner—five separate tones for fast and easy differentiation between multiple wire pairs
- SmartTone®—short the correct pair and tone changes for exact pair identification
- Data indication—warns when data is present on the line
- Voltage indication/measurement—identifies potential line problems
- Current (mA) indication/measurement—verifies sufficient line current
- Caller-ID with Call Waiting CID—verifies functional service
- DTMF Digit Grabbing—isolates faulty customer premise equipment
- Detects dial tone, places and receives calls
- Polarity

Model	Description
TS54-A-09-TDR	Test Set + TDR, ABN with Piercing Pin
TS54-BANA	Test Set + TDR, 4 MM Banana, Extra-large Alligator Clips, Test Probe

#### Accessories

Model	Description
BELTCLIP-TS	Belt Clip
LEAD-PIRC-PIN	Test Leads with Piercing Pin Clips
LEAD-CO-346A	Test Leads with a 346A Plug for the Central Office1
LEAD-ABN-PPIN	Test Leads with Angled Bed-of-Nails (ABN) and Piercing Pin Clips
LEAD-ALIG-CLP	Test Leads with Alligator Clips
LEAD-ABNPRJ11	Test Leads with an RJ-11 Plug, Angled Bed-of-Nails (ABN), and Piercing Pin Clips
LEAD-BANA-CLP	Test Leads with a 4 mm Banana Plug, Alligator Clips, and Test Probe
HEADSET-TS	Headset



To learn more visit: [www.flukenetworks.com/ts54](http://www.flukenetworks.com/ts54)



### TS<sup>52</sup> PRO LCD Test Set

The TS52 PRO Test Set features the latest in test set technology. Designed with a superior, radiant liquid crystal display (LCD) user interface, it allows you to see what cannot be heard in any outside plant environment. The back-lit LCD and glow-in-the-dark keypad brings light to even the darkest of work environments, providing perfect line diagnostic clarity. The TS52 PRO Test Set is also equipped with 2-way speakerphone and DataSafe™ Pro data protection technology featuring superior high-impedance monitoring, data lockout and lockout override, making you completely safe.

- Display—back-lit LCD and glow-in-the-dark keypad
- DataSafe Pro—superior high-impedance monitoring, lockout and override, making you completely safe in any mode
- DropSafe/RainSafe™—passes 20-foot drop test and designed for use in rainy conditions
- DSL/POTS filtering technology—allows technicians to clip on a live DSL line to test POTS service without downing or disrupting data service
- Two-way, hands-free speakerphone—for true hands-free conversation
- Test Functions:
  - Data indication: warns when data is present
  - Voltage indication: troubleshooting feature to identify potential line problems
  - Current (mA) indication: verifies sufficient line current
  - Caller-ID: verifies service is functional
  - DTMF digit grabbing: isolate faulty customer premise equipment



Model	Description
52801001	TS52 PRO test set with piercing pin clips
52801004	TS52 PRO test set with 346A plug
52801009	TS52 PRO test set with Angled Bed-of-Nails (ABN)/PP clips
52801R39	TS52 PRO test set with Angled Bed-of-Nails (ABN)/PP and RJ-11 plug

To learn more visit: [www.flukenetworks.com/ts52](http://www.flukenetworks.com/ts52)



### TS<sup>30</sup> Test Set

The TS30 Test Set features a rigid test set case design, at an affordable price. The ergonomic non-slip grip handle provides improved handling of the set in all weather conditions. Includes DataSafe™ operation so technicians can clip onto a line in monitor mode, without disrupting existing data traffic.

- High impedance DataSafe operation in monitor mode
- DropSafe™ reliability passes 20-foot drop test
- RainSafe™ protection in severe weather conditions
- Mute switch
- Last number redial

Model	Description
30800009	TS30 test set with Angled Bed-of-Nails (ABN)
30800001	TS30 test set with piercing pin clips

To learn more visit: [www.flukenetworks.com/ts30](http://www.flukenetworks.com/ts30)



### TS<sup>22</sup> Series Test Sets

The TS22 Series offers a unique built-in, one-way amplified speaker that provides three audio levels for hands-free listening and use with automated voice response systems. Multiple memories enable storage of nine 18-digit telephone numbers in repertory dialer (speed dialing) for easy access to test boards, the central office and other frequently called numbers. The last number redial feature eliminates the need to re-key your last entry. The TS22 test set offers an unbeatable combination of reliability, durability and expanded utility.

- Amplified speaker for hands-free monitoring
- Two-way speakerphone for true hands-free conversation
- DropSafe™ reliability passes 20-foot drop test
- RainSafe™ protection in severe weather conditions
- Stores nine 18-digit numbers in repertory dialer (speed dialing)

Model	Description
22801009	TS22A test set with Angled Bed-of-Nails (ABN)
22801007	TS22A test set with ground start cord
22801004	TS22A test set with 346A plug
22801001	TS22A test set with piercing pin clips
22800009	TS22 test set with Angled Bed-of-Nails (ABN)
22800007	TS22 test set with ground start cord
22800004	TS22 test set with 346A plug
22800001	TS22 test set with piercing pin clips


To learn more visit: [www.flukenetworks.com/ts22](http://www.flukenetworks.com/ts22)



### TS<sup>25D</sup> LCD Test Set

The TS25D Test Set features data lockout and lockout override, making you completely safe in talk or monitor mode. The DSL/POTS filtering technology allows you to safely draw dial tone without downing DSL. A built-in analog tone generator simplifies wire identification with a probe. An amplified speaker makes monitoring the line hands-free, so you can keep working. The Talk Battery function provides voltage to carry voice conversation on non-powered pairs. Also includes Caller-ID and Call-waiting Caller-ID functions. All in a compact unit with an oversized, robust liquid crystal display (LCD) that makes the intuitive, common-sense menus easy-to-read and use.

- Caller-ID and Call-waiting Caller-ID
- Amplified speakers for hands-free monitoring
- Data lockout and data lockout override
- Tone generator for wire identification
- Talk battery to power voice conversation on dry (non-powered) lines



Model	Description
25501109	TS25D test set with Angled Bed-of-Nails (ABN) kit (includes pouch and earpiece)
25501009	TS25D test set with Angled Bed-of-Nails (ABN)
25501004	TS25D test set with 346A plug
25500400	TS25D pouch only
25500300	TS25D battery door with belt clip
25500100	Earpiece, TS25D test set

To learn more visit: [www.flukenetworks.com/ts25d](http://www.flukenetworks.com/ts25d)



### TS<sup>19</sup> Test Set

The TS19 Test Set combines all the essential test set features at an affordable price. This test set was specifically designed for in-house telecom technicians. Its high impedance monitor prevents accidental disruption of service from clipping onto a data line while in Monitor Mode, thus ensuring the integrity of critical data lines. Features such as tone (DTMF) or pulse operation, talk/monitor capabilities, polarity test button and last number redial make this test set the perfect combination of features and price.

- High impedance DataSafe operation in monitor mode
- Tone (DTMF) and pulse operation and last number redial
- Polarity indication in talk mode

Model	Description
19800009	TS19 test set with Angled Bed-of-Nails (ABN)
19800003	TS19 test set with banana jacks to alligator clips

To learn more visit: [www.flukenetworks.com/ts19](http://www.flukenetworks.com/ts19)



### In-line Modular Adapter (4, 6, and 8-wire)

In-line banjo modular adapters permit testing on working lines without disrupting service. Quickly determine whether the trouble is in the phone or in the line.

- Easily complete testing and obtain circuit access on working lines without disrupting service
- Clear circuit markings on the sides and bottom of the unit
- Test line status with the 4-wire modular adapter

### 4-wire Standard Modular Adapter

Provide a quick connect to modular telephone jacks using any standard butt-in test set equipped with spring clips.

- Easily complete testing and obtain circuit access on working lines without disrupting service
- Clear circuit markings on the sides and bottom of the unit
- Test line status with the 4-wire modular adapter

### Spare Modular Adapter Cords (standard and K-plugs)

In-line banjo modular adapters feature replaceable adapter cords which enable broken jack clips to be replaced without discarding the entire unit. K-plug versions have rugged jack clips.

Model	Description
10113000	4-wire modular adapter
10210100	4-wire in-line modular adapter
10210101	4-wire in-line modular adapter with K-plug
10220100	6-wire in-line modular adapter
10220101	6-wire in-line modular adapter with K-plug
10230100	8-wire in-line modular adapter
10230101	8-wire in-line modular adapter with K-plug

To learn more visit: [www.flukenetworks.com/modular](http://www.flukenetworks.com/modular)

### Line Cords and Clips

P4480009 Line cord with Angled Bed-of-Nails Clips Compatible with 52 Series	P4480001 Line cord with Angled Piercing Pin Clips Compatible with 52 Series	P4480004 Line cord with 346A plug (Central Office) Compatible with 52 Series	P4480RJ9 Line cord with Bed-of-Nails and RJ-11 plug Compatible with 52 Series	P3218024 Line cord with Straight Bed-of-Nails Clips Compatible with 20 Series	P3218028 Line cord with Angled Piercing Pin Clips Compatible with 20 Series
P3218234 Line cord with Angled Bed-of-Nails Clips Compatible with 20 Series	P3080009 Line cord with Angled Bed-of-Nails Clips Compatible with 30 Series	P1980001 Line cord with Angled Piercing Pin Clips Compatible with 19 Series	P1980003 Line cord with Banana Jacks and Alligator Clips Compatible with 19 Series	P1980007 Line cord with Ground Start cord Compatible with 19 Series	P1980009 Line cord with Angled Bed-of-Nails Clips Compatible with 19 Series
P3218RJ9 Line cord with Angled Bed-of-Nails Clips and RJ-11 plug Compatible with 20 Series	P3218442 Line cord 471A Plug with Alligator Clips Compatible with all, requires 346A Plug	P3218202 Angled Bed-of-Nails with Piercing Pin Clips Compatible with all	P4080248 Standard locking belt clip Compatible with 52 Series	P4080249 Belt clip Compatible with 52 Series	P4480008 TS52/44/42 Replacement Line Cord with Angled Bed-of-Nails Clips Only Compatible with 52 Series



### Voltage Detector

In just a few seconds, a technician can determine if it's safe to work around areas such as transformer cases and circuit breaker housings, power ground wires or newly-driven ground rods, mobile homes, metallic siding or metal framing, pedestals, cross boxes or conduit, street light fixtures or electrical machinery. The Voltage Detector is a proven life-saver, with more than 30 years of service in telecommunications outside plant and power utility applications.

- Helps protect against accidental electrocution
- Fast and easy-to-use
- Rated to 20,000 Vac and 2,000 Vdc

Model	Description
C9970	Voltage Detector
C9973	Voltage Detector kit—including Voltage Detector, probe cap, storage bag, temporary bond, ground cord and handbook
C9974	Voltage Detector kit with test plug

### Accessories

Model	Description
26100103	Pro3000 Analog Probe replacement tip (two per bag)
C9972	Temporary Bond
C9967	Ground Cord
C9966	Test Plug
C9965	Probe Cap
C9964	Handbook

To learn more visit: [www.flukenetworks.com/voltagedetector](http://www.flukenetworks.com/voltagedetector)



GOLD SUPPORT

## Gold Support

Protect Your Investment and Minimize Business Downtime with Gold Membership 46

What's Included with Gold Membership? 46

Gold Membership Privileges 47



## Buy Gold. Make your investment count.



### Protect Your Investment and Minimize Business Downtime with Gold Membership

Gold Membership is much more than just a repair warranty. It is a comprehensive maintenance and support program that offers expanded coverage for Fluke Networks' products and accessories. It provides a premium level of support to minimize business downtime and ensure a high return on your investment.

3-Year Gold Membership provides a 10% discount off current Gold pricing along with 3-year price protection. On average customers can save up to 19% over 3-years by taking advantage of the 3-year Gold Membership option. Gold Membership is available for most Fluke Networks products in 1-year or 3-year (save 10% with 3-year) contracts.



### What's Included with Gold Membership?

Benefits	Gold Member	Non-Gold Member
Live Technical Support with exclusive phone numbers	✓	
FREE Repair with "first on bench" turnaround service	✓	
Loaner Equipment Service*	✓	
FREE Accessory Replacements**	✓	
FREE Annual Calibration	✓	
Member Only Promotions	✓	
Access to Technical Support	Web, Email and Phone	Web and Email
Response time from Technical Support	<2 Hours	<24 Hours
Customer Support—Phone and Email	24x7x365	7am-5pm (Pacific Time)
Primary Case Handling	Technical Support Engineer	Customer Service Agent

\*Available in certain geographies  
\*\*Applies to accessories included in the original product bundle

## Gold Membership Privileges

### Technical support

Unlimited 24/7 technical expertise with local language support. Gold members are provided with direct members-only priority phone numbers to our world-class Technical Assistance Centers (TAC).

### Repair

Unlimited, no-hassle, no-charge PRIORITY repair services including labor, parts and shipping.

### Loaner unit

A loaner unit or replacement unit can be provided during repair, available the next business day for ZERO downtime.

### Accessories

Parts and accessories that shipped with your unit and have been qualified as defective or faulty by our technical assistance center will be replaced free of charge during the term of your Gold membership.

### Calibration

One annual precision calibration and factory refresh per annual contract period. In addition, all accessories are inspected and replaced if faulty.

### Upgrades/Updates

Valuable software and firmware upgrades for your unit during the year giving you the latest functionality, improving technical efficiency and troubleshooting.

### Discounts and Members-Only Promotions

Special discounts are offered to Gold customers on new products, enhancements and used demo equipment.

### Easy Access to Gold Entitlements

Upon purchase, your company will receive a unique Gold Membership Number and PIN for secure access to your online Gold account.



To see a list of supported countries and full terms and conditions, go to [www.flukenetworks.com/gold](http://www.flukenetworks.com/gold).

**Contact your local Fluke Networks representative and order your Gold Membership today!**

**Где купить:**

ООО "КОМПАНИЯ ОПТУЛС"

Москва, ул.Иловайская, д.3

Тел.: +7 (495) 646-00-96

sale@opttools.ru

www.opttools.ru

## Contact Us

### Corporate

Fluke Networks

Everett WA 98203, USA

### Customer Service, Technical Support and Training

**1-800-283-5853** (Toll free inside U.S. and Canada)

**1-425-446-4519** (Worldwide)

Customer Service Email: [info@flukenetworks.com](mailto:info@flukenetworks.com)

Support Email: [support@flukenetworks.com](mailto:support@flukenetworks.com)

Training Email: [training@flukenetworks.com](mailto:training@flukenetworks.com)

[www.flukenetworks.com](http://www.flukenetworks.com)



[www.flukenetworks.com/facebook](http://www.flukenetworks.com/facebook)



[www.flukenetworks.com/twitter](http://www.flukenetworks.com/twitter)



[www.flukenetworks.com/linkedin](http://www.flukenetworks.com/linkedin)



[www.flukenetworks.com/youtube](http://www.flukenetworks.com/youtube)

#### Fluke Networks

P.O. Box 777, Everett, WA USA 98206-0777

Fluke Networks operates in more than 50 countries worldwide. To find your local office contact details, go to [www.flukenetworks.com/contact](http://www.flukenetworks.com/contact).

©2016 Fluke Corporation.  
Printed in U.S.A. 04/2016 3158212H